

INVITATION FOR BID NOTICE ISSUED: **03-05-2009**  
ADDENDUM DATE ISSUED: **03-16-2009**

**COUNTY OF JEFFERSON, MISSOURI**  
Department of Administrative Services  
729 Maple Street  
PO Box 100  
Hillsboro, MO 63050  
www.jeffcomo.org  
636-797-5382

**SPECIFICATION CONTACT**  
**MIKE GINGER**  
Director of Parks & Recreation  
Jefferson County, Missouri  
**636-797-5037**

# ADDENDUM #1 TO:

## INVITATION FOR BID

### 2009 RIDER MOWER MACHINE

**BIDS SHALL BE ACCEPTED UNTIL:**

**THURSDAY, APRIL 7, 2009, at 2:00 p.m. local time.**

Thereafter, bids shall be opened in the County Commission Assembly Room.

**THREE (3) COMPLETE COPIES OF THE ADDENDUM MUST BE INCLUDED WITH THE ORIGINAL IFB AND DELIVERED TO:**

Department of the County Clerk  
Wes Wagner (636)797-5478  
County of Jefferson, Missouri  
729 Maple Street  
Hillsboro, MO 63050

The outside of the envelope must contain the vendor's name, address and the following language:

**SEALED BID FOR: 2009 RIDER MOWER MACHINE**

**ALL TERMS AND CONDITIONS APPLY TO THE ADDENDUM AS STATED IN THE ORIGINAL IFB DATED 03-05-2009.**

## ADDENDUM #1

# REVISED SPECIFICATIONS

### SPECIFICATIONS FOR COMMERCIAL RIDER MOWER MACHINE

The following specifications are for a self-propelled hydraulic drive rider mower. This unit shall meet or exceed the following specifications:

#### Steering method:

- Two hydraulically damped twin levers adjust fore and aft. Adjustable dampeners (3 positions) to customize drive responsiveness. Also adjustable to two height position.

#### Power Train

- Power plant 34 horse power four stroke gasoline motor-air cooled
- 12 gallon fuel tank-single fill point
- Two hydrostatic variable pumps
- Two independent powered drive wheels
- PTO with electromagnetic clutch

#### Drive Tires

- Two drive tires minimum size 26 x 12 - 12, 4 ply turf tires

#### Turning Radius

- True zero turn

#### Parking Brake

- Lever activated

#### Mower Deck

- Full floating
- Width 72" cut
- Cutting Height 1 1/12 to 5" with 1/2" increments
- Front and rear antiscalp rollers
- Side discharge
- Metal thickness 7 to 11 gauge
- 2 or more pneumatic caste tires on front – 13 x 16.50

#### Electrical System

- 12 volt

#### Seat

- Deluxe, low profile, full suspension seat adjust to individual operator weight
- Standard regular safety package
- Padded, flip up arm rest
- Suspension seat with roll over bar-seat to be mounted on 4 rubber isolation dampers

#### Gauges

- Hour meter
- Volt meter
- Fuel gauge
- Oil pressure-warning light
- Alternator

#### Demonstration requirements

- Unit must pass 1 1/2-hour test drive and demonstration at one of the county parks. Site will be determined by the Park Department

## **OPTION #1**

### **Bagger Attachment-**

- quick attachment from side discharge to bagging with out tools
- large diameter discharge tube
- compact design for trailer space
- sealed hood
- high capacity, durable bags
- minimum for 13 bushel collection bags

**This bid must clearly mark the value of the trade-in**

**The following specifications are for the trade in that must be part of this bid. To schedule a trade-in inspection contact Henry Dolan at 636-797-6428 or 314-803-6384(cell).**

### **Steering method:**

- Two hydrostatic twin lever controls

### **Power Train**

- Power plant 22 horse power Kawasaki motor
- Two hydrostatic variable pumps
- Two independent powered drive wheels
- PTO with electromagnetic clutch
- Fuel capacity – 4 gallon minimum

### **Drive Tires**

- Two drive tires minimum size 20x9.5x12, 4 ply turf tires

### **Turning Radius**

- True zero turn

### **Parking Brake**

- Lever activated

### **Mower Deck**

- Full floating
- Width 60" cut
- Cutting Height 1 1/12 to 5" with 1/2" increments
- Front and rear antiscalp rollers
- Side discharge
- Metal thickness 7 to 11 gauge
- 2 or more pneumatic caste tires on front of deck

### **Electrical System**

- 12 volt

### **Seat**

- High back, minimum of 12" foam padding spring cushioned with adjustable lever action
- Standard regular safety package
- Padded, flip up arm rest
- Pneumatic seat

### **Gauges**

- Hour meter
- Volt meter

- Fuel gauge
- Oil pressure
- Temperature
- Alternator

**Serial number**

- 214098

**Model Number**

- LZ22LKA604

**Hours**

- 1158 hours used

**Base bid-mower**      \$ \_\_\_\_\_

**Option #1**      \$ \_\_\_\_\_

**Trade in value**      \$ \_\_\_\_\_

**Bid without option #1**      \$ \_\_\_\_\_

**Bid with option #1**      \$ \_\_\_\_\_