



JEFFERSON COUNTY
DEPARTMENT OF ADMINISTRATIVE SERVICES
729 MAPLE ST / PO BOX 100
HILLSBORO MO 63050
WWW.JEFFCOMO.ORG

BID #: [26-0009](#)

Invitation for [**2026 TANDEM AXLE DUMP TRUCK**](#) **Date** [**01/28/2026**](#)
Bid: [**CHASSIS**](#) **Issued:**

BIDS SHALL BE ACCEPTED UNTIL: TUESDAY, [**MARCH 3, 2026**](#) AT 2:00 P.M. LOCAL TIME.

Specification [**DAN NAUNHEIM**](#)
Contact: Department of Public Works
636-797-5569
dnaunheim@jeffcomo.org

Contract [**JACKIE DOYLE**](#)
Contact: Department of Administrative Services
636-797-5380

Mail (3) Three
Complete Copies
With Vendor And
Bid Information As
Shown In Sample:

SAMPLE ENVELOPE

<i>VENDOR NAME</i>	DEPARTMENT OF THE COUNTY CLERK
<i>VENDOR ADDRESS</i>	JEFFERSON COUNTY MISSOURI
<i>CONTACT NUMBER</i>	729 MAPLE ST / PO BOX 100
	HILLSBORO MO 63050-0100
SEALED BID: <i>(BID NAME)</i>	

Contract Term:

ONE YEAR CONTRACT
WITH ONE (1)
ADDITIONAL ONE YEAR
RENEWAL OPTION
UPON APPROVAL OF THE
COUNTY COUNCIL AND
COUNTY EXECUTIVE

The undersigned certifies that he/she has the authority to bind this company in an agreement/contract to supply the commodity or service in accordance with all terms, conditions, and pricing specified. This Bid, if accepted, will constitute an Agreement and Contract with Jefferson County, Missouri, upon approval of the County Council and County Executive. Prices are firm during this agreement term, unless agreed upon in writing by the County. The County has the option to renew this agreement at the same terms and conditions as the original agreement for one (1) additional one-year term with the written consent of the successful Bidder. Price increases for renewals are not authorized unless approved in writing by the County.

Vendor
Information:

Company Name _____ **Authorized Agent (Print)** _____

Address _____ **Signature** _____

City/State/Zip Code _____ **Title** _____

Telephone # _____ **Date** _____ **Tax ID #** _____

E-mail _____ **Fax #** _____

TABLE OF CONTENTS:

Legal Notice and Invitation for Bid	Page 1
Table of Contents	Page 2
Bid Requirements	Page 3
Bid Response and Contract	Page 5
Affidavit	Page 9
Certification for Debarment, Suspension or Exclusion	Page 11
Specifications	Page 12

REQUIRED DOCUMENTS

Current and valid Certificate of Insurance or binder showing required insurance coverage must be provided with each bid.

(County must be added as additional insured if awarded)

2a. Proof that Bidder does not owe delinquent real or personal property tax in Jefferson County (tax receipts for past 3 years)

Obtain receipts at <http://jeffersonmo.devnetwedge.com>

Or

2b. A notarized affidavit, on company letterhead stating that the applicant does not own any real or personal property in Jefferson County, Missouri.

A Notarized affidavit of work authorization and current business entity status with E-verification documentation. (pages 9 & 10)

Agreement to be executed by the County upon approval by the County Council and County Executive. (Bidder is required to complete company information and execute signature)

Cooperative Bid Form (last page)

All pages of the Invitation for Bid/Request for Proposal must be used when submitting your bid/proposal response along with initialing each page with the bid/proposal. Additional information may be included separately.

Bid deposits/bonds must be in the exact amount as stipulated in the bid. (if required)

***BIDS MAY BE REJECTED IF REQUIRED DOCUMENTATION IS NOT INCLUDED OR COMPLETED AT DISCRETION OF THE COUNTY**

1.0 BID REQUIREMENTS

Bidder shall initial all pages and return where the Bid Document denotes “BIDDER”S INITIALS: _____”

1.1 BID SUBMISSION:

Submit bid form in original (one original) and two (two copies) with all specification pages, if applicable. No facsimile or electronic bids shall be accepted and shall be rejected. The Vendor prior to the submission deadline as stated on page 1 must submit all bids. Late bids will not be accepted and returned to the vendor unopened. The County reserves the right to request additional written or oral information from Respondents in order to obtain clarification. A fully executed Affidavit is required by Section 285.530 RSMo. and shall be submitted with the bid form. A copy of the Affidavit is attached hereto. Failure to execute the Affidavit shall result in the bid being rejected. Failure to comply with any provision, provide any required documentation, insurance forms or deposits or bonds in exact amounts or any other term or condition that is not in strict conformance shall result in the bid being rejected.

1.2 BASIS OF BID AWARD:

Award may be made on an item-by-item basis to the lowest and best Bidder(s) or award may be made to the lowest and best bid total, whichever provides the greatest value to the County from the standpoint of suitability to purpose, quality, service, previous experience, price, ability to deliver, or any other reason deemed to be in the best interest of the County. Quantities stated herein represent an estimate for the period stated. Orders shall be placed for actual requirements as needed. The County may reject any or all bids for any reason and may waive any informality. Bids submitted from a Missouri State Contract shall include a copy of the State Contract with the bid. Bid award does not constitute an order or obligation to order by the County. The issuance of a Purchase Order Number shall be construed as acceptance of a Contract with all terms, conditions, and prices firm during the length of the agreement terms.

1.3 BID AWARD:

It is further agreed that the Contract shall not be valid and binding upon the County until approved by the County Counselor, as to legal form and is subject to the Ordinances, Resolutions and Orders of Jefferson County, Missouri, and State and Federal Law. If no Bid or Bids have been awarded by the County Council within forty-five (45) days following the opening of the bids then all bids will be deemed Rejected.

1.4 BID PREPARATION:

1. Bidders are responsible for examination of drawings, specifications, schedules and instructions. Failure to do so will be at the Bidder's risk.
2. Each Bidder shall furnish the information required by the invitation. The Bidder shall sign all required documents. All deletions and erasures shall be initialed.
3. Alternate bids for supplies or services other than specified shall not be considered unless authorized by invitation.
4. Bidder shall state a definite time for delivery of goods or for performance of services unless otherwise specified in the invitation for bid.

When specified, samples must be timely submitted and at no expense to the County.

Failure to adhere to all requirements may result in the response being disqualified as non-responsive.

1.5 MODIFICATION OR WITHDRAWAL OF BIDS:

Bids may be modified or withdrawn prior to the exact hour and date specified for receipt of bids, provided the modification or withdrawal is in writing and is delivered in the same manner as a bid submission.

1.6 LATE BIDS:

It is the responsibility of the Bidder to deliver his bid or bid modification on or before the date and time of the bid closing to the Department of the County Clerk. Bids received late will be rejected and returned unopened to the Bidder.

1.7 BID DEPOSITS/BONDS:

Bid Deposits/Bonds are not required unless specified in the specifications. Bid deposits/Bonds must be in the exact amount as stipulated in the bid.

1.8 MATERIAL AVAILABILITY:

Bidders must accept responsibility for verification of material availability, product schedules and other pertinent data prior to submission of bid and delivery time. It is the responsibility of the Bidder to notify the County immediately if the materials specified are discontinued, replaced, or not available for an extended period of time. All materials ordered by the County, shall be as needed. A sample of materials may be requested.

1.9 ALTERNATE BIDS:

Alternate Bids for items will be accepted except when stated **“NO SUBSTITUTIONS”**. Bidders must submit complete specifications on all alternate bids with the bid form. Alternate bids without complete specifications may be rejected. Alternate bids and exceptions to bid clauses must be clearly noted on the bid form. The County may accept or reject alternate bids; whatever is most advantageous to the County.

1.10 INCORPORATION OF DOCUMENTS:

The terms of the Bid Invitation, Bid Specifications, Bid Form are and shall be incorporated into the contract as if fully setout therein. The Bid, if accepted and approved by the County Council and County Executive shall constitute the terms of a Contract or

Agreement with Jefferson County, Missouri, subject to any further Amendments, Memoranda or other documents or specifications which must be set forth in writing and signed by all parties.

1.11 ADDENDA:

Addenda to bid specifications are incorporated by reference as if fully setout herein. It is the responsibility of the vendor to insure and verify that they are in receipt of and completed all attached addenda prior to submission of bid forms. Verification is made by contacting the Office of Contracts and Grants at (636) 797-5380, or by reviewing the County Web Site. (www.jeffcomo.org).

1.12 INSURANCE:

The Vendor/Contractor shall purchase and maintain insurance with an insurance company licensed to do business in the State of Missouri or in the state where the vendor is incorporated or otherwise licensed to do business and which shall remain, at all times during the term of any contract with the County, in full force and effect. Preference will be given to a Vendor/Contractor who provides insurance with an insurance company licensed to do business in the State of Missouri, but in any event said Vendor/Contractor shall provide said insurance at its own expense. Such insurance shall be provided as will protect the Vendor/Contractor from claims which may arise out of or result from the Vendor/Contractor's execution of the work, whether such execution be by himself, his employees, agents, or by anyone for whose acts any of them may be liable. If any such work covered by the Contract is to be performed on County owned or leased premises, the Vendor agrees to carry liability and workman's compensation insurance, satisfactory to the County, and to indemnify the County against all liability, loss, and damage arising out of any injuries to persons and property caused by the Vendor, his sub-contractors, employees or agents. The insurance coverage shall be such as to fully protect the County and the general public from any and all claims for injury and damage resulting by any actions on the part of the Vendor/Contractor or its' forces as enumerated above. All policies must name the County as an additional insured and provide for thirty (30) days written prior to any material changes or cancellation. Any disputes regarding a breach, insurance amounts, liability, coverage, lapse or otherwise shall be litigated in the Circuit Court of Jefferson County, Missouri and the same shall be incorporated into any Contract agreed to by the parties.

THE COUNTY REQUIRES A CURRENT AND VALID CERTIFICATE OF INSURANCE OR BINDER SHOWING REQUIRED INSURANCE COVERAGE MUST BE PROVIDED WITH EACH BID. JEFFERSON COUNTY MUST BE ADDED AS AN ADDITIONAL INSURED AFTER AWARD OF THE BID. ANY LAPSE IN INSURANCE COVERAGE OR CANCELLATION THEREOF BY THE CONTRACTOR OR SUB-CONTRACTORS DURING THE TERMS OF THE CONTRACT SHALL IMMEDIATELY BE DEEMED A MATERIAL BREACH UNDER THE TERMS OF ANY CONTRACT.

A. (X)Required () Not Required Comprehensive General Liability Insurance

The Vendor/Contractor shall maintain and keep in full force and effect during the terms of this Contract such comprehensive general liability insurance as shall protect them from claims which may arise from operations under this Contract, whether such operations be by themselves or by anyone directly or indirectly employed by them. The amounts of insurance shall be not less than \$1,000,000.00 combined single limit for any one occurrence covering both bodily injury and property damage, including accidental death.

B. (X)Required () Not Required Professional Liability Insurance

The Vendor/Contractor shall provide the County with proof of Professional Liability Insurance, which shall protect the County against any and all claims, which might arise as a result of the operation of the Vendor/Contractor in fulfilling the terms of this Contract during the life of the Contract. The minimum amounts of such insurance will be \$1,000,000.00. Should any work be subcontracted, these limits will also apply.

**C. (X)Required () Not Required Worker's Compensation Insurance:
per Missouri Revised Statutes Chapter 287**

The Vendor/Contractor or his sub-contractor or contractors, shall maintain and keep in force of this Contract such worker's compensation insurance limits as required by the statutes of the State of Missouri and Employer's Liability with limits no less than \$500,000.00.

1.13 BID SUBMISSIONS

Bids submitted on separate forms are NOT acceptable unless specified in the Bid Document. Failure to complete bid forms to the satisfaction of the County may result in rejection of your bid. It is the responsibility of each Bidder before submitting a bid to examine ALL documents thoroughly, and request written or oral interpretation of clarifications soon after discovering any conflicts, ambiguities, errors, or omissions in the bidding documents. Request for clarification must be received prior to bid openings.

1.14 BID OPENINGS

Bids will be publicly opened and read aloud at the time indicated on page 1. The Bidders and the public are invited but not required to attend the formal opening of the bids. No decisions relating to the award of a contract or agreement will be made at the opening.

1.15 BID TABULATIONS

Bid Tabulations are not available for 5 to 7 business days following the Bid Opening. Bid submissions are open for public review at the time of the Bid Opening. Bid tabulations are posted on the County's web-site address, www.jeffcomo.org. **NO COPIES** of bid tabulations are sent to vendors.

2.0 BID RESPONSE AND CONTRACT

2.1 BIDDER REPRESENTATIONS:

The Bidder, by executing the Bid form certifies that:

The bid complies with Invitation for Bid form and Bid Specifications.

B. Bidder is not debarred or suspended from participation in Federal Assistance programs.

2.2 TAXES:

No bid or proposal shall be awarded by Jefferson County unless the prospective Bidder provides proof that the Bidder does not owe delinquent real or personal property taxes to Jefferson County. The prospective Bidder is required to provide proof in the form of an original paid tax receipt issued by the Jefferson County Collector or a verified affidavit stating that the applicant does not own any real or personal property in Jefferson County. Tax receipts for the past 3 years are required and may be obtained at <http://jeffersonmo.devnetwedge.com/> or a notarized affidavit stating that the applicant does not own any real or personal property in Jefferson County on company letterhead.

Section 135.040 of the Jefferson County Code of Ordinances (Ord. No. 10-0411) requires that no bid or proposal shall be awarded by Jefferson County unless the prospective Bidder provides proof that the Bidder does not owe delinquent real or personal property, or that the Bidder does not own any real or personal property in Jefferson County. All delinquent real or personal property taxes shall be paid, in-full, prior to the award of any bid, or proof shall be provided that the Bidder does not own any real or personal property in Jefferson County prior to the award of any bid. Jefferson County considers that the failure to pay any and all real or personal property taxes due Jefferson County, Missouri, the failure to report all real or personal property owned, held or used in Jefferson County, the failure to provide proof thereof, and/or the failure to keep said tax bills current shall be deemed a material breach of the contract and will subject the contract to immediate cancellation. All taxes, due and owing, must be paid in full at the time the bid is awarded by Jefferson County and remain paid during the entire term of the contract unless the prospective Bidder provides proof that the Bidder does not own real or personal property in Jefferson County. This requirement shall not apply to the award of bids for projects which are funded in whole or in part by Federal funds.

2.3 CERTIFICATION OF INDEPENDENT PRICE DETERMINATION:

A. The prices in the bid shall be independently determined, without consultation, communication, or agreement for the purpose of restricting competition as to any matter relating to price with any Bidder or other person.

B. Unless otherwise required by law, the prices shall not have been knowingly disclosed by the Bidder prior to opening.

C. No attempt has been made or will be made by the Bidder to induce any other person or firm to submit or not to submit a bid.

2.4 PRICE:

The price(s) specified in this bid shall be firm and not subject to contingency or reservation. If the Vendor fails to honor stated prices as submitted in the Bid Form or Contract, the County reserves the right to obtain the same items from the next lower vendor who submitted a bid price for the item. The original vendor shall be responsible for the difference in price and required to make restitution to the County for the difference in price. The Bidder represents prices specified in the bid do not exceed current selling price for the same or substantially similar good or service, and are the same as or lower than other prices charged to the Bidder's most favored customer. In the event the stated prices are determined to be higher than the prices for which Supplier has sold the items, or services, to others, this contract price shall be reduced accordingly. **Bid prices are ALL INCLUSIVE: (Shipping, Handling, Delivery, and Assembly to locations specified by the County). Prices shall be firm for ALL County departments and locations for term of the agreement.**

2.5 MISSOURI DOMESTIC PRODUCT PROCUREMENTACT:

Bidder represents that the goods provided comply with Sections 34.350 to 34.359, RSMo., known as the Domestic Product Procurement Act. The Act encourages the purchase of products manufactured or produced in the United States, State of Missouri, and Jefferson County, Missouri. Bidder shall include proof of compliance with the Act with the bid when requested.

2.6 NON-EXCLUSIVE AGREEMENT:

The contractor shall understand and agree that the contract shall not be construed as an exclusive agreement and further agrees that the County may secure identical and/or similar services or products from other sources at anytime in conjunction with or in replacement of the contractor's services.

2.7 DEFINITIONS:

The term "County" means the Jefferson County, Missouri and its designated representatives.

The term "Vendor" means Supplier, Contractor, and Seller and includes designated representatives.

The term "IFB" means Invitation for Bid.

The term "Agreement/Contract" means Binding Agreement, Contract, Request for Purchase, Order.

2.8 INSPECTION, ACCEPTANCE AND APPROVALS:

Goods shall at all times and places, including the period of manufacture, are subject to inspection and test by County. County will accept or give notice of rejection of goods delivered within a reasonable time after receipt. Acceptance shall not waive any warranty. All goods supplied are subject to final inspection and acceptance by County notwithstanding payment, prior inspections or approvals. County may require prompt replacement or correction of rejected goods at Supplier's expense, including a reduction in price for rejected goods. Supplier shall not resubmit rejected goods to County without prior written approval and instructions from County. In addition, Supplier shall identify resubmitted goods as previously rejected. Supplier shall provide and maintain a quality assurance and control system acceptable to County.

2.9 WARRANTY:

Unless otherwise agreed to in writing by the parties, Supplier warrants that items ordered to specifications will conform thereto and to any drawings, samples or other descriptions furnished or adopted by County, or, if not ordered to specifications will be fit and sufficient for the purpose intended, and that all items will be new, merchantable, of good material and workmanship, and free from defect. Such warranties, together with Supplier's service warranties and guarantees, if any, shall survive inspection, test, acceptance of, and payment for the items and shall run to County and its assigns. Except for latent defects, the County shall give notice of any nonconformity to the Supplier within one (1) year after acceptance. County may return for credit or require prompt correction or replacement of the defective or non-conforming goods or have the defective good corrected or replaced at Supplier's expense. Return to Supplier of any defective or non-conforming goods and delivery to County of any corrected or replaced goods shall be at Supplier's expense. Defective or non-conforming items shall not be corrected or replaced without written authorization by County. Goods required to be corrected or replaced shall be subject to the provisions of this clause and the clause hereof entitled "Inspection, Acceptance and Approvals" in the same manner and to the same extent as goods originally delivered under this contract.

2.10 PAYMENT:

County will pay Supplier for goods upon delivery to, submission of certified invoices with attached tipping fee receipts and acceptance. The County will not be responsible for articles or services furnished without a purchase order. Price is tax-exempt.

2.11 CHANGE ORDER:

County may make changes within the general scope of this contract. If any such changes cause an increase or decrease in the cost of or the time required for the performance of any part of the work, whether changed or not changed by any such order, an equitable adjustment shall be made in the price or delivery schedule or both, and any change order shall be in writing. Any claim by a Supplier for adjustment under this clause shall be asserted within fifteen (15) days from the date of receipt of this written order directing the change, provided, however, County, if it decides that the facts justify such action, may receive and act upon such claim asserted at any time prior to final payment.

2.12 DELIVERIES:

Deliveries shall be made in strict accordance with any delivery schedule contained in the bid specification or contract and in the exact quantity ordered. Failure to adhere to delivery schedule is reason for termination in accordance with the "termination" clause. Deliveries are to be made at locations specified by the County at time of Order.

2.13 RESPONSIBILITY FOR SUPPLIES:

Pursuant to Section 290.560 RSMo, Supplier/Contractor shall employ only Missouri laborers and laborers from nonrestrictive states except that other laborers may be used when Missouri laborers or laborers from nonrestrictive states are not available, or are incapable of performing the particular type of work involved, if so certified by the contractor and approved by the County. Except as otherwise provided, Supplier shall be responsible and bear all risks for loss and damage to goods until delivery at County's facilities, regardless of F.O.B. point, point of inspection or acceptance; and if the goods are rejected.

2.14 SUBCONTRACTS:

Supplier shall not enter into any subcontract(s) in excess of \$25,000 or 20% of this contract price; whichever is less, for any goods without County's prior written approval.

2.15 CHOICE OF LAW:

This bid and contract shall be governed and interpreted according to the laws of the State of Missouri. Venue for any court action shall be in Jefferson County, Missouri.

2.16 TERMINATION:

A. General: Performance of work may be terminated by the County in whole, or from time to time in part, whenever County shall determine that such termination is in the best interests of County with a thirty (30) day written notice. The Vendor may

terminate the Agreement/Contract upon a sixty (60) day prior notice in writing. In the event of any termination of the Agreement/Contract by the Vendor, the County may purchase such supplies and/or services similar to those terminated and for the duration of the Agreement/Contract period the Vendor will be liable for all costs in excess of the established contract pricing.

B. Bankruptcy or Insolvency: In the event bankruptcy proceedings are commenced by or against Supplier or under any provisions of the United States Bankruptcy Act or for the appointment of a receiver or trustee or a general assignment for the benefit of creditors of either party, County shall be entitled to terminate without further cost or liability. The County may cancel the Agreement/Contract or affirm the Contract and hold the Vendor responsible for damages.

C. Section 135.040 of the Jefferson County Code of Ordinances (Ord. No. 10-0411) requires that no bid or proposal shall be awarded by Jefferson County unless the prospective Bidder provides proof that the Bidder does not owe delinquent real or personal property, or that the Bidder does not own any real or personal property in Jefferson County. All delinquent real or personal property taxes shall be paid, in-full, prior to the award of any bid, or proof shall be provided that the Bidder does not own any real or personal property in Jefferson County prior to the award of any bid. Jefferson County considers that the failure to pay any and all real or personal property taxes due Jefferson County, Missouri, the failure to report all real or personal property owned, held or used in Jefferson County, the failure to provide proof thereof, and/or the failure to keep said tax bills current shall be deemed a material breach of the contract and will subject the contract to immediate cancellation. All taxes, due and owing, must be paid in full at the time the bid is awarded by Jefferson County and remain paid during the entire term of the contract unless the prospective Bidder provides proof that the Bidder does not own real or personal property in Jefferson County. This requirement shall not apply to the award of bids for projects which are funded in whole or in part by Federal funds.

D. Default: County may terminate the whole Contract or any part in either of the following circumstances:

D-1. If supplier fails to deliver the items required by the contract within the time specified; or

D-2. If supplier fails to perform any of the other provisions of the contract, or so fails to make progress as to endanger performance of the contract in accordance with its terms, and in either of these two circumstances does not cure such failure within a period of ten (10) days after notice from County specifying such failure. In the event of termination under subparagraph 1, County shall have the right to procure, on such terms and in such manner as it may deem appropriate, items similar to those terminated, and to recover from Supplier the excess cost for such similar items provided, however, Supplier shall not be liable for such excess costs where the failure upon which the termination is based has arisen out of causes beyond the control of Supplier and without the fault or negligence of Supplier. Such causes shall be deemed to include fires, floods, earthquakes, strikes, and acts of the public enemy. The rights of County provided in subparagraph 1 shall be in addition to any other rights provided by law or the contract.

D-3. In the event of the Supplier's non-compliance with the provisions as set forth, this Contract may be cancelled, terminated or suspended in whole or in part and the supplier may be declared ineligible for further County contracts. The rights and remedies of the County provided in this paragraph shall not be exclusive but are in addition to any remedies provided in this Contract or as provided for by law.

2.17 NOTICE AND SERVICE THEREOF:

Any notice from the County shall be in writing and considered delivered and the service thereof completed when said notice is posted, by certified or regular mail, to the Supplier, at the address stated on the bid form.

2.18 CONTRACT TERM:

Performance shall be governed solely by the terms and conditions as set forth in the Invitation for Bid, Bid Specifications, Bid Form and the Contract notwithstanding any language contained on any invoice, shipping order, bill of lading or other document furnished the Seller at any time and the acceptance by the County for any goods furnished.

2.19 COMPLIANCE WITH APPLICABLE LAWS:

Supplier warrants it has complied with all applicable laws, rules and ordinances of the United States, Missouri or any other Governmental authority or agency in the manufacture or sale of the goods, including but not limited to all provisions of the Fair Labor Standards Act of 1938, as amended, including provisions of the Home Rule Charter of Jefferson County, Missouri requiring all workers performing work under any contract with Jefferson County be paid a wage that is at least the prevailing hourly rate of wages for work of a similar character in Jefferson County.

2.20 ACTS OF GOD:

No party shall be liable for delays, nor defaults due to Acts of God or the public enemy, riots, strikes, fires, explosions, accidents, governmental actions of any kind or any other causes of a similar character beyond its control and without its fault or negligence.

2.21 SELLER'S INVOICES:

Invoices shall contain the following information. Contract number (if any), Purchase Order Number, Item number, contract description of goods or services, sizes, quantities, unit prices and extended totals. Invoices for and inquiries regarding payment should be addressed to the County Accounts Payable Clerk.

2.22 APPROVAL:

It is agreed the acceptance of a Bid shall not be valid and binding upon the County until approved by the County Purchasing Agent, County Council, and the County Counselor.

2.23 RENEWAL OPTION:

The County reserves the right to negotiate the contract for one (1) additional one-year term with the written consent of the awarded vendor. If the contractor/vendor requests an increase in compensation for any renewal period, the vendor shall notify the Office of Contracts and Grants no less than 60 days prior to the end of the contract period. The County shall notify the Vendor of the intent to exercise the renewal option. However, failure to notify the Vendor does not waive the County's right to exercise the renewal option.

Indicate: [] Individual: [] Partnership: [] Corporation.

2.24 INDIVIDUAL, PARTNERSHIPS, CORPORATIONS:

Incorporated in the State of _____.

2.25 LITIGATION:

This agreement shall be interpreted under the laws of the State of Missouri. Any disagreements, questions, controversies, litigation or other causes of action whatsoever arising from or under the terms of this agreement shall be resolved in the trial courts of 23rd Judicial Circuit Court of the State of Missouri-Hillsboro, Missouri.

2.26 LANGUAGE: Bids and all related documents will only be accepted in the English Language.

AFFIDAVIT OF WORK AUTHORIZATION

The grantee, sub grantee, contractor or subcontractor who meets the section 285.525, RSMo. definition of a business entity must complete and return the following Affidavit of Work Authorization.

Comes now _____ (Name of Business Entity Authorized Representative) as _____ (Position/Title) first being duly sworn on my oath, affirm _____ (Business Entity Name) is enrolled and will continue to participate in the E-Verify federal work authorization program with respect to employees hired after enrollment in the program who are proposed to work in connection with the services related to _____ (Bid/Grant/Subgrant/Contract/Subcontract) for the duration of the grant, subgrant, contractor, or subcontractor, if awarded in accordance with subsection 2 of section 285.530, RSMo. I also affirm that _____ (Business Entity Name) does not and will not knowingly employ a person who is an unauthorized alien in connection with the contracted services related to _____ (Bid/Grant/Subgrant/Contract/Subcontract) for the duration of the grant, subgrant, contract, or subcontract, if awarded.

In Affirmation thereof, the facts stated above are true and correct. (The undersigned understands that false statements made in this filing are subject to the penalties provided under section 575.040, RSMo.)

Authorized Representative's Signature

Printed Name

Title _____ Date _____

Subscribed and sworn to before me this _____ of _____. I am
(DAY) _____ (MONTH, YEAR)

commissioned as a notary public within the County of _____, State of
(NAME OF COUNTY)

_____ and my commission expires on _____.
(NAME OF STATE) _____ (DATE)

Signature of Notary _____ Date _____

AFFIDAVIT OF WORK AUTHORIZATION

(Continued)

CURRENT BUSINESS ENTITY STATUS

I certify that _____ (Business Entity Name) **MEETS** the definition of a business entity as defined in section 285.525, RSMo., pertaining to section 285.530, RSMo., as stated above.

Authorized Business Entity
Representative's Name
(Please Print)

Authorized Business Entity
Representative's Signature

Business Entity Name

Date

As a business entity, the grantee, sub grantee, contractor, or subcontractor must perform/provide the following. The grantee, sub grantee, contractor, or subcontractor shall check each to verify completion/submission:

- Enroll and participate in the E-Verify federal work authorization program (Website: <http://www.dhs.gov/e-verify>;
Phone: 888-464-4218; Email: e-verify@dhs.gov) with respect to the employees hired after enrollment in the program who are proposed to work in connection with the services required herein;

AND

- Provide documentation affirming said company's/individual's enrollment and participation in the E-Verify federal work authorization program. Documentation shall include a page from the E-Verify Memorandum of Understanding (MOU) listing the grantee's, subgrantee's, contractor's, or subcontractor's name and the MOU signature page completed and signed, at minimum, by the grantee, subgrantee, contractor, or subcontractor and the Department of Homeland Security – Verification Division; (if the signature page of the MOU lists the grantee's, subgrantee's, contractor's, or subcontractor's name, then no additional pages of the MOU must be submitted).

Certification Regarding Debarment, Suspension, Ineligibility, And Voluntary Exclusion

Contractor Covered Transactions

The prospective contractor of the Recipient, _____, certifies, by submission of this document, that neither it nor its representatives is presently disbarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participation in this transaction by any Federal department or agency.

Where the Recipient's contractor is unable to certify to the above statement, the prospective contractor shall attach and explanation to this form.

CONTRACTOR: _____

By: _____
Signature Recipient's Name

Name and Title Division Contract Number

Street Address

City, State, Zip

Date

DUNS number

Cage Code

2026 TANDEM-AXLE DUMP TRUCK CHASSIS

Jefferson County desires to purchase one (1) 2026 tandem-axle dump truck chassis which meets the following specifications:

SPECIFICATION PROPOSAL

Description

Price Level

SD PRL-29D (EFF:MY26 ORDERS)

Data Version

SPECPRO21 DATA RELEASE VER 020

Vehicle Configuration

108SD PLUS CONVENTIONAL CHASSIS

2026 MODEL YEAR SPECIFIED

SET BACK AXLE - TRUCK

TRAILER TOWING PROVISION AT END OF FRAME WITH SAE

J560

LH PRIMARY STEERING LOCATION

General Service

TRUCK/TRAILER CONFIGURATION

DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES)

EPA CLEAN IDLE LABEL - (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD OF DRIVER DOOR)

CONSTRUCTION SERVICE

GOVERNMENT BUSINESS SEGMENT

DIRT/SAND/ROCK COMMODITY

TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS

MAXIMUM 8% EXPECTED GRADE

SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE

FREIGHTLINER SD VOCATIONAL WARRANTY

EXPECTED FRONT AXLE(S) LOAD : 14600.0 lbs

Description

EXPECTED REAR DRIVE AXLE(S) LOAD : 40000.0 lbs

EXPECTED GROSS VEHICLE WEIGHT CAPACITY

: 54600.0 lbs

EXPECTED GROSS COMBINATION WEIGHT : 80000.0 lbs

Truck Service

FRONT PLOW/END DUMP BODY

HENDERSON

Engine

CUM L9 370 HP @ 2100 RPM; 2100 GOV RPM, 1250 LB-FT @ 1200 RPM

Electronic Parameters

69 MPH ROAD SPEED LIMIT

CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT

PTO MODE ENGINE RPM LIMIT - 2100 RPM

PTO RPM WITH CRUISE SET SWITCH - 1100 RPM

PTO GOVERNOR RAMP RATE - 25 RPM PER SECOND

FUEL DOSING OF AFTERTREATMENT ENABLED IN PTO MODE-CLEANS HYDROCARBONS AT HIGH TEMPERATURES ONLY

CRUISE CONTROL BUTTON PTO CONTROL

PTO SPEED 1 SETTING - 900 RPM

ENGINE BRAKE WITH CRUISE CONTROL ENABLED AT 2 MPH ABOVE SET SPEED, 1 MPH INCREMENT BETWEEN BRAKING LEVELS

PTO MINIMUM RPM - 800

REGEN INHIBIT SPEED THRESHOLD - 5 MPH

PTO 1, DASH SWITCH, ENGAGE WHILE DRIVING

ENGINE MOUNT PTO, DASH SWTICH ENGAGES PTO MODE, STATIONARY OPERATION

Engine Equipment

EPA 2010/GHG 2024 CONFIGURATION

STANDARD OIL PAN

ENGINE MOUNTED OIL CHECK AND FILL

SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER WITH SAFETY ELEMENT AND INSIDE/OUTSIDE AIR WITH SNOW DOOR

Description

DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE

(3) DTNA GENUINE, FLOODED STARTING AND CYCLING, MIN 2100CCA, 570RC, THREADED STUD BATTERIES

BATTERY BOX FRAME MOUNTED

STANDARD BATTERY JUMPERS

SINGLE BATTERY BOX FRAME MOUNTED LH SIDE BACK OF CAB

WIRE GROUND RETURN FOR BATTERY CABLES WITH

ADDITIONAL FRAME GROUND RETURN

NON-POLISHED BATTERY BOX COVER WITH TETHER

NON-ESSENTIAL POSITIVE LOAD DISCONNECT, LOCKING IN CAB CONTROL SWITCH MOUNTED OUTBOARD OF DRIVER SEAT

POSITIVE AND NEGATIVE POSTS FOR JUMPSTART LOCATED ON FRAME NEXT TO STARTER

PROGRESSIVE LOW VOLTAGE DISCONNECT AT 12.3 VOLTS FOR DESIGNATED CIRCUITS

CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE

ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM

CUMMINS ENGINE INTEGRAL BRAKE WITH VARIABLE GEOMETRY TURBO ON/OFF

RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE

ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD ACTIVE REGENERATION AND VIRTUAL REGENERATION REQUEST SWITCH IN CLUSTER AND DASH MOUNTED INHIBIT SWITCH

10 FOOT 06 INCH (126 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT

RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP

6 GALLON DIESEL EXHAUST FLUID TANK

100 PERCENT DIESEL EXHAUST FLUID FILL

STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING

LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION

Description

STANDARD DIESEL EXHAUST FLUID TANK CAP
STAINLESS STEEL AFTERTREATMENT
DEVICE/MUFFLER/TAILPIPE SHIELD
AIR POWERED ON/OFF ENGINE FAN CLUTCH
AUTOMATIC FAN CONTROL WITH DASH SWITCH AND
INDICATOR LIGHT, NON ENGINE MOUNTED

CUMMINS SPIN ON FUEL FILTER
COMBINATION FULL FLOW/BYPASS OIL FILTER
1115 SQUARE INCH ALUMINUM RADIATOR
ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE)
EXTENDED LIFE COOLANT
GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT

CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES

RADIATOR DRAIN VALVE
PHILLIPS-TEMRO 1000 WATT/115 VOLT BLOCK HEATER

CHROME ENGINE HEATER RECEPTACLE MOUNTED UNDER
LH DOOR
ELECTRIC GRID AIR INTAKE WARMER
DELCO 12V 38MT HD STARTER WITH INTEGRATED
MAGNETIC SWITCH

Transmission

ALLISON 3000 RDS AUTOMATIC TRANSMISSION WITH PTO
PROVISION

Transmission Equipment

ALLISON VOCATIONAL PACKAGE 223 - AVAILABLE ON
3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODELS
RDS, HS, MH AND TRV

ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY
APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES

PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1,
HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT
FAMILIES ONLY

SECONDARY MODE GEARS, LOWEST GEAR 1, START
GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000
PRODUCT FAMILIES ONLY

S5 PERFORMANCE LIMITING PRIMARY SHIFT SCHEDULE,
AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY

Description

S5 PERFORMANCE LIMITING SECONDARY SHIFT
SCHEDULE, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES
ONLY

2100 RPM PRIMARY MODE SHIFT SPEED

2100 RPM SECONDARY MODE SHIFT SPEED

ENGINE BRAKE RANGE PRESELECT RECOMMENDED BY
DTNA AND ALLISON, THIS DEFINED BY ENGINE AND
VOCATIONAL USAGE

2ND GEAR ENGINE BRAKE ALTERNATE PRESELECT WITH
MODERATE DOWNSHIFT STRATEGY

FUEL SENSE 2.0 DISABLED - PERFORMANCE - TABLE
BASED

DRIVER SWITCH INPUT - DEFAULT - NO SWITCHES

DIRECTION CHANGE ENABLED WITH MULTIPLEXED SERVICE
BRAKES - ALLISON 5TH GEN TRANSMISSIONS

MAXIMUM ENGINE SPEED FOR PTO ENGAGEMENT 900 RPM

QUICKFIT BODY LIGHTING CONNECTOR UNDER CAB, WITH
BLUNTCUTS

ELECTRONIC TRANSMISSION WIRING TO CUSTOMER
INTERFACE CONNECTOR

CUSTOMER INSTALLED CHELSEA 281 SERIES PTO

PTO MOUNTING, LH SIDE OF MAIN TRANSMISSION ALLISON

MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN,
AXLE(S) FILL AND DRAIN

PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH
MOUNTED

TRANSMISSION PROGNOSTICS - ENABLED 2013

WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END
TANK

TRANSMISSION OIL CHECK AND FILL WITH CROSSOVER TO
CLEAR LH PTO AND DIRECT MOUNT PUMP

ATF-SYNTHETIC AUTOMATIC TRANSMISSION FLUID

Front Axle and Equipment

DETROIT DA-F-18.0-5 18,000# FL1 71.0 KPI/3.74 DROP
SINGLE FRONT AXLE
MERITOR 16.5X6 Q+ CAST SPIDER CAM FRONT BRAKES,
DOUBLE ANCHOR, FABRICATED SHOES

Description

NON-ASBESTOS FRONT BRAKE LINING
CAST IRON OUTBOARD FRONT BRAKE DRUMS
FRONT BRAKE DUST SHIELDS
FRONT OIL SEALS
VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND
SIDE PLUGS - OIL
STANDARD SPINDLE NUTS FOR ALL AXLES
MERITOR AUTOMATIC FRONT SLACK ADJUSTERS

STANDARD KING PIN BUSHINGS
TRW THP-60 POWER STEERING WITH RCH45 AUXILIARY
GEAR
POWER STEERING PUMP
4 QUART POWER STEERING RESERVOIR
OIL/AIR POWER STEERING COOLER
MINERAL SAE 80/90 FRONT AXLE LUBE

Front Suspension

18,000# FLAT LEAF FRONT SUSPENSION
GRAPHITE BRONZE BUSHINGS WITH SEALS - FRONT
SUSPENSION
FRONT SHOCK ABSORBERS

Rear Axle and Equipment

MERITOR MT-40-14X 40,000# R-SERIES TANDEM REAR AXLE
5.29 REAR AXLE RATIO

IRON REAR AXLE CARRIER WITH OPTIONAL HEAVY DUTY
AXLE HOUSING
SPL140HD DANA SPICER MAIN DRIVELINE WITH HALF ROUND
YOKES

SPL170 XL DANA SPICER INTERAXLE DRIVELINE WITH HALF
ROUND YOKES

DRIVER CONTROLLED TRACTION DIFFERENTIAL - BOTH
TANDEM REAR AXLES

(1) INTERAXLE LOCK VALVE, (1) DRIVER CONTROLLED
DIFFERENTIAL LOCK FORWARD-REAR AXLE VALVE AND (1)
REAR-REAR AXLE VALVE

INDICATOR LIGHT FOR EACH INTERAXLE LOCKOUT
SWITCH, DISENGAGE INTERAXLE LOCK WITH IGNITION OFF
OR VEHICLE SPEED EXCEEDING 25MPH

INDICATOR LIGHT FOR EACH DIFFERENTIAL LOCKOUT
SWITCH, ENGAGE <5 MPH, DISENGAGE >25 MPH

Description

MERITOR 16.5X7 Q+ CAST SPIDER HEAVY DUTY CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES

NON-ASBESTOS REAR BRAKE LINING

BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S)

CAST IRON OUTBOARD REAR BRAKE DRUMS

REAR BRAKE DUST SHIELDS

REAR OIL SEALS

WABCO TRISTOP D LONGSTROKE 2-DRIVE AXLE SPRING

PARKING CHAMBERS

HALDEX AUTOMATIC REAR SLACK ADJUSTERS

CURRENT AVAILABLE SYNTHETIC 75W-90 REAR AXLE LUBE

STANDARD REAR AXLE BREATHER(S)

Rear Suspension

TUFTRAC GEN2 40,000# REAR SPRING SUSPENSION

9.5 INCH NOMINAL RIDE HEIGHT (460MM GLOBAL
REFERENCE HEIGHT)

AXLE CLAMPING GROUP

55 INCH AXLE SPACING

FORE/AFT AND TRANSVERSE CONTROL RODS

REAR SHOCK ABSORBERS - ONE AXLE

Pusher / Tag Equipment

NO PUSHER/TAG BRAKE DUST SHIELDS

Brake System

WABCO 4S/4M ABS

REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID
CHASSIS AIR LINES

STANDARD AIR MANAGEMENT UNIT

FIBER BRAID PARKING BRAKE HOSE

STANDARD BRAKE SYSTEM VALVES

STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM

STD U.S. FRONT BRAKE VALVE

RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR
PROPORTIONING VALVE

BW AD-9 BRAKE LINE AIR DRYER WITH HEATER
AIR DRYER MOUNTED INBOARD ON LH RAIL

Description

STEEL AIR TANKS MOUNTED AFT INSIDE AND/OR BELOW FRAME JUST FORWARD OF REAR SUSPENSION

PULL CABLE ON WET TANK, PETCOCK DRAIN VALVES ON ALL OTHER AIR TANKS

Trailer Connections

NO AIR HOSE HANGER

AIR CONNECTIONS TO END OF FRAME WITH GLAD HANDS FOR TRUCK AND NO DUST COVERS

PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN, CENTER PIN POWERED THROUGH IGNITION WITH STOP SIGNAL PREWIRE PACKAGE

PDI INSTALLED ELECTRIC BRAKE CONTROLLER

SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED END OF FRAME

Wheelbase & Frame

4950MM (195 INCH) WHEELBASE

7/16X3-9/16X11-1/8 INCH STEEL FRAME
(11.11MMX282.6MM/0.437X11.13 INCH) 120KSI

TEM TO EVALUATE AND INSTALL FRAME RAIL
REINFORCEMENT AS NEEDED FOR FRONT FRAME
MOUNTED EQUIPMENT

1600MM (63 INCH) REAR FRAME OVERHANG
FRAME OVERHANG RANGE: 61 INCH TO 70 INCH

24 INCH INTEGRAL FRONT FRAME EXTENSION

CALC'D BACK OF CAB TO REAR SUSP C/L (CA) :
129.33 in

CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 126.33
in

CALC'D FRAME LENGTH - OVERALL : 323.03 in

CALCULATED FRAME SPACE LH SIDE : 36.39 in

CALCULATED FRAME SPACE RH SIDE : 74.78 in

CALC'D SPACE AVAILABLE FOR DECKPLATE :

0.0 in

SQUARE END OF FRAME

FRONT CLOSING CROSMEMBER

LIGHTWEIGHT HEAVY DUTY ALUMINUM ENGINE CROSMEMBER

STANDARD MIDSHIP #1 CROSMEMBER(S)

STANDARD REARMOST CROSMEMBER

HEAVY DUTY SUSPENSION CROSMEMBER

Description**Chassis Equipment**

OMIT FRONT BUMPER, CUSTOMER INSTALLED SPECIAL BUMPER, DOES NOT COMPLY WITH FMCSR 393.203

FRONT TOW HOOKS - FRAME MOUNTED

NO MUDFLAP BRACKETS

NO REAR MUDFLAPS

GRADE 8 THREADED HEX HEADED FRAME FASTENERS

EXTERIOR HARNESSES WRAPPED IN ABRASION TAPE

Fifth Wheel

NO FIFTH WHEEL

Fuel Tanks

100 GALLON/378 LITER ALUMINUM FUEL TANK - LH

25 INCH DIAMETER FUEL TANK(S)

PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH POLISHED STAINLESS STEEL BANDS

FUEL TANK(S) FORWARD

PLAIN STEP FINISH

CHROME FUEL TANK CAP(S)

DETROIT FUEL/WATER SEPARATOR WITH WATER IN FUEL SENSOR, HAND PRIMER AND 12 VOLT PREHEATER"

EQUIFLO INBOARD FUEL SYSTEM

HIGH TEMPERATURE REINFORCED NYLON FUEL LINE

Tires

CONTINENTAL HAU 3 WT 315/80R22.5 20 PLY RADIAL FRONT TIRES

CONTINENTAL INTELLIGENT HDC3 11R22.5 16 PLY RADIAL REAR TIRES

Hubs

CONMET PRESET PLUS PREMIUM IRON FRONT HUBS

CONMET PRESET PLUS PREMIUM IRON REAR HUBS

Wheels

ACURIDE 29039 22.5X9.00 10-HUB PILOT 5.25 INSET 5-HAND STEEL DISC FRONT WHEELS

Description

ACCURIDE 28828 22.5X8.25 10-HUB PILOT 2-HAND HD STEEL

DISC REAR WHEELS

FRONT WHEEL MOUNTING NUTS

REAR WHEEL MOUNTING NUTS

Cab Exterior

108 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB

AIR CAB MOUNTING

NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE

SHORT FENDER WITH MUDFLAP

BOLT-ON MOLDED FLEXIBLE FENDER EXTENSIONS

SAFETY YELLOW LH AND RH INTERIOR GRAB HANDLES
AND LH AND RH EXTERIOR GRAB HANDLES WITH SINGLE
RUBBER INSERT

BRIGHT FINISH RADIATOR SHELL/HOOD BEZEL
STATIONARY BLACK GRILLE WITH BRIGHT ACCENTS

CHROME HOOD MOUNTED AIR INTAKE GRILLE
FIBERGLASS HOOD

FREIGHTLINER NAME PLATES

TUNNEL/FIREWALL LINER

SINGLE 14 INCH ROUND POLISHED AIR HORN ROOF
MOUNTED

SINGLE ELECTRIC HORN

SINGLE HORN SHIELD

REAR LICENSE PLATE MOUNT END OF FRAME
HALOGEN COMPOSITE HEADLAMPS WITH BRIGHT BEZELS

LED AERODYNAMIC MARKER LIGHTS

WIRING AND SWITCH FOR CUSTOMER FURNISHED SNOW
PLOW LAMPS WITH DUAL CONNECTIONS AT BUMPER

HEADLIGHTS ON WITH WIPERS, NO DAYTIME RUNNING
LIGHTS

INTEGRAL STOP/TAIL/BACKUP LIGHTS

STANDARD FRONT TURN SIGNAL LAMPS

DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS WITH
LH AND RH REMOTE

DOOR MOUNTED MIRRORS

102 INCH EQUIPMENT WIDTH

Description

LH AND RH 8 INCH BRIGHT FINISH CONVEX MIRRORS
MOUNTED UNDER PRIMARY MIRRORS

STANDARD SIDE/REAR REFLECTORS
63X14 INCH TINTED REAR WINDOW
TINTED DOOR GLASS LH AND RH WITH TINTED OPERATING
WING WINDOWS
RH AND LH ELECTRIC POWERED WINDOWS
1-PIECE BONDED HEATED WIPER PARK SOLAR GREEN
GLASS WINDSHIELD
8 LITER (2 GAL) WINDSHIELD WASHER RESERVOIR, CAB
MOUNTED, WITHOUT FLUID LEVEL INDICATOR

Cab Interior

RUGGED TRIM PACKAGE
GRAY & CARBON VINYL INTERIOR "RUGGED"
CARBON WITH PREMIUM GUNMETAL ACCENT (RUGGED)

MOLDED DOOR PANEL
MOLDED PLASTIC DOOR PANEL
BLACK MATS WITH SINGLE INSULATION
ASH CUP AND (1)LIGHTER, (1)12V POWER OUTLET, (1)DASH
MTD DUAL USB-C OUTLET
FORWARD ROOF MOUNTED CONSOLE
LH AND RH DOOR STORAGE POCKETS INTEGRATED INTO
MOLDED DOOR PANELS
DIGITAL ALARM CLOCK IN DRIVER DISPLAY
(2) CUP HOLDERS LH AND RH DASH
M2/SD DASH
2-1/2 LB. FIRE EXTINGUISHER
HEATER, DEFROSTER AND AIR CONDITIONER
STANDARD HVAC DUCTING
MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH

STANDARD HEATER PLUMBING WITH BALL SHUTOFF
VALVES AT SUPPLY LINES ONLY
VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR

BINARY CONTROL, R-134A
PREMIUM INSULATION
SOLID-STATE CIRCUIT PROTECTION AND FUSES

12V NEGATIVE GROUND ELECTRICAL SYSTEM

Description

STANDARD LED CAB LIGHTING

REMOTE KEYLESS ENTRY AND 2 TRANSMITTERS

DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME

KEY QUANTITY OF 3

LH AND RH ELECTRIC DOOR LOCKS

NO MATTRESS

TRIANGULAR REFLECTORS KIT WITHOUT FLARES SHIPPED
LOOSE IN CAB

PREMIUM ISRINGHAUSEN HIGH BACK AIR SUSPENSION
DRIVERS SEAT WITH 2 AIR LUMBAR, INTEGRATED CUSHION
EXTENSION, TILT AND ADJUSTABLE SHOCK

BASIC ISRINGHAUSEN HIGH BACK NON SUSPENSION TOOL
BOX PASSENGER SEAT

DUAL DRIVER SEAT ARMRESTS, NO PASSENGER SEAT
ARMRESTS

LH AND RH INTEGRAL DOOR PANEL ARMRESTS

BLACK MORDURA CLOTH DRIVER SEAT COVER

BLACK MORDURA CLOTH PASSENGER SEAT COVER

HIGH VISIBILITY ORANGE SEAT BELTS

ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN

4-SPOKE 18 INCH (450MM) LEATHER WRAPPED STEERING
WHEEL WITH CHROME SWITCH BEZELS

DRIVER AND PASSENGER INTERIOR SUN VISORS

Instruments & Controls

ELECTRONIC ACCELERATOR CONTROL

NO INSTRUMENT PANEL-DRIVER

FULLY CONFIGURABLE CENTER INSTRUMENT PANELS

ENGINE PTO SPEED CONTROL WITH PARK BRAKE
INTERLOCK

BRIGHT ARGENT FINISH GAUGE BEZELS

LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE
ALARM

DUAL NEEDLE PRIMARY AND SECONDARY AIR PRESSURE
GAUGE

DASH MOUNTED AIR RESTRICTION INDICATOR WITH
GRADUATIONS

Description

97 DB BACKUP ALARM

ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES

KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY

PREMIUM INSTRUMENT CLUSTER WITH 5.0 INCH TFT COLOR DISPLAY

DIGITAL PANEL LAMP DIMMER SWITCH IN DRIVER DISPLAY

HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE
CONNECTOR LOCATED BELOW LH DASH

2 INCH ELECTRIC FUEL GAUGE

ENGINE REMOTE INTERFACE WITH ONE OR MORE SET
SPEEDS

QUICKFIT POWERTRAIN INTERFACE CONNECTOR UNDER
CAB WITH BLUNTCUTS

QUICKFIT PROGRAMMABLE INTERFACE CONNECTOR(S) BETWEEN
SEATS WITH BLUNTCUTS

ENGINE REMOTE INTERFACE CONNECTOR AT
POWERTRAIN INTERFACE CONNECTOR
ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE

ELECTRIC ENGINE OIL PRESSURE GAUGE

2 INCH TRANSMISSION OIL TEMPERATURE GAUGE

ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER

ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY

PTO CONTROLS FOR ENHANCED VEHICLE
ELECTRIC/ELECTRONIC ARCHITECTURE

NO OBSTACLE DETECTION SYSTEM

NO DR ASSIST SYSTEM

NO VEHICLE STABILITY ADVISOR OR CONTROL

NO LANE DEPARTURE WARNING SYSTEM

NO OVERHEAD INSTRUMENT PANEL

1 QUICKFIT PROGRAMMABLE MODULE (QPM/XMC), WITHOUT
POWERTRAIN CONTROL FUNCTIONS

Description

7" B-PANEL INTERACTIVE TOUCHSCREEN DISPLAY RADIO
W/ USB-C, APPLE CARPLAY, ANDROID AUTO,
BLUETOOTH/AM/FM/SXM/WB, WITH MICROPHONE

DASH MOUNTED RADIO
(2) RADIO SPEAKERS IN CAB
NO AM/FM RADIO ANTENNA
POWER AND GROUND WIRING PROVISION OVERHEAD

ROOF/OVERHEAD CONSOLE CB RADIO PROVISION

SHARKFIN MULTI-BAND ANTENNA, RIGHT HAND BIAS ROOF
MOUNTING LOCATION: AM/FM/WEATHERBAND,
WIFI/BLUETOOTH, SDAR/SIRIUSXM, GNSS/GPS

INTEROPERABLE SDAR ANTENNA
ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH
SCALE, WITHOUT ODOMETER

STANDARD VEHICLE SPEED SENSOR
ELECTRONIC 3000 RPM TACHOMETER
DETROIT CONNECT PLATFORM HARDWARE
3 YEARS DAIMLER CONNECTIVITY BASE PACKAGE ON
(FEATURES VARY BY MODEL) POWERED BY DETROIT
CONNECT ON CUMMINS ENGINES

NO FUEL SYSTEMS DATA SERVICE(SCO)
TMC RP1226 ACCESSORY CONNECTOR LOCATED BEHIND
PASSENGER SIDE REMOVEABLE DASH PANEL

IGNITION SWITCH CONTROLLED ENGINE STOP
FOUR EXTRA HARDWIRED SWITCHES IN DASH, ROUTE TO
UNDER CAB, BLUNTCUT
HARDWIRE SWITCH #1, ON/OFF LATCHING, 20 AMPS
IGNITION POWER
HARDWIRE SWITCH #2, ON/OFF LATCHING, 20 AMPS
IGNITION POWER
HARDWIRE SWITCH #3, ON/OFF LATCHING, 20 AMPS
IGNITION POWER
HARDWIRE SWITCH #4, ON/OFF LATCHING, 20 AMPS
IGNITION POWER
PRE-TRIP INSPECTION FEATURE FOR EXTERIOR LAMPS
AND SERVICE BRAKES
(1) OVERHEAD MOUNTED LANYARD CONTROL FOR DRIVER
AIR HORN
STANDARD TRACTOR PROTECTION VALVE

Description

TRAILER HAND CONTROL BRAKE VALVE
DIGITAL TURBO AIR PRESSURE IN DRIVER DISPLAY

DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER
DISPLAY

SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH
DELAY

ROTARY HEADLAMP SWITCH, MARKER
LIGHTS/HEADLIGHTS SWITCH WITH PULL OUT FOR
OPTIONAL FOG/ROAD LAMPS

TWO VALVE PARKING BRAKE SYSTEM WITH WARNING
INDICATOR

SELF CANCELING TURN SIGNAL SWITCH WITH
DIMMER, HEADLAMP FLASH,
WASH/WIPE/INTERMITTENT

INTEGRAL ELECTRONIC TURN SIGNAL FLASHER
WITH 40 AMP (20 AMP PER SIDE) TRAILER LAMP
CAPACITY

NO WRG/SW-OPTL #2,CHAS,AIR

Design

PAINT: ONE SOLID COLOR

Color

CAB COLOR A: L0006EY WHITE ELITE EY
BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT

POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W,
TW)
POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)

STANDARD E COAT/UNDERCOATING

Certification / Compliance

U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS
AND GLIDER KITS

Secondary Factory Options

CORPORATE PDI CENTER IN-SERVICE AND OPTION
INSTALLATION/MODIFICATION

Extended Warranty

CUM 2017 L9: HD1 MD DTY 6 YEARS / 200,000 MILES / 322,000 KM EXTENDED
WARRANTY FEX APPLIES

CUM 2017 L9: AT3 MD DTY 6 YEARS / 200,000 MILES / 322,000 KM AFTERTREATMENT.
FEX APPLIES

(***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.

Delivery to: Jefferson County Fleet Services Department
5275 State Road B, Building D
Hillsboro MO 63050

List Price for One (1) 2026 Model Year Chassis: \$ _____

Discount: \$ _____

Net Price for One (1) 2026 Model Year Chassis: \$ _____

THE BID MUST BE FOR MODEL YEAR 2026. NO SUBSTITUTIONS!

Assuming a contract award date of March 9, 2026, when can the vendor commit to delivery to Jefferson County:

**** Chassis Delivered no later than: _____**

In Witness thereof, the parties hereto have executed this Agreement, in triplicate, as of this _____ day of _____ 2026:

County of Jefferson, State of Missouri

Company Name

Signature

Dennis J. Gannon County Executive

Print

Company Address: _____

Phone: _____

I hereby certify under section 50.660 RSMo., there is either: (1) a balance of funds, otherwise unencumbered, to the credit of the appropriation to which the obligation contained herein is chargeable, and a cash balance otherwise unencumbered, in the treasury, to the credit of the funds from which payment is to be made, each sufficient to meet the obligation contained herein; or (2) bonds or taxes have been authorized by vote of the people and there is a sufficient unencumbered amount of the bonds yet to be sold or of the taxes levied and yet to be collected to meet the obligation in case there is not a sufficient unencumbered cash balance in the treasury.

County Auditor

APPROVED AS TO FORM

County Counselor

COOPERATIVE BID FORM

Bid Name: _____

INSTRUCTIONS: Bidders **MUST** fill out this form as part of the bidding process and attach to your bid response to Jefferson County, Missouri.

COOPERATIVE PROCUREMENT CONTRACT

This is a cooperating supply contract in accordance with Chapter 130, Section 130.020. K.3., of the Procurement Policy and Procedures, Jefferson County Code of Ordinances.

Will you extend bid prices, cash terms, and all other terms and conditions of any contract resulting from this bid with Jefferson County, Missouri, to any Jefferson County, Missouri, Municipality, government agency, district, sub-district or other tax-supported entity?

Yes **No**

Although agreeing to the extension of the terms of this contract to municipalities or other tax-supported entities, ***is not a prerequisite for award***, Jefferson County, Missouri, may take this factor into consideration if tie bids are received, in addition to the normal Terms and Conditions of the Invitation for Bid, enclosed herewith as a part of this bid.

Bidders are encouraged to extend contract prices to Municipalities and any other tax-supported entities.

If agreeable to the above, state the **minimum** dollar value *per order* you will require from a Municipality or any other tax-supported entity **(this shall not apply to Jefferson County, Missouri Government, Departments or Divisions)**:

MINIMUM DOLLAR VALUE PER ORDER: \$ _____

BY: _____

TITLE: _____

COMPANY: _____

CONTACT INFORMATION FOR COOPERATIVE AGREEMENT

Phone _____ **E-mail** _____

THIS FORM WILL BECOME PART OF THE BID DOCUMENT PACKAGE SUBMITTED TO JEFFERSON COUNTY, MISSOURI