

BID TABULATION JANITORIAL SUPPLIES 2016	QUILL CORPORATION	HP PRODUCTS CORPORATION	ICS JAIL SUPPLIES, INC	INTERBORO PACKAGING CORP.	ALL-TYPE VACUUM	CENTRAL POLY- BAG CORP.	CALICO INDUSTRIES, INC	DISPOSE N' SAVE	INDUSTRIAL SOAP COMPANY	PYRAMID SCHOOL PRODUCTS	CHEMCO INDUSTRIES
BID OPENING DATE 9-15-15	100 SCHELTER RD LINCOLNSHIRE IL 60069	4220 SAGUARO TRAIL INDIANAPOLIS, IN 46268	PO BOX 21056 WACO TX 76702	114 BRACKEN RD. MONTGOMERY NY 12459	10678 TRENTON AVE ST. LOUIS MO 63132	2400 BEDLE PLACE LINDEN NJ 07036	9045 JUNCTION DR ANNAPOLIS JUNCTION MD 20701	5 GRETZIL BERGER BLVD MONROE NY 10950	722 S. VANDEVENTER AVE ST LOUIS MO 63110	6510 NORTH 54TH STREET TAMPA FL 33610- 1908	5731 MANCHESTER AVE ST LOUIS MO 63110
JUMBO TOILET TISSUE (1)											
MANUFACTURER:	NO BID	CASCADES	NO BID			NO BID	NO BID		GEORGIA OR EQUIVALENT	NO BID	NO BID
HOW PACKAGED:		12 RL/ CS			12 ROLLS/ CASE						
ROLLS PER CASE:		12			12				12		
SHEETS PER CASE:		2000			2000				2000		
BID PRICE PER CASE:		\$21.82			\$16.95				\$19.99		
COMMENTS:		3.3' CORE/ 9' DIAMETER									
TIDE LIQUID (2)											
HOW PACKAGED:	NO BID	6-50 OZ./ CS (\$2.34 GL/ CS)	NO BID		4-100 OZ	NO BID	NO BID		NO BID	NO BID	NO BID
BID PRICE PER GALLON:		\$60.84/ CS (\$26.00/ GL)			\$18.03						
COMMENTS:		ULTRA STRENGTH 2X 6/50 OZ.									
SMALL TOILET TISSUE (3)											
MANUFACTURER:		CASCADES	NO BID			NO BID	NO BID			NO BID	NO BID
HOW PACKAGED:	CASE	CASE							96 PER CASE		
ROLLS PER CASE:	96	96			96				96		
SHEETS PER ROLL:	500	500			500				500		
BID PRICE PER CASE:	\$32.69	\$29.78			\$25.89				\$27.50		
COMMENTS:	BRIGHTON PROFESSIONAL										
KITCHEN TOWELS (4)											
MANUFACTURER:		CASCADES	ICS			NO BID	NO BID			NO BID	NO BID
HOW PACKAGED:	CASE	CASE	CASE						30 PER CASE		
ROLLS PER CASE:	30	30	12		30				30		
SHEETS PER ROLL:	100	85			90				90		
BID PRICE PER CASE:	\$28.42	\$18.09	\$4.43		\$18.45				\$17.50		
COMMENTS:	PREFERENCE GEORGIA PACIFIC	9"X11"									
TRASH BAGS (LARGE) (5)											
MANUFACTURER:	NO BID	PITT PLASTICS	NO BID			CENTRAL POLY	CALICO			NO BID	NO BID
HOW PACKAGED:		CASE		200/ CASE	25 RLS/ 5 RLS/ CS	200/ CS	CASE	200/ CASE	250 BAGS		
ROLLS PER CASE:		250		200		200	200/ FLAT PACK	200	10 RLS OF 25 BAGS		
BAG SIZE:		40X46 (0.5 MIL)		40"X48"	40X46	40X46	40X48	40"X48"	40X46		
BAG PRICE PER CASE:		\$19.05		\$16.18	\$11.10	\$22.40	\$16.48	\$17.32	\$16.60		
COMMENTS:		40-45 GAL/ MAX LOAD: 35 LBS.		STANDARD PACK: 250/ \$20.225			ALT OPT: SAMPLE B \$17.92/ CS				

BID TABULATION - JANITORIAL SUPPLIES 2016

BID TABULATION JANITORIAL SUPPLIES 2016 BID OPENING DATE 9-15-15	QUILL CORPORATION	HP PRODUCTS CORPORATION	ICS JAIL SUPPLIES, INC	INTERBORO PACKAGING CORP.	ALL-TYPE VACUUM	CENTRAL POLY- BAG CORP.	CALICO INDUSTRIES, INC	DISPOSE N' SAVE	INDUSTRIAL SOAP COMPANY	PYRAMID SCHOOL PRODUCTS	CHEMCO INDUSTRIES
	100 SCHELTER RD LINCOLNSHIRE IL 60069	4220 SAGUARO TRAIL INDIANAPOLIS, IN 46268	PO BOX 21056 WACO TX 76702	114 BRACKEN RD. MONTGOMERY NY 12459	10678 TRENTON AVE ST. LOUIS MO 63132	2400 BEDLE PLACE LINDEN NJ 07036	9045 JUNCTION DR ANNAPOLIS JUNCTION MD 20701	5 GRETZIL BERGER BLVD MONROE NY 10950	722 S. VANDEVENTER AVE ST LOUIS MO 63110	6510 NORTH 54TH STREET TAMPA FL 33610- 1908	5731 MANCHESTER AVE ST LOUIS MO 63110
TRASH BAGS (SMALL) (6)											
MANUFACTURER:	NO BID	PITT PLASTICS	NO BID			CENTRAL POLY	CALICO			NO BID	NO BID
HOW PACKAGED:		1000/ CS (20/50)		1000/ CASE	50 RLS/20 RLS/ CS	1000/ CS	1000/ CASE	1000/ CASE	1000		
ROLLS PER CASE:		1000		1000		1000	20 ROLLS/ 50	1000	1000		
BAG SIZE:		23"X33" (0.4 MIL)		24"X33"	24X32	22X33	24X33	24"X33"	24X32		
BAG PRICE PER CASE:		\$30.24		\$18.82	\$25.58	\$13.50	\$15.42	\$14.34	\$23.18		
COMMENTS:							ALT OPT: SAMPLE B \$16.34/ CS				
BAR HAND SOAP (7)											
MANUFACTURER:	NO BID	DIAL				NO BID	NO BID			DIAL	NO BID
HOW PACKAGED:		1000/ CS			CASE				1000	1000/ CASE	
OZ. PER BAR:		3/4 OZ.			3/4 OZ				3/4 OZ	3/4 OZ	
BARS PER CASE:		1000			1000				1000	1000	
BID PRICE:		\$63.72	\$57.50		\$49.99				\$59.00	\$95.95	
COMMENTS:		DIAL PURE & NATURAL COMPLEXION (BAR WRAP 3/4 OZ.)			UNWRAPPED				UNWRAPPED	WRAPPED	
SINGLE FOLD TOWELS (8)											
MANUFACTURER:	NO BID	GEORGIA PACIFIC	NO BID			NO BID	NO BID			NO BID	NO BID
SHEET SIZE:		9X10			9X10				9X10		
HOW PACKAGED:		16 PACKS/ CS			12 / CS				4000 TOWELS PER CASE		
SHEETS PER PACKAGE:		250			334				250		
PACKAGE PER CASE:		16			12				16		
BID PRICE:		\$15.98			\$16.10				\$14.20		
COMMENTS:		S-FOLD TOWEL/ NATURAL									
ICE MELT (9)											
MANUFACTURER:	NO BID	KNOX FERTILIZER CO	NO BID			NO BID	NO BID			NO BID	CHEMCO INDUSTRIES
HOW PACKAGED:		BAG							BAG/BOX		BAG
LBS. PER BAG:		50 LBS			50 LBS				50 LBS		50 LBS
BID PRICE:		\$8.54			\$8.99/ \$50.00 DELIVERY				\$8.34		\$17.50 PER BAG
COMMENTS:		42 BAGS PER SKID									
INDIVIDUALLY WRAPPED SANITARY NAPKINS (MAXI PADS) (10)											
MANUFACTURER:	RMC NATURELLE	HOSPECO				NO BID	NO BID			HOSPECO (GARDS)	NO BID
HOW PACKAGED:		CASE			250/ CASE				250	250/ CS	
PADS PER BOX:	1 EACH	1			1 EACH				1 EACH	1 EACH	

BID TABULATION - JANITORIAL SUPPLIES 2016

BID TABULATION JANITORIAL SUPPLIES 2016	QUILL CORPORATION	HP PRODUCTS CORPORATION	ICS JAIL SUPPLIES, INC	INTERBORO PACKAGING CORP.	ALL-TYPE VACUUM	CENTRAL POLY- BAG CORP.	CALICO INDUSTRIES, INC	DISPOSE N' SAVE	INDUSTRIAL SOAP COMPANY	PYRAMID SCHOOL PRODUCTS	CHEMCO INDUSTRIES
BID OPENING DATE 9-15-15	100 SCHELTER RD LINCOLNSHIRE IL 60069	4220 SAGUARO TRAIL INDIANAPOLIS, IN 46268	PO BOX 21056 WACO TX 76702	114 BRACKEN RD. MONTGOMERY NY 12459	10678 TRENTON AVE ST. LOUIS MO 63132	2400 BEDLE PLACE LINDEN NJ 07036	9045 JUNCTION DR ANNAPOLIS JUNCTION MD 20701	5 GRETZIL BERGER BLVD MONROE NY 10950	722 S. VANDEVENTER AVE ST LOUIS MO 63110	6510 NORTH 54TH STREET TAMPA FL 33610- 1908	5731 MANCHESTER AVE ST LOUIS MO 63110
NON-ALCOHOL FOAMING HAND SANITIZER (16)											
MANUFACTURER:	NO BID	RUBBERMAID	NO BID		DEB	NO BID	NO BID		DEB	NO BID	NO BID
HOW PACKAGED:		1100/ML 4/CS			1 LITER BTLS				1 LITER BTLS		
BID PRICE PER BOX:		\$15.57/PER \$62.26/CS			\$39.10				\$35.97 OR \$5.99/ 1 LTR BTL		
COMMENTS:		ONLY SOLD BY CASE									
WHITE ROLL TOWELS (17)											
MANUFACTURER:	NO BID	KIMBERLY CLARK	NO BID		KIMBERLY CLARK	NO BID	NO BID		KIMBERLY CLARK	NO BID	NO BID
HOW PACKAGED:		12/ CS			6 PKS OF 1000				12 ROLLS		
BID PRICE PER BOX:		\$66.69			\$46.53				\$67.92		
COMMENTS:		HIGH CAPACITY HARD ROLL TOWEL/ WHITE/ 8X1000									
ANTI-BACTERIAL HAND SOAP (18)											
MANUFACTURER:	NO BID	NO BID	NO BID		DEB	NO BID	NO BID		DEB	NO BID	NO BID
HOW PACKAGED:					1 LITER BTLS				1 LTR BTLS		
BID PRICE PER BOX:					\$32.90				\$29.66/ CS OR \$4.94 EACH BTL		
COMMENTS:											
CHLOROX BLEACH (19)											
MANUFACTURER:	NO BID	SPARTAN	NO BID		P&G	NO BID	NO BID		NO BID	CLOROX	NO BID
HOW PACKAGED:		5 GAL PAIL			3-121 OZ.					3-1 GAL	
BID PRICE PER GALLON:		\$32.13			\$5.30					\$8.99	
COMMENTS:		COLOR SAFE OXYGEN BLEACH 7005									
DOWNTY FABRIC SOFTNER (20)											
MANUFACTURER:	NO BID	SPARTAN	NO BID		P&G	NO BID	NO BID		NO BID	P&G	NO BID
HOW PACKAGED:		5 GAL PAIL			4 GAL					8-64 OZ/ CASE	
BID PRICE PER GALLON:		\$62.75			\$7.34					\$4.99 PER 64 OZ BOTTLE	
COMMENTS:											
LARGE AEROSOL DISINFECTANT CAN DEODORIZER SPRAY (21)											
MANUFACTURER:		CLAIRE	NO BID			NO BID	NO BID			CLEASE (SPRAYPACK)	CHEMCO INDUSTRIES
HOW PACKAGED:	EACH (14 OZ.)	12/20 OZ./ CS			16.5 OZ				17 OZ	12-16.5 OZ CANS / CASE	15 OZ PER CAN
BID PRICE PER OZ.	\$0.024 PER OZ./ \$3.26 PER (1) 14 OZ. CAN	\$29.19			\$0.117 OZ.				\$0.1089 OZ.	\$0.1414 OZ.	\$0.67 PER OZ

BID TABULATION JANITORIAL SUPPLIES 2016 BID OPENING DATE 9-15-15	QUILL CORPORATION	HP PRODUCTS CORPORATION	ICS JAIL SUPPLIES, INC	INTERBORO PACKAGING CORP.	ALL-TYPE VACUUM	CENTRAL POLY- BAG CORP.	CALICO INDUSTRIES, INC	DISPOSE N' SAVE	INDUSTRIAL SOAP COMPANY	PYRAMID SCHOOL PRODUCTS	CHEMCO INDUSTRIES
	100 SCHELTER RD LINCOLNSHIRE IL 60069	4220 SAGUARO TRAIL INDIANAPOLIS, IN 46268	PO BOX 21056 WACO TX 76702	114 BRACKEN RD. MONTGOMERY NY 12459	10678 TRENTON AVE ST. LOUIS MO 63132	2400 BEDLE PLACE LINDEN NJ 07036	9045 JUNCTION DR ANNAPOLIS JUNCTION MD 20701	5 GRETZIL BERGER BLVD MONROE NY 10950	722 S. VANDEVENTER AVE ST LOUIS MO 63110	6510 NORTH 54TH STREET TAMPA FL 33610- 1908	5731 MANCHESTER AVE ST LOUIS MO 63110
COMMENTS:	CLOROX 4 IN 1 DISINFECTANT & SANITIZER (12 PER CASE)									12 CANS PER CASE	DIS-DEO PACKAGED IN 1 OZ TO A CASE
SCREW ON MOP HANDLES (22)											
MANUFACTURER:	NO BID	RUBBERMAID	NO BID			NO BID	NO BID			ABCO	NO BID
HOW PACKAGED:		UNITS OF 12			UNITS OF 12				UNITS OF 12	UNITS OF 12	
BID PRICE PER BOX:		\$66.38			\$49.44				\$34.60	\$35.52	
COMMENTS:		BOLT ON WET MOP HANDLE 60"									
SPIC-N-SPAN 3-N-1 MULTISURFACE GLASS DISINFECTANT CLEANER (23)											
MANUFACTURER:	NO BID	P&G	NO BID		P&G	NO BID	NO BID		NO BID	P&G SPIC-N-SPAN	NO BID
HOW PACKAGED:		3 - 1 GAL/ CS			8-32 OZ/ CS					2-1 GAL/ CASE	
BID PRICE PER BOX:		\$37.48			\$42.05					\$89.98	
COMMENTS:		READY TO USE									
COMMET CLEANER WITH BLEACH (24)											
MANUFACTURER:	NO BID	P&G	NO BID		P&G	NO BID	NO BID		NO BID	P&G COMET	NO BID
HOW PACKAGED:		3 GL/ CS			8-32 OZ/ CS					24-21 OZ CANS/ CASE	
BID PRICE PER BOX:		\$48.31			\$44.10					\$39.98	
COMMENTS:											
FEBREEZE ODOR ELIMINATOR (25)											
MANUFACTURER:	NO BID	NO BID	NO BID		P&G	NO BID	NO BID		NO BID	FEBREEZE	NO BID
HOW PACKAGED:					8-32 OZ/ CS					9-9.7 OZ CANS/ CASE	
BID PRICE PER BOX:					\$45.70					\$38.98	
COMMENTS:											
MR. CLEAN FINISHED FLOOR CLEANER (26)											
MANUFACTURER:	NO BID	P&G	NO BID		P&G	NO BID	NO BID		NO BID	P&G MR CLEAN	NO BID
HOW PACKAGED:		3 GL/ CS			3 GAL/ CASE					3-1 GAL/ CASE	
BID PRICE PER BOX:		\$44.65			\$42.81					\$54.98	
COMMENTS:											
DISINFECTANT FLOOR CLEANER (27)											
MANUFACTURER:	MR. CLEAN	SPARTAN	NO BID		P&G	NO BID	NO BID		NO BID	NO BID	NO BID
HOW PACKAGED:	1 EA./ BX	5 GAL PAIL			4 GAL/ CASE						
BID PRICE PER BOX:	\$15.46 EA	\$36.14/ PAIL OR \$0.1093/ DILUTED GAL			\$34.60						

BID TABULATION JANITORIAL SUPPLIES 2016 BID OPENING DATE 9-15-15	QUILL CORPORATION	HP PRODUCTS CORPORATION	ICS JAIL SUPPLIES, INC	INTERBORO PACKAGING CORP.	ALL-TYPE VACUUM	CENTRAL POLY- BAG CORP.	CALICO INDUSTRIES, INC	DISPOSE N' SAVE	INDUSTRIAL SOAP COMPANY	PYRAMID SCHOOL PRODUCTS	CHEMCO INDUSTRIES
	100 SCHELTER RD LINCOLNSHIRE IL 60069	4220 SAGUARO TRAIL INDIANAPOLIS, IN 46268	PO BOX 21056 WACO TX 76702	114 BRACKEN RD. MONTGOMERY NY 12459	10678 TRENTON AVE ST. LOUIS MO 63132	2400 BEDLE PLACE LINDEN NJ 07036	9045 JUNCTION DR ANNAPOLIS JUNCTION MD 20701	5 GRETZIL BERGER BLVD MONROE NY 10950	722 S. VANDEVENTER AVE ST LOUIS MO 63110	6510 NORTH 54TH STREET TAMPA FL 33610- 1908	5731 MANCHESTER AVE ST LOUIS MO 63110
COMMENTS:		WILL NOT ATTACK OR DULL HIGH GLOSS FLOOR FINISHES. DILUTION RATIO: 1:64									
NOTARIZED WORK AFFIDAVIT COMPLETED	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
E-VERIFICATION DOCUMENTATION (Y/N):	Y	Y		N	N	Y	Y	N	N	Y	N
COPY OF INSURANCE PROVIDED	Y	Y	Y	Y	N	N	Y	Y	INCLUDED BUT EXPIRED ON 9/16/15	Y	Y
TAX RECEIPTS OR NOTARIZED LETTER STATING NO REAL OR PERSONAL PROPERTY OWNED IN JEFFERSON COUNTY	Y	Y	N	Y	N	N	N	Y	Y	Y	Y
COOPERATIVE BID FORM (Y/N)	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
COOPERATIVE CONTACT INFO:	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
COMPANY INFORMATION AND SIGNATURE	Y	Y	Y	Y	Y	Y	N	Y	Y	Y	COMPANY INFO.BUT UNSIGNED
BID DEPOSIT REQUIRED	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
COMMENTS:	SEE ATTACHED	SEE ATTACHED DELIVERY IN 3-7 BUSINESS DAYS	SEE ATTACHED	BID MISSING PAGES12, & 15-22 SEE ATTACHED DELIVERY IN 5-7 BUSINESS DAYS	SEE ATTACHED	SEE ATTACHED	SEE ATTACHED	BID MISSING PAGES 12, 13, & 15- 22 SEE ATTACHED DELIVERY IN 5-7 DAYS ARO	SEE ATTACHED	SEE ATTACHED	SEE ATTACHED



**JEFFERSON COUNTY
DEPARTMENT OF ADMINISTRATIVE SERVICES**
729 MAPLE ST / PO BOX 100
HILLSBORO MO 63050
WWW.JEFFCOMO.ORG

Invitation for Bid: JANITORIAL SUPPLIES 2016

Date Issued: 8-18-15

BIDS SHALL BE ACCEPTED UNTIL: TUESDAY, SEPTEMBER 15, 2015, AT 2:00 P.M. LOCAL TIME.

Specification

Contact:

KERRY ROGERS

Maintenance

636-797-5011

krogers@jeffcomo.org

Contract

Contact:

VICKIE PRATT

Department of Administrative Services

636-797-5380

**Mail (3) Three
Complete Copies
With Vendor And
Bid Information As
Shown In Sample:**

Contract Term:

1-1-16 to 12-31-16

UPON APPROVAL OF THE
COUNTY COUNCIL AND
COUNTY EXECUTIVE

**Vendor
Information:**

SAMPLE ENVELOPE

VENDOR NAME

VENDOR ADDRESS

CONTACT NUMBER

DEPARTMENT OF THE COUNTY CLERK

JEFFERSON COUNTY MISSOURI

729 MAPLE ST / PO BOX 100

HILLSBORO MO 63050-0100

SEALED BID: (BID NAME)

The undersigned certifies that he/she has the authority to bind this company in an agreement/contract to supply the commodity or service in accordance with all terms, conditions, and pricing specified. This Bid, if accepted, will constitute an Agreement and Contract with Jefferson County, Missouri, upon approval of the County Council and County Executive. Prices are firm during this agreement term, unless agreed upon in writing by the County. The County has the option to renew this agreement at the same terms and conditions as the original agreement for one additional one-year term with the written consent of the successful Bidder. Price increases for renewals are not authorized unless approved in writing by the County.

Quill Corporation

Company Name

Bob Slotter

Authorized Agent (Print)

100 Schelter Road

Address

Bob Slotter

Signature

Lincolnshire, IL 60069

City/State/Zip Code

National Sales Manager

Title

800-634-4809

Telephone #

9-9-15 362952904

Date

Tax ID #

bid@quill.com

E-mail

800-789-2016

Fax #

Jumbo Toilet Tissue	
Requirements:	2 ply, 9" Rolls
Estimated Annual Usage:	250 Cases
Manufacturer:	Georgia or Equivalent
How Packaged:	12
Rolls per Case:	2000
Sheets per Roll:	
Bid Price per Case:	NO BID
Comments:	

Tide Liquid	
Requirements:	2.5 Gal. - 3.5 Gal PG-2401
Estimated Annual Usage:	150 Gallons
Manufacturer:	TIDE BRAND
How Packaged:	Gal.
Bid Price per Gal:	NO BID Gal.
Comments:	

Small Toilet Tissue	
Requirements:	2 ply
Estimated Annual Usage:	480 Cases
Manufacturer:	Optional
How Packaged:	96 Rolls per Case
Rolls per Case:	16
Sheets per Roll:	500
Bid Price per Case:	32.69 CS
Comments:	Brighton Professional BID-365377

(3)

Kitchen Towels	
Requirements:	N/A
Estimated Annual Usage:	50 Cases
Manufacturer:	Optional
How Packaged:	30 Rolls per Case
Rolls per Case:	30
Sheets per Roll:	100
Bid Price per Case:	28.42 CS
Comments:	Preference Georgia Pacific BID-273060

(4)

Trash Bags	
Requirements:	Large 40x46 .60 mil
Estimated Annual Usage:	240 Cases
Manufacturer:	Optional
How Packaged:	
Rolls per Case:	200
Bag Size:	
Bid Price per Case:	NO BID
Comments: Need sample with bid	

Trash Bags	
Requirements:	Small 22x33 .40 mil
Estimated Annual Usage:	180 Cases
Manufacturer:	Optional
How Packaged:	
Rolls per Case:	1000
Bag Size:	
Bid Price per Case:	NO BID
Comments: Need sample with bid	

Bar Hand Soap (NOT Ivory)	
Requirements:	3/4 oz bars
Estimated Annual Usage:	340 Cases
Manufacturer:	Optional
How Packaged:	
Oz. per Bar:	
Bars per Case:	
Bid Price:	
Comments:	Unwrapped

Single Fold Towels	
Requirements:	230mm x 270mm
Estimated Annual Usage:	120 Cases
Manufacturer:	Optional
Sheet Size:	9x10
How Packaged:	
Sheets per Package:	
Package Per Case:	
Bid Price:	NO BID
Comments:	

Ice Melt (Potassium Chloride)	
Requirements:	50 lb bag
Estimated Annual Usage:	200 bags - depending on weather conditions
Manufacturer:	Optional
How Packaged:	bag/box
Lbs. per bag:	50
Bid Price:	N/D
Comments:	Small sample to check rock size to be submitted with bid

(9)

Individually Wrapped Sanitary Napkins (Maxi Pads)	
Requirements:	N/A
Estimated Annual Usage:	125 Cases
Manufacturer:	BMC Naturelle
How Packaged:	Optional
Pads per Box:	1 EACH
Boxes per Case:	250 / case
Bid Price:	416.43 CS
Comments:	RMC Naturelle BID-04

(10)

Mop Heads			
Requirements:	16 oz. (Cotton)	Screw down type	Sewn on top
Estimated Annual Usage:		40 Cases (6 in case)	
Manufacturer:		Optional	
How Packaged:		Bulk	
Mop Heads per Case:		6	
Bid Price:		NO BID	
Comments:	No wire and must be screw on type.		

(11)

Bleach			
Requirements:	Liquid	House Strength	
Estimated Annual Usage:		120 Cases	
Manufacturer:		Optional	
How Packaged:	Case	Case	
Gallons per Case:	3	4	
Bid Price:	10.48 CS		
Comments:	Pure Bright BID-KIK BLEACH 3		

(12)

Requirements:	Corn, Heavy Weight Sewn, Wooden Handle
Estimated Annual Usage:	20 Doz.
Manufacturer:	Optional
How Packaged:	ND BID
Bid Price per Dozen:	
Comments:	No wire of any kind on brooms. (Prison Type)

(13)

Sanitizer Concentrate for Pit Toilets (Parks)

(14)

Requirements:	5 Gal. Buckets
Estimated Annual Usage:	75 Gallons
Manufacturer:	Optional
How Packaged:	
Bid Price per Gallon:	ND BID
Comments:	

(15)

Deoderizer Concentrate for Pit Toilets (Parks)

Requirements:	5 Gal. Buckets
Estimated Annual Usage:	75 Gallons
Manufacturer:	Optional
How Packaged:	
Bid Price per Gallon:	ND BID
Comments:	

Non-Alcohol Foaming Hand Sanitizer

(16)

Requirements: #55857

Estimated Annual Usage: 50 Cases

Manufactuer: DEB

How Packaged: 1 Liter Bottles

Bid Price per box: NO BID

Comments:

White Roll Towels

(17)

Requirements: 1000 ft

Estimated Annual Usage: 120 Cases

Manufactuer: KIMMBERLY CLARK #01000

How Packaged:

Bid Price per box: NO BID

Comments:

Anti-Bacterial Hand Soap

(18)

Requirements: 1000ml bags 68941

Estimated Annual Usage:

60 Cases

Manufactuer:

DEB

How Packaged:

1 Liter Bottles

Bid Price per box:

NO BID

Comments:

Clorox Bleach

(19)

Requirements:	Liquid	4-6 Gallons	PG 41676
Estimated Annual Usage:		150 Gallons	
Manufactuer:		PROCTOR & GAMBLE	
How Packaged:			
Bid Price per gal:		ND	BID
Comments:			

Downy Fabric Softner

(20)

Requirements:	Liquid	4-6 Gallons	PG 41675
Estimated Annual Usage:		150 Gallons	
Manufactuer:		PROCTOR & GAMBLE	
How Packaged:			
Bid Price per gal:		ND	BID
Comments:			

Large Aerosol Disinfectant Can Deodorizer Spray

(21)

Requirements:	14-16 oz
Estimated Annual Usage:	15 Cases
Manufactuer:	Optional
How Packaged:	EACH
Bid Price per oz:	.024 per oz
Comments:	14 oz per can 3.24 per 14oz can SOLD per EACH//14oz per CASE

Screw on Mop Handles	
Requirements:	N/A
Estimated Annual Usage:	10 Cases
Manufacturer:	Optional
How Packaged:	Units of 12
Bid Price per box:	NO BID
Comments:	

(22)

Spic-n-Span 3-n-1 Multisurface Glass Disinfectant Cleaner	
Requirements:	PG 32535
Estimated Annual Usage:	50 Cases
Manufacturer:	P&G
How Packaged:	15
Bid Price per box:	NO BID
Comments:	

(23)

Commet Cleaner with Bleach	
Requirements:	PG 31641
Estimated Annual Usage:	50 Cases
Manufacturer:	P&G
How Packaged:	
Bid Price per box:	NO BID
Comments:	

(24)

Febreeze Odor Eliminator	
Requirements:	PG 38015
Estimated Annual Usage:	50 Cases
Manufacturer:	P&G
How Packaged:	NO BID
Bid Price per box:	
Comments:	To fit exitsting

(25)

Mr. Clean Finished Floor Cleaner	
Requirements:	PG 39949
Estimated Annual Usage:	50 Cases
Manufacturer:	P&G
How Packaged:	NO BID
Bid Price per box:	
Comments:	To fit exitsting

(26)

Disinfectant Floor Cleaner	
Requirements:	1 Gal.
Estimated Annual Usage:	50 Cases
Manufacturer:	P&G
How Packaged:	1 EA / BX
Bid Price per box:	15.46 EA
Comments:	Mr. Clean Bid - Ch621

(27)

Quill Bid Response Form

Quill Bid#: 15-12094

Customer Bid#: JANITORIAL SUPPLIES 2016

Organization Name: COUNTY OF JEFFERSON

Enterprise# : 10558820

Contact Name: VICKIE PRATT

Contact Phone#: 6367975380

Bid Type: Item

Bid Open Date: 9/15/2015
Bid Open Time: 2:00 PM

Item Expiration Date: 1/1/2017

Catalog Expiration Date:

Total Items: 6 (0 Won, 0 Lost)
Total: \$ 25952.55 (0.00 Won, 0.00 Lost)

Line#	Item#	Customer Item#	Description	Color	Make	Qty	Price	UoM	UoM Conv Qty	Case Qty	Ext Total	Note	Page
1	365377	3	BRIGHTON PRO BATH TISSUE 96 RL			480	32.69	CS	1 CS = 1 CT	1	15,691.20	Quill Brand	
2	27300Q	4	PREFERENCE PAPER TOWEL	WHITE	GEORGIA PACIFIC	50	28.42	CS	30 RL = 1 CS	12	1,421.00		
3	04	10	FOLDED SANITARY NAPKINS	WHITE	ROCHESTER MIDLAND CORP	125	46.43	CS	250 EA = 1	1	5,803.75		
4	KIKBLEACH3	12	PURE BRIGHT BLEACH 128 OZ 3CT			160	10.48	CT		1	1,676.80		
5	31043Q	21	4 IN ONE DISINFECTANT SANITIZE			180	3.26	EA		12	586.80		
6	02621	27	MR CLEAUN FLOOR CLEANER	YELLOW	PROCTER & GAMBLE	50	15.46	EA		1	773.00		



Brighton Professional™ 2-Ply Standard Bath Tissue; ... Sheets/Roll, 96 Rolls/Case

Item # BID 365377 Model # 21824

Customer Line Item # 3



Description

Quality performance bathroom tissue at a great price

- Soft and absorbent bath tissue for high traffic facilities
- Great value without sacrificing quality
- Noticeably superior quality
- 2-ply; white
- Roll diameter: 4-7/20"
- Sheet size: 4x3-7/8"
- Individually wrapped rolls
- 500 sheets per roll
- 96 rolls per case

Large roll size make Brighton Professional™ 2-ply bathroom tissue a smart and economical choice for your business. With 96 rolls in every case, you'll have an abundant supply of bathroom tissue that lets you spend less time and effort on restocking. Brighton Professional provides great value without sacrificing quality.



Preference® 2-Ply Paper Towel Rolls; 100 Sheets/Roll, 30 Rolls/Case

ITEM # BID 27300Q Model # 27300

Customer Line Item # 4



Description

Soft, absorbent clean-up power

- 2-ply design has lasting strength
- Offers reliable performance for everyday cleaning and wiping tasks
- Size: 11x8-4/5"
- Fits most dispensers
- 100 sheets per roll
- 30 rolls per case



RMC Naturelle® Plus Sanitary Napkins; Maxi With Wings, 250/Case

Item # BID 04

Customer Line Item # 10



Description

Offer a contoured shape, protective wings, an individual wrapper and multiple channel system to draw wetness to the center of the pad, preventing lateral leakages

- Offers winged, four-wall protection for absorbency and maximum protection
- Features a contoured shape with multiple-channel system to prevent lateral leakages
- Packaged to refill dispensers
- 250 per case



Pure Bright® Bleach; 1 Gallon Bottle, 3 Bottles/Carton

Item # BID KIKBLEACH3 Model KIK BLEACH3

Customer Line Item # 12



Description

Pure Bright liquid bleach disinfects, sanitizes and deodorizes, and also removes stains and keeps whites bright

- Ideal for use as a laundry bleach and liquid disinfectant
- Sanitizes and disinfects washrooms, showers, toilets, counter tops and food preparation areas
- Effective against Ecoli, HIV-1 (AIDS virus), salmonella, staph, Hepatitis A, MRSA, H1N1 and C. Diff Spore
- Complies with OSHA's Bloodborne Pathogens Standard and meets FDA guidelines for sanitizing food contact surfaces. NSF Classification C1
- Ultra germicidal bleach
- Active ingredient 6.00% Sodium Hypochlorite
- EPA registered
- 128oz. bottle
- 3 bottles per carton



Clorox® 4 in One Disinfectant & Sanitizer; 14oz. Aerosol Spray, Citrus Scent

Item # 901-31043Q Model # 31043
Customer Line Item # 21



Description

Disinfects hard surfaces, sanitizes soft surfaces and kills airborne odor-causing bacteria

- Disinfects hard surfaces with 24 EPA-registered kill claims
- Sanitizes soft surfaces in just 30 seconds
- Sanitizes the air and kills airborne odor-causing bacteria
- Reduces pet dander, dust mite matter and cockroach matter allergens which can trigger allergies and asthma
- Fast and efficient with no precleaning required
- Deodorizes and leaves a fresh citrus scent
- Ideal for use in offices, day care centers, restaurants, schools and other commercial facilities
- 14oz. aerosol spray



Mr. Clean® Floor Cleaner; 1 Gallon

Item # BID 02621 Model # 02621
Customer Line Item # 27



Description

- Dissolves and removes tough, ground-in dirt
- Doesn't leave a dulling residue
- Slightly scented
- 1-gallon bottle



JEFFERSON COUNTY
DEPARTMENT OF ADMINISTRATIVE SERVICES
729 MAPLE ST / PO BOX 100
HILLSBORO MO 63050
WWW.JEFFCOMO.ORG

Invitation for Bid: JANITORIAL SUPPLIES 2016

Date Issued: 8-18-15

BIDS SHALL BE ACCEPTED UNTIL: TUESDAY, SEPTEMBER 15, 2015, AT 2:00 P.M. LOCAL TIME.

Specification Contact: **KERRY ROGERS**
Maintenance
636-797-5011
krogers@jeffcomo.org

Contract Contact: **VICKIE PRATT**
Department of Administrative Services
636-797-5380

Mail (3) Three
Complete Copies
With Vendor And
Bid Information As
Shown In Sample:


SAMPLE ENVELOPE

<i>VENDOR NAME</i>	
<i>VENDOR ADDRESS</i>	
<i>CONTACT NUMBER</i>	DEPARTMENT OF THE COUNTY CLERK
	JEFFERSON COUNTY MISSOURI
	729 MAPLE ST / PO BOX 100
	HILLSBORO MO 63050-0100
SEALED BID: (BID NAME)	

Contract Term:
1-1-16 to 12-31-16
UPON APPROVAL OF THE
COUNTY COUNCIL AND
COUNTY EXECUTIVE

The undersigned certifies that he/she has the authority to bind this company in an agreement/contract to supply the commodity or service in accordance with all terms, conditions, and pricing specified. This Bid, if accepted, will constitute an Agreement and Contract with Jefferson County, Missouri, upon approval of the County Council and County Executive. Prices are firm during this agreement term, unless agreed upon in writing by the County. The County has the option to renew this agreement at the same terms and conditions as the original agreement for one additional one-year term with the written consent of the successful Bidder. Price increases for renewals are not authorized unless approved in writing by the County.

Vendor
Information:

HP Products	Emily Moschenross
Company Name	Authorized Agent (Print)
4220 Saguaro Trail	
Address	Signature
Indianapolis	Bids Coordinator
City/State/Zip Code	Title
(800) 457-0916	9-9-15
Telephone #	35-1116846
emoschenross@hpproducts.com	Date
E-mail	Tax ID #
	(317) 216-3440
	Fax #

Jumbo Toilet Tissue	
Requirements:	12 ply, 9" Rolls
Estimated Annual Usage:	250 Cases
Manufacturer:	Georgia or Equivalent Cascades
How Packaged:	2ply 1000' 12rl/cs
Rolls per Case:	12
Sheets per Roll:	2000
Bid Price per Case:	\$21.82
Comments:	HP#152000 CAS 4097 North River JRT Jr 2ply 1000' 12rl/cs 3 . 3" core / 9 in diameter. Made from 100% recycled fiber.

(1)

Tide Liquid	
Requirements:	2.5 Gal. 3.5 Gal. PG-2401
Estimated Annual Usage:	150 Gallons
Manufacturer:	TIDE BRAND
How Packaged:	6-50oz/cs Gal. 2.34gl/cs
Bid Price per Gal:	\$60.84/cs Gal. \$26/gal
Comments:	HP#134550 Tide Liquid Detergent Ultra Strength 2X 6/50oz

(2)

Small Toilet Tissue	
Requirements: 2 ply	
Estimated Annual Usage:	480 Cases
Manufacturer:	Optional Cascades
How Packaged:	96 per case
Rolls per Case:	96
Sheets per Roll:	500
Bid Price per Case:	\$29.78
Comments: HP#155495 Cascades Tissue 4064 Bath Tissue, 2ply, 4x3.2, 96/500 Made from 100% recycled fiber	

(3)

Kitchen Towels	
Requirements: N/A	
Estimated Annual Usage:	50 Cases

(4)

Manufacturer:	Optional Cascades
How Packaged:	30 per case 30-85sheet/rls/cs
Rolls per Case:	30
Sheets per Roll:	85 sheets/rl 90
Bid Price per Case:	\$18.09

Comments: HP#169718 Tissue 4073, Perforated Kitchen Towel, 2 PLY, 30/85/cs 9" x 11" perforated sheets.30-85 sheet rolls per case. Made from 100% recycled fiber

Requirements: Large 40x46 .60 mil	

(5)

Estimated Annual Usage:	240 Cases
Manufacturer:	Optional Pitt Plastics
How Packaged:	25rls/case 10 liners/r1 250/cs
Rolls per Case:	250/cs 200
Bag Size:	40x46 0.5MIL
Bid Price per Case:	\$19.05
Comments:	Need sample with bid HP#193172 Inteplast Pitt HP Can Liner 40X46 0.5MIL Black, 250/cs (25/10). 40-45 Gallon, Max Load: 35 lbs

(6)

Requirements: Small 22x33 .40 mil	

Estimated Annual Usage:	180 Cases
Manufacturer:	Optional Pitt Plastics
How Packaged:	1000/cs (20/50)
Rolls per Case:	1000
Bag Size:	23 in. x 33 in., 0.4 mil
Bid Price per Case:	\$30.24
Comments:	Need sample with bid HP#166434 Inteplast Pitt HP Can Liner 23x33 0.4mil Black, 1000/cs (20/50).

Bar Hand Soap (NOT Ivory)	
Requirements:	3/4 oz bars
Estimated Annual Usage:	340 Cases
Manufacturer:	Optional Dial
How Packaged:	3 / 4 oz 1000/cs
Oz. per Bar:	3 / 4 oz
Bars per Case:	1000/cs
Bid Price:	\$63.72
Comments:	Unwrapped HP#108191 Dial Dial Pure & Natural Complexion Bar Wrap 3/4oz 1000/cs

(7)

Single Fold Towels	
Requirements:	230mmx270mm
Estimated Annual Usage:	120 Cases
Manufacturer:	Optional Georgia Pacific
Sheet Size:	9x10
How Packaged:	250 towels/pack, 16 packs/case
Sheets per Package:	250 towels/pkg
Package Per Case:	16/pkgs/cs
Bid Price:	\$15.98
Comments:	HP#119411 Georgia Pacific 23504 S-fold Towel, Natural, 16/250/cs

(8)

Ice Melt (Potassium Chloride)	
(9)	
Requirements:	50 lb bag
Estimated Annual Usage:	200 bags - depending on weather conditions
Manufacturer:	Optional Knox Fertilizer Co.
How Packaged:	bag/box Bag
Lbs. per bag:	50lbs/bag 50
Bid Price:	\$8.54
Comments:	Small sample to check rock size to be submitted with bid HP#109652
Sodium Potassium Chloride Knox Fertilizer Co. Ice Melter 50lbs/Bag 42bags / skid	

10. Individually Wrapped Sanitary Napkins (Maxi Pads)

(10)

Individually Wrapped Sanitary Napkins (Maxi Pads)	
(10)	
Requirements:	N/A
Estimated Annual Usage:	125 Cases
Manufacturer:	Optional Hospeco
How Packaged:	250 per case 1 per box
Pads per Box:	1 each
Boxes per Case:	250
Bid Price:	\$26.60
Comments:	HP#113014 Hospeco Gards Maxi Sanitary Napkin #4 147A 250/cs 1/bx

Mop Heads

(11)

Requirements:	16 oz. (Cotton) Screw down type. Sewn on top
Estimated Annual Usage:	40 Cases (6 in case)
Manufactuer:	Optional Wilen/Continental Commercial Products
How Packaged:	Bulk
Mop Heads per Case:	12/cs 6
Bid Price:	\$63.18
Comments:	No wire and must be screw on type. HP#185656
	Wilen A503316 Bolt On Cut End Cotton Pinnacle Mop 16oz 12/cs

Bleach

(12)

Requirements:	Liquid House Strength
Estimated Annual Usage:	120 Cases
Manufactuer:	Optional James Austin Co.
How Packaged:	Case
Gallons per Case:	6gal/cs 4
Bid Price:	\$8 . 04
Comments:	HP#209614 James Austin Co. Sodium Hypochlorite Household A-1 Ultra Bleach Disinfectant 6% 6Gal/case

Requirements:	Corn, Heavy Weight, Sewn, Wooden Handle
Estimated Annual Usage:	20 Doz.
Manufacturer:	Optional
How Packaged:	
Bid Price per Dozen:	NO BID
Comments:	No wire of any kind on brooms. (Prison Type)
	NO BID

(13)

Requirements:	5 Gal. Buckets
Estimated Annual Usage:	75 Gallons
Manufacturer:	Optional Spartan
How Packaged:	5gal/pail
Bid Price per Gallon:	\$11.23/gal or \$0.1718/diluted gal. or \$56.16/5gal pail

(14)

Requirements:	5 Gal. Buckets
Estimated Annual Usage:	75 Gallons
Manufacturer:	Optional Spartan
How Packaged:	5gal/pail
Bid Price per Gallon:	\$11.23/gal or \$0.1718/diluted gal. or \$56.16/5gal pail

(15)

Requirements:	5 Gal. Buckets
Estimated Annual Usage:	75 Gallons
Manufacturer:	Optional Spartan
How Packaged:	5gal/pail
Bid Price per Gallon:	\$11.23/gal or \$0.1718/diluted gal. or \$56.16/5gal pail

(15)

Non-Alcohol Flaming Hand Sanitizer

(16)

Requirements:	#55857
Estimated Annual Usage:	50 Cases
Manufacturer:	DEB Rubbermaid
How Packaged:	1 Liter Bottles 1100/ml 4/cs (only sold by the case)
Bid Price per box:	\$15.57/per \$62.26/cs
Comments:	HP#137217
Rubbermaid 750593 Auto Foam Alcohol-Free Hand Sanitizer, 1100ml, 4/cs	

White Roll Towels

(17)

Requirements:	1000 ft
Estimated Annual Usage:	120 Cases
Manufacturer:	KIMMBERLY CLARK #01000
How Packaged:	12 / cs
Bid Price per box:	\$66.69
Comments:	HP#114402 Kimberly-Clark 01000 Scott® High Capacity Hard Roll Towel, White, 8x1000, 12/cs

Anti-Bacterial Hand Soap

(18)

Requirements:	1000ml bags 68941
Estimated Annual Usage:	60 Cases
Manufacturer:	DEB
How Packaged:	1 Liter Bottles
Bid Price per box:	NO BID
Comments:	NO BID

Clorox Bleach (19)

Requirements:	Liquid	4-6 Gallons	PG 41676
Estimated Annual Usage:	150 Gallons		
Manufacturer:	PROCTOR & GAMBLE	Spartan	
How Packaged:	5	Gal. /pail	
Bid Price per gal:	\$32.13		
Comments:	HP#135453 Spartan Chemical Spartan Clothesline Color Safe Oxygen Bleach #5 7005 5g1		

Downy Fabric Softner

Requirements:	Liquid	4-6 Gallons	PG 41675
Estimated Annual Usage:	150 Gallons		
Manufacturer:	PROCTOR & GAMBLE	Spartan	
How Packaged:	5	Gal. /pail	
Bid Price per gal:	\$62.75		
Comments:	HP#135598 Spartan Chemical Spartan Clothesline Fresh Fabric Softener #6 7006 5g1		

(20)

Large Aerosol Disinfectant Can Deodorizer Spray (21)

Requirements:	14-16 oz
Estimated Annual Usage:	15 Cases
Manufacturer:	Optional Claire
How Packaged:	12/20oz/cs Oz.
Bid Price per oz:	\$29.19
Comments:	HP#115216 Claire HP Surface Disinfectant and Air Deodorant, 12/20oz/cs

Screw on Mop Handles	
Requirements:	N/A
Estimated Annual Usage:	10 Cases
Manufacturer:	Optional Rubbermaid
How Packaged:	Units of 12
Bid Price per box:	\$65.38
Comments:	HP#114838 Rubbermaid RM H316 Bolt On Wet Mop Handle 60"-12 per pack.

Spic-n-Span 3-n-1 Multisurface Glass Disinfectant Cleaner
PG 32535

(23)

Requirements:	PG 32535
Estimated Annual Usage:	50 Cases
Manufacturer:	P&G
How Packaged:	3-19L/cs
Bid Price per box:	\$37.48
Comments:	HP#112661 P&G Spic & Span Disinfecting All Purpose Spray. A 3in1 spray cleaner that can replace a glass cleaner, an all purpose cleaner, and a disinfecting cleaner. ReadyToUse

(24)

Commet Cleaner with Bleach	
PG 31641	
Requirements:	PG 31641
Estimated Annual Usage:	50 Cases
Manufacturer:	P&G
How Packaged:	3g1/cs
Bid Price per box:	\$48.31
Comments:	P&G 31641 HP#112666 COMET CLEANER w/ BLEACH 3GL/CS

Febreeze Odor Eliminator	
Requirements:	PG 38015

(25)

Estimated Annual Usage:	50 Cases
Manufacturer:	P&G
How Packaged:	
Bid Price per box:	NO BID

Comments: To fit existing NO BID

Mr. Clean Finished Floor Cleaner	
Requirements:	PG 39949

(26)

Estimated Annual Usage:	50 Cases
Manufacturer:	P&G
How Packaged:	3gal/cs
Bid Price per box:	\$44.65
Comments:	To fit existing HP#112779 P&G Mr. Clean Finished Floor Cleaner 3gal/cs


Disinfectant Floor Cleaner	
Requirements:	1 Gal.

(27)

Estimated Annual Usage:	50 Cases
Manufacturer:	P&G Spartan
How Packaged:	5/gal pail
Bid Price per box:	\$36.14/pail or \$0.1093/diluted gal.
Comments:	HP#119930 Spartan Chemical DMQ Neutral Disinfectant 1062 5gal/pail. Will not attack or dull high gloss floor finishes. Dilution Ratio: 1:64



BID ITEM # 1



[View Larger Image](#)

4097 North River® Jumbo Roll Bath Tissue Jr., 2 Ply, 1000' 12rl/cs

by [Cascades Tissue](#)

Item Number: 152000

- Made from 100% recycled fiber, of which a minimum of 60% is post-consumer material
- White
- 2 ply jumbo roll bath tissue
- 3.3" core / 9 in diameter
- 12-1000 foot rolls
- Made with 100% Green-e® wind-generated electricity
- Certifications include Green Seal®, EcoLogo™ and Processed Chlorine Free®
- Exceed EPA comprehensive procurement guidelines

[Learn more about this product.](#)



With the rapid growth in green product claims, users need to know which ones can be truly verified. North River® 100% recycled towel, tissue, and wiper products are Certified Green™, providing assurance that you are purchasing one of the most environmentally responsible brands available. North River's third party certifications include Green Seal®, EcoLogo™ and Processed Chlorine Free® – more than any competitive brand. Moreover, North River is the answer to the growing problem of greenhouse gas emissions and is the first and only brand to offset 100% of the electricity used for its production with Green-e® certified renewable wind energy. This helps to reduce our carbon footprint, and yours, for a more sustainable future.



BID ITEM # 2



13878 Tide® Ultra 2X Liquid Detergent, 50 oz.
Bottle, Original Scent, 6/cs

by Proctor & Gamble

Item Number: 134550

More information coming soon

[Learn more about this product.](#)

MSDS

[Login for pricing](#)

If it's got to be clean, it's got to be Tide. This deep clean formula is effective for pre-treating stains and penetrates every layer of a stain to help break it down and lift it away. Tide helps keep clothes looking like new longer than leading regular detergents, because it contains a special ingredient that reduces fuzzing, which causes a faded appearance on cottons.



Page 1 of 5
The Procter & Gamble Company
P & G Household Care
Fabric & Home Care Innovation Center
5299 Spring Grove Avenue
Cincinnati, OH 45217-1087

MATERIAL SAFETY DATA SHEET



3ID ITEM # 2

FH/H/2007/LHLA-6ZRN32
FH/H/2007/LHLA-6ZBMYQ
FH/H/2006/LHLA-6QJNLS
FH/H/2006/LHLA-6PFQLR

Issue Date: 06/01/07

SECTION I - PRODUCT IDENTIFICATION

Identity: Liquid Laundry Detergent (All 2X Concentrated Variations for Retail*)

Brands: All TIDE 2X Concentrated Detergents except High Efficiency (HE) and Simple Pleasures versions.

Tide Orig, Tide Free, Tide Mountain Spring, Tide Clean Breeze, Tide w/Bleach Alt. Original Scent, Tide w/Bleach Alt. Mountain Spring, Tide w/Bleach Alt. Clean Breeze, Tide Coldwater Fresh Scent, Tide Coldwater Glacier Fresh, Tide w/A Touch of Downy April Fresh, Tide w/A Touch of Downy Clean Breeze, Tide w/Febreze Freshness Citrus & Light, Tide w/Febreze Freshness Meadows & Rain, Tide w/Febreze Freshness Spring & Renewal.

Emergency Telephone Number: 24hr P&G Operator – 1-800-879-8433

* This MSDS applies to all uses/handling of these products in a retail package for consumer home use.

SECTION II - HAZARDS IDENTIFICATION

Health Hazards (Acute and Chronic):

Ingestion: May cause transient gastrointestinal irritation.

Eye Contact: May cause mild, transient irritation.

Inhalation: Transient irritation with prolonged exposure to concentrated material.

Signs and Symptoms of Exposure:

Ingestion: May result in nausea, vomiting, and/or diarrhea.

Eye Contact: May cause stinging, tearing, itching, swelling, and/or redness.

Skin: Prolonged contact with concentrated material may be drying or transiently irritating to skin.

SECTION III - COMPOSITION AND INGREDIENTS

Ingredients/Chemical Name: Biodegradable surfactants (anionic and nonionic) and enzymes.
Biodegradable surfactants (anionic, nonionic, and cationic) and enzymes.

Hazardous Ingredients as defined by OSHA, 29 CFR 1910.1200.

Chemical Name	Common Name	CAS No.	Recommended Limits	Composition Range	LD50/LC50
Ethyl alcohol	Ethanol	64-17-5	ACGIH TWA: 1880 mg/m ³ OSHA PEL & TWA: 1900 mg/m ³	1 - 5%	7.06 g/kg (oral, rat)
Sodium borate	Borax	1330-43-4	ACGIH TWA: 5mg/m ³	1 - 5%	5.66 g/kg (oral, rat)
2-Aminoethanol	Ethanolamine	141-43-5	ACGIH TWA: 7.5 mg/m ³ ACGIH STEL: 15 mg/m ³ OSHA PEL: 6 mg/m ³ OSHA TWA: 8 mg/m ³ OSHA STEL: 15 mg/m ³	0.5 - 5%	1.7g/kg (oral, rat)

SECTION IV - FIRST AID INFORMATION

Emergency and First Aid Procedures:

Ingestion: Drink a glassful of water.

Eye Contact: Flush with water for 10 to 15 minutes.

Skin: If prolonged contact occurs, rinse thoroughly with water. If spilled on clothing, change clothes.

If symptoms persist or reoccur, seek medical attention.

Other: Consumer product package has a caution statement: "CAUTION: Eye irritant. Harmful if swallowed. KEEP OUT OF REACH OF CHILDREN. If swallowed, give a glassful of water. Call a physician. In case of eye contact, flush with water."

SECTION V - FIRE FIGHTING INFORMATION

Flammable Properties: These products have a Flash Point range of 135⁰ – 139⁰ F (57.2⁰ – 59.4⁰ C.), but they do not sustain combustion per D.O.T. 49 CFR 173 Appendix H method.

Suitable Extinguishing Media: CO₂, water, foam, dry chemical.

Unsuitable Extinguishing Media: Not known.

Protection of Fire Fighters:

- **Specific Hazards arising from the chemical mixture:** Not known.
- **Protective Equipment and Precautions for Firefighters:** Standard self-contained breathing apparatus (SCBA) and full fire fighting turn-out gear (Bunker gear).

SECTION VI - ACCIDENTAL RELEASE MEASURES

Personal Precautions: None

Environmental Precautions: DISPOSAL IS TO BE PERFORMED IN COMPLIANCE WITH ALL REGULATIONS. Small or household quantities may be disposed of in refuse or in sewer. First check with your local water treatment plant. For larger quantities, incineration is preferred. Do not landfill.

Steps To Be Taken in Case Material is Released or Spilled: Flush small or household quantities down acceptable sewer (contains biodegradable surfactants). Prevent spills from reaching a waterway. Sorbents may be used.

SECTION VII - HANDLING AND STORAGE

Precautions To Be Taken in Handling and Storing: No unusual precautions necessary.

Other Precautions: None

SECTION VIII - EXPOSURE CONTROLS, PERSONAL PROTECTION

Respiratory Protection (Specify Type): None required with normal use.

Ventilation *Local Exhaust:* None required with normal consumer use. *Special:* None

Mechanical (General): Normal/general dilution ventilation is acceptable. *Other:* None

Eye Protection: None required with normal consumer use.

Industrial Setting: If a splash is likely, chemical goggles may be needed.

Protective Gloves: None required with normal use.

Industrial Setting: Protective gloves (rubber, neoprene) should be used for prolonged direct contact.

Other Protective Equipment: None required with normal use.

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

Appearance: All products are blue in color except Free version which is straw/colorless.

Odor: All products contain perfume/fragrance except Free versions which do not contain any perfume.

Odor Threshold: Not known.

Physical State: Liquid.

Vapor Pressure Range (mm Hg): 18 - 21 @ 68°F. (20°C) (mostly water)

Vapor Density (Air=1): Not known

Boiling Point Range °F: 210 - 216° F (98.9° – 102.2° C)

Coefficient of Water/Oil Distribution: N/A

Solubility in Water: Completely soluble.

Flash Point: Range: 135 – 139 °F. (CC), but these products do not sustain combustion per DOT 49 CFR 173 Appendix H method)

Evaporation Rate (nBuOAc=1): Not known

Explosive Limits: LEL: N/A UEL: N/A

Percent Volatile by Volume (%): 30 – 40

Specific Gravity (H₂O=1): 1.04 to 1.09

Melting/Freezing Point: N/A

pH (10% solution): 8.1 to 8.6

Reserve Alkalinity: N/A

SECTION X - STABILITY AND REACTIVITY

Chemical Stability: Stable.

Conditions to Avoid: None known.

Materials to Avoid: None known.

Hazardous Decomposition Products: None known.

Possibility of Hazardous Reactions: None known.

SECTION XI - TOXICOLOGICAL INFORMATION

Liquid Tide formulas have a low order of toxicity. If ingested, it may be mildly irritating. It is expected to be moderately emetic.

LD50 (oral, estimated): > 2g/kg

ED50 (emesis, estimated): ~ 0.5 g/kg

Chronic Effects: No chronic health effects reported.

Target Organs: No target organs reported.

Carcinogenicity: NTP: No

IARC: No

OSHA: No

SECTION XII - ECOLOGICAL INFORMATION

Based on ecotoxicity and fate data for the individual ingredients in these mixtures, and for related consumer household cleaning product formulations, it is expected that these mixtures would exhibit a non-hazardous order of toxicity at relevant environmental concentrations.

SECTION XIII - DISPOSAL CONSIDERATIONS

Waste Disposal Method: Products covered by this MSDS, in their original form, are hazardous waste, D-001, according to Federal RCRA regulations (40 CFR 261). Disposal should be in accordance with all Federal, state/provincial and local regulations.

Household Use: Consumer produced household solutions may be disposed of down the drain with running water. Consumer may discard empty container in trash, or recycle where facilities exist.

SECTION XIV - TRANSPORT INFORMATION

U.S. D.O.T.: These products are not regulated when transported by ground.

IATA: These products are not regulated when transported by air.

IMDG: These products are not regulated when transported by vessel.

SECTION XV - REGULATORY INFORMATION

United States

All intentionally-added components of these products are listed on the US TSCA Inventory.

EPA Registration Number: NA

SARA 313/302/304/311/312 chemicals: None

California: These products have been evaluated and do not require warning labeling under California Proposition 65.

California Hazardous Waste: Yes

State Right-to-Know and CERCLA:

The following ingredients present in the finished product are listed on state right-to-know lists or state worker exposure lists:

Ingredient	CAS #	Level	CERCLA RQ	State				
				IL	MA	NJ	PA	RI
Ethanol	64-17-5	1-5%	100 lbs	X	X	X	X	X
Ethanolamine	141-43-5	1-5%	NA	X	X	X	X	X
Sodium Borate	1330-43-4	1-5%	NA		X		X	

Canada

All ingredients are CEPA approved for import to Canada by Procter & Gamble. This product has been classified in accordance with the hazard criteria of the Canadian Controlled Products Regulations (CPR) and this MSDS contains all information required by the Controlled Products Regulations.

SECTION XVI - OTHER INFORMATION

Perfumes contained within these products covered by this MSDS comply with appropriate IFRA guidance.

*N/A. - Not Applicable

*N/K. - Not Known

P&G Hazard Rating: 2

Health: 2

4=EXTREME

Flammability: 1

3=HIGH

Reactivity: 0

2=MODERATE

1=SLIGHT

0=NOT SIGNIFICANT

Data supplied is for use only in connection with occupational safety and health.


DISCLAIMER: This MSDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by Procter & Gamble to be dependable and is accurate to the best of the Company's knowledge. It is not meant to be an all-inclusive document on worldwide hazard communication regulations.

This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage or release to the environment. Procter & Gamble assumed no responsibility for injury to the recipient or third persons, or for any damage to any property resulting from misuse of the product.



HP Products
Excellence In Distribution

BID ITEM # 3



4064 North River® Bath Tissue, 2 Ply, 4x3.2, 96/500"

by Cascades Tissue

Item Number: 155495

- Made from 100% recycled fiber, of which a minimum of 60% is post-consumer material
- White
- 2 ply single roll bath tissue
- 4" x 3.2"
- 96-500 sheet rolls per case
- Made with 100% Green-e® wind-generated electricity
- Certifications include Green Seal®, EcoLogo™ and Processed Chlorine Free®
- Exceed EPA comprehensive procurement guidelines

[Learn more about this product.](#)



With the rapid growth in green product claims, users need to know which ones can be truly verified. North River® 100% recycled towel, tissue, and wiper products are Certified Green™, providing assurance that you are purchasing one of the most environmentally responsible brands available. North River's third party certifications include Green Seal®, EcoLogo™ and Processed Chlorine Free® – more than any competitive brand. Moreover, North River is the answer to the growing problem of greenhouse gas emissions and is the first and only brand to offset 100% of the electricity used for its production with Green-e® certified renewable wind energy. This helps to reduce our carbon footprint, and yours, for a more sustainable future.



BID ITEM # 4



[View Larger Image](#)

4073 North River® Perforated Kitchen Towel,
2 Ply, 30/85/cs

by [Cascades Tissue](#)

Item Number: 169718

- Made from 100% recycled fiber, of which a minimum of 60% is post-consumer material
- White
- 2 ply
- 9" x 11" perforated sheets
- 30-85 sheet rolls per case
- Made with 100% Green-e® wind-generated electricity
- Certifications include Green Seal®, EcoLogo™ and Processed Chlorine Free®
- Exceed EPA comprehensive procurement guidelines

[Learn more about this product](#)



With the rapid growth in green product claims, users need to know which ones can be truly verified. North River® 100% recycled towel, tissue, and wiper products are Certified Green™, providing assurance that you are purchasing one of the most environmentally responsible brands available. North River's third party certifications include Green Seal®, EcoLogo™ and Processed Chlorine Free® – more than any competitive brand. Moreover, North River is the answer to the growing problem of greenhouse gas emissions and is the first and only brand to offset 100% of the electricity used for its production with Green-e® certified renewable wind energy. This helps to reduce our carbon footprint, and yours, for a more sustainable future.



HP Products
Excellence In Distribution

BID ITEM # 5



[View Larger
Image](#)

INTEPLAST
PITT

HP Can Liner 40X46 0.5 Mil, Black, 250/cs
(25/10)

by [Inteplast Pitt](#)

Item Number: 193172

- Linear Low Density Polyethylene Trash Bag
- Top quality resins
- Maximum film strength
- Puncture and tear resistant
- Leak-resistant star seal
- Size: 40" x 46"
- Capacity: 40-45 Gallon, Max Load: 35 lbs
- Gauge: 0.5 Mil (12.7 Microns), Strength: Medium
- Color: Black
- 25 rolls per case, 10 liners per roll

Linear Low Density Polyethylene Can Liner. This resin is highly puncture and tear resistant. These properties make this the best choice for applications where additional strength and stretch are required. Works well for waste with sharp or jagged edges.



BID ITEM # 6



View Larger
Image

INTEPLAST
PITT

HP Can Liner 23 in. x 33 in., 0.4 mil, Black,
1000/cs (20/50)

by Inteplast Pitt

Item Number: 166434

- Linear Low Density Polyethylene Trash Bag
- Maximum puncture and stretch resistance compared to High Density
- Best choice for applications where additional strength and stretch are required
- Works well for waste with sharp or jagged edges
- Most prevalent type of film used in the industry today
- Thickness: 0.4 mil
- Size: 23 in. x 33 in.
- Color: Black
- 1000 per case

Linear Low Density Polyethylene Can Liner. This resin is highly puncture and tear resistant. These properties make this the best choice for applications where additional strength and stretch are required. Works well for waste with sharp or jagged edges.



HP Products
Excellence In Distribution

BID ITEM # 7

Dial Pure & Natural Complexion Bar Wrap
3/4oz 1000/cs

by Dial

Item Number: 108191



- A mild, gentle cleansing soap made of naturally derived ingredients, ideal for the whole family
- Dermatological tested hypoallergenic formula
- Contains No harsh chemicals, No heavy perfumes
- White Marble Guest Amenities
- 1000 per pack
- 40606
- Pure & Natural[R], Wrap.

A mild, gentle cleansing soap made of naturally derived ingredients, ideal for the whole family. Dermatological tested hypoallergenic formula. Contains no harsh chemicals, no heavy perfumes. White Marble Guest Amenities. 1000 per pack. 3/4. Pure & Natural[R], Wrap.

**MATERIAL SAFETY DATA SHEET
MSDS L-105 REVISION 6,**



BID ITEM #

THE DIAL CORPORATION
TECHNICAL AND ADMINISTRATIVE CENTER
15101 NORTH SCOTTSDALE ROAD
SCOTTSDALE, ARIZONA 85254-9934

MEDICAL EMERGENCIES: 1-888-689-9082
CHEMTREC: 1-800-424-9300 (24 Hours Daily)
OTHER INFORMATION: 1-888-468-6673

SUBSTANCE IDENTIFICATION

SUBSTANCE: BAR SOAP

TRADE NAMES/SYNONYMS: **PURE & NATURAL® Bar Soap by DIAL**
PURE & NATURAL® Bar Soap by DIAL (Complexion Mini)
PURE & NATURAL® Bar Soap by DIAL (Deodorant Mini)

CHEMICAL FAMILY: Mixture

I.D. NUMBERS: 900313 (Pure & Natural), 901959 (Complexion Mini), 901962 (Deodorant Mini)

NFPA RATINGS (Scale 0-4, where 4=high degree of hazard): HEALTH=1 FLAMMABILITY=1 REACTIVITY=0
HMIS RATINGS (Scale 0-4, where 4=severe hazard): HEALTH=0 FLAMMABILITY=1 REACTIVITY=0

This product is labeled in accordance with guidelines set forth in the Food, Drug, and Cosmetic Act. The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. The requirements of the Occupational Safety and Health Administration applicable to this Material Safety Data Sheet may differ from the requirements of the FD & C Act and as a result, this MSDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

HAZARDOUS INGREDIENT INFORMATION

COMPONENT: GLYCERIN CAS# 56-81-5
(as mist):
5 mg/m³ OSHA TWA (respirable fraction); 10 mg/m³ OSHA TWA (total mist)
10 mg/m³ ACGIH TWA (mist)

Carcinogen status of components: Not listed as carcinogenic by NTP, IARC, or OSHA.

PHYSICAL AND CHEMICAL DATA

DESCRIPTION: White or beige soap-based bar with a pleasant fragrance.

SOLUBILITY IN WATER: Nearly complete.

FIRE AND EXPLOSION DATA

FIRE AND EXPLOSION HAZARD - The fire hazard for this product has not been determined. The hazard(s) of the component(s) with the most severe hazard(s) are:

Slight fire hazard when exposed to heat or flame. Dust - air mixtures may ignite or explode.

FIRE FIGHTING MEDIA - Dry chemical, carbon dioxide, water spray or regular foam. For larger fires, use water spray, fog or regular foam.

FIRE FIGHTING - Move container from fire area if you can do it without risk. Do not scatter spilled material with high-pressure water streams. Dike fire-control water for later disposal. Use agents suitable for type of surrounding fire. Avoid breathing vapors, keep upwind.

HEALTH HAZARD DATA

NOTE: The acute health effects described below are those which could potentially occur for the finished product. They are based on the toxicology information available for the finished product and/or each hazardous ingredient, and are consistent with the product type and the likelihood of a specific route of exposure. Known chronic health effects related to exposure to a specific ingredient are indicated.

ACUTE HEALTH EFFECTS:

INHALATION: Dust may cause mucous membrane irritation with sore throat, sneezing, coughing and shortness of breath.

SKIN CONTACT: Repeated or prolonged excessive exposure may cause irritation.

EYE CONTACT: May cause irritation with stinging, tearing, and redness.

INGESTION: May cause mild gastrointestinal irritation with nausea, vomiting, diarrhea and abdominal pain.

CHRONIC HEALTH EFFECTS: None known.

MEDICAL CONDITIONS GENERALLY RECOGNIZED AS BEING AGGRAVATED BY EXPOSURE: Pre-existing skin conditions.

EMERGENCY AND FIRST AID PROCEDURES

INHALATION: Remove from exposure area to fresh air immediately. Keep affected person warm and at rest. Treat symptomatically and supportively. Contact physician or local poison control center. If breathing has stopped, give artificial respiration, and get medical attention immediately.

SKIN CONTACT: Rinse affected area with plenty of water until no evidence of product remains. Get medical attention if irritation persists.

EYE CONTACT: Immediately rinse eyes with plenty of water, occasionally lifting upper and lower lids, until no evidence of product remains. Get medical attention if pain or irritation persist.

INGESTION: Treat symptomatically and supportively. Maintain airway and respiration. If vomiting occurs, keep head below hips to prevent aspiration. Dilution by rinsing the mouth and giving water or milk to drink is generally recommended. If unconscious, the victim should not be given anything to drink. Contact physician or local poison control center.

REACTIVITY

REACTIVITY - Stable under normal temperatures and pressures.

INCOMPATIBILITIES Strong oxidizers, acids.

DECOMPOSITION - Thermal decomposition may release toxic and/or hazardous gases.

POLYMERIZATION - Hazardous polymerization has not been reported to occur under normal temperatures and pressures.

STORAGE AND DISPOSAL

Store away from incompatible substances and excessive heat. Observe all federal, state and local regulations when storing or disposing of this substance.

CONDITIONS TO AVOID

Avoid contact with incompatible substances and excessive heat.

SPILL AND LEAK PROCEDURES

OCCUPATIONAL SPILL - Sweep up and place in suitable clean, dry containers for reclamation or later disposal. Keep unnecessary people away.

OCCUPATIONAL PROTECTIVE EQUIPMENT

VENTILATION - Provide local exhaust ventilation system to meet permissible exposure limits, where mists or dusts are likely to be generated.

RESPIRATOR - Air contamination monitoring should be carried out, where mists or dusts are likely to be generated, to assure that the employees are not exposed to harmful concentrations above the permissible exposure limits. If respiratory protection is required, it must be based on the contamination levels found in the workplace, must not exceed the working limits of the respirator and be jointly approved by the National Institute for Occupational Safety and Health and the Mine Safety and Health Administration (NIOSH-MSHA).

FOR FIRE FIGHTING AND OTHER IMMEDIATELY DANGEROUS TO LIFE OR HEALTH CONDITIONS -

Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode. Any supplied-air respirator that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary self-contained breathing apparatus operated in pressure-demand or other positive-pressure mode.

CLOTHING - Protective clothing is required where repeated or prolonged skin contact may occur.

GLOVES - Protective gloves are required where repeated or prolonged skin contact may occur.

EYE PROTECTION - Safety glasses are required to prevent eye contact where dusty conditions may occur.

REGULATORY INFORMATION

DOT FLAMMABILITY CLASSIFICATION: Not applicable.

EPA - SARA TITLE III SECTION 313: Not applicable - Consumer product.

TSCA: All components of this product are listed or are exempted or excluded from listing on the U.S. Toxic Substances Control Act (TSCA) chemical substance inventory.

The information contained herein is provided in good faith and is believed to be correct as of the date hereof. However, the Dial Corporation makes no representation as to the comprehensiveness or accuracy of the information. It is expected that individuals receiving the information will exercise their independent judgment in determining its appropriateness for a particular purpose. Accordingly, the Dial Corporation will not be responsible for damages of any kind resulting from the use of or reliance upon such information. No representations, or warranties, either expressed or implied of merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to the information set forth herein or to the product to which the information refers.

MSDS CREATION DATE: 04/21/93

SUPERSEDES: Rev. 5; 06/03/04

REVISION DATE: 06/23/04

REVISION: Entered retail product name.



BID ITEM #

8



View Larger
Image

Georgia-Pacific

GP 23504 Envision® Singlefold Towel,
Natural, 16/250/cs

by Georgia Pacific

Item Number: 119411

- Economical, EPA compliant for recycled fiber content singlefold towels offer reliable performance at a low cost
- Offers dependable absorbency, thickness, and strength
- Economic Low per-unit cost make these towels an affordable choice for areas such as washrooms in government and public facilities, office buildings, foodservice facilities and lodging
- Singlefold towels let you offer your customers quality and reliable performance at a low cost
- 250 towels per pack, 16 packs per case
- 9.25" x 5.625" towel folded, brown
- Use with dispenser: 56701, 56720, 59850.

[Learn more about this product.](#)



These brown singlefold towels help you keep costs under control. Low per-unit costs makes these towels an affordable choice for areas such as washrooms in government and public facilities, office buildings, foodservice facilities and lodging. EPA compliant for minimum post consumer waste recycled fiber content Envision® singlefold towels let you offer your customers quality and reliable performance at a low cost. (Folded width: 5 5/16")



[View Larger
Image](#)

Ice Melter 50lbs/Bag, 42bags/skid (Sodium / Potassium Chloride)

by [Knox Fertilizer Co.](#)

Item Number: 109652

- Proprietary blend of potassium and sodium chlorides
- Melts ice and snow down to 15 degrees
- Goes into brine very quickly, undercutting the ice and snow with less labor
- Pink colorant
- Less corrosive to sidewalks and metals, and will not burn trees or shrubs when used as directed
- Environmentally preferred product
- 42-50 pound bags per skid

[Learn more about this product.](#)

MSDS

Knox Ice Melt—this is a potassium chloride/sodium chloride blend that is pink in color and melts ice and snow down to five degrees. This product goes into brine very quickly, undercutting the ice and snow with less labor. Knox is less corrosive to sidewalks and metals, and will not burn trees or shrubs when used as directed.

KNOX FERTILIZER COMPANY

2660 EAST 100 SOUTH
P.O. BOX 248 • KNOX, IN 46534
574-772-6275

BID ITEM # 9

KNOX® ICE MELTER

Approved: 09-27-01 RLH
Revised: 877-726-6275

MATERIAL SAFETY DATA SHEET

1. Chemical Product

Product name: Knox Ice Melter

Chemical Name: Potassium Chloride, & Sodium Chloride

Product Description: Knox Ice Melter is a blend of the two materials listed in the "Chemical Name" above and intended for use as deicer on concrete, and paved areas. Read instructions for use rate information.

2. Composition/Information on Ingredients

Name	CAS #	OSHA PEL (mg/m ³)	ACGIH TLV (mg/m ³)	CAL/OSHA PEL (mg/m ³)
Sodium Chloride	7647-14-5	5 mg/m ³ , respirable dust	10 mg/m ³	10 mg/m ³
Potassium Chloride	7447-40-7	5 mg/m ³ , respirable dust	10 mg/m ³	10 mg/m ³

3. Hazard Identification

*****EMERGENCY OVERVIEW *****

White to off-white granules. As shipped this product does not present special health hazards. Avoid applications that create "nuisance" dust. This dust may cause irritation to skin, eyes and respiratory tract. NOT FOR FOOD USE.

4. First Aid

Eyes: Immediately flush eyes with plenty of water for 15 minutes.

Call a physician if irritation persists.

Ingestion: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. If person is unconscious, do not give anything by mouth and do not induce vomiting.

Skin: Wash with soap and water.

Inhalation: Not a normal route of entry.

5. Fire Fighting Measures

Extinguishing Media: Non-flammable

Flash Point: N/A

Products of combustion: Not applicable. Product may emit toxic and corrosive forms of chloride at decomposition temperatures.

Fire Fighting Instructions: Not applicable

Special Remarks on Explosion Hazards: Not Applicable

6. Accidental Release Measures

Sweep up and use as directions call. Do not apply in excess or damage to vegetation can occur.

7. Handling & Storage

Handling Precautions: Do not ingest. Do not breathe dust. Avoid dust during handling and promote hygiene among smokers.

Storage: Store in a dry location away from incompatible substances, strong acids and intense heat.

8. Exposure Controls/Personal Protection

Eye/Face Protection: Safety glasses or goggles if risk is present.

Skin Protection: Work gloves desirable but not required.

Respiratory Protection: Dust mask not needed unless application method exceeds the threshold limits.

9. Physical & Chemical Properties

Appearance: White to off-white crystalline and flaked solid.

Odor: None typically noticeable.

Bulk Density: (lbs./cu. ft.) 60-70

Physical State: Solid

Boiling Point: 1412° C

Melting Point: 40° to 801° C

Vapor Pressure: N/A

Vapor Density (air = 1): N/A

Specific Gravity: N/A

Solubility (H₂O): Soluble

Evaporation Rate: N/A

pH: 5.4 to 8.6

10. Stability & Reactivity

Stability: Stable

Incompatible Materials: Avoid contact with strong inorganic acids, strong oxidizing agents and intense heat.

Decomposition Products: Ammonia and sulfur trioxide.

Hazardous Polymerization: Will not occur.

Corrosity: Mildly corrosive to metals in the presence of moisture.

11. Toxicological Information

Eye Effects: (severe) 500 mg/24 hr. (rabbit)

Skin Effects: Irritation (like salt exposure)

Acute Oral Effects: LD50 (rat) = 2,613 mg/kg

Chronic (Cancer Information): Not applicable CARCINGENCY: Not Applicable

Teratogenicity (Birth Defects): Not applicable

Reproductive Effects: Not applicable As shipped this product does not present a special health hazards. Conditions and work practices which generate dust or fumes should be avoided or controlled.

12. Ecological Information

Environmental Hazards: Keep out of drinking water source.

13. Disposal Considerations

Waste Disposal: Recycle or use as directed or review federal, state, provincial and local government requirements prior to disposal.

14. Transport Information

Proper Shipping Name: Not DOT regulated

15. Regulatory Information

U.S. FEDERAL REGULATORY INFORMATION

TSCA Inventory: Refer to GAS # above.

Section 302 (EHS) Ingredients: None

Section 304 (CERCLA & EHS) Ingredients (RQ): None

Section 313 ingredients: None

SARA TITLE III NOTIFICATIONS AND INFORMATION

SARA TITLE III - HAZARD CLASSES:

Acute Health Hazard - No

Chronic Health Hazard - No

Fire Hazard - No

Reactivity Hazard - No

16. Other Information

HMIS/INFPA HAZARD RATING:

Health: 1

Fire: 0

Reactivity: 0

Disclaimer or expressed and implied warranties: This information is provided in good faith but without express or implied warranty. Buyer assumes all responsibility for safety and use not in accordance with label instructions.

*Would recommend Protection Rating "F" for poorly ventilated areas.



HP Products
Excellence In Distribution

BID ITEM # 10



HOSPECO Gards Maxi Sanitary Napkin #4
147A 250/cs

by Hospeco

Item Number: 113014

- 250 per case

[Learn more about this product.](#)

Login for pricing



HP Products
Excellence In Distribution

BID ITEM # 11 HP# 185454

Wilen A503316, E Cotton No Marr Pinnacle Mop, 16-Ounce, White (Case of 12)



Product Features

- Pinnacle wet mops lie flat on the floor and utilize a screw-on attachment that provides fast, efficient changing of mop heads
- No Marr style eliminates marring of floors, baseboards and furniture, and is standard
- Used with Pinnacle handle
- Cotton yarn for general cleaning and stripping applications
- White color

Product Description

Pinnacle wet mops lie flat on the floor and utilize a screw-on attachment that provides fast, efficient changing of mop heads. No Marr style eliminates marring of floors, baseboards and furniture, and is standard. Used with Pinnacle handle. Cotton yarn for general cleaning and stripping applications. White color. 16oz size.

HP Products

■ A FERGUSON ENTERPRISE



[View Larger Image](#)

Sodium Hypochlorite A-1 Ultra Sanitizer 6%,
6gl/cs

by [James Austin Co.](#)

Item Number: 209614

- Sanitizer required for low-temp dish machine and glass washers
- Chlorinated sanitizing compound with long-term stability and controlled activity
- Disperses rapidly, removes stains and gives crystal clear results
- Removes stains and brightens whites
- Eliminates odors and leaves linens smelling fresh
- E.P.A. registered: (EPA registration #55852-1)
- Replaces old HP item # 133078
- (6) 1 gallon bottles per case

[Learn more about this product](#)

[MSDS](#)

This is a sanitizer required for low-temp dish machine and glass washers. A chlorinated sanitizing compound with long-term stability and controlled activity, bleach disperses rapidly, removes stains and gives crystal clear results. Bleach is E.P.A. registered. (EPA registration #55852-1).



Safety Data Sheet
James Austin Company

Austin's A-1 Ultra Disinfecting Bleach

SDS Number: 12

Revision Date: 6/15/2015

Page 1 of 6

1

PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

James Austin Company
115 Downieville Road
PO Box 827
Mars, PA 16046

Phone: 724-625-1535
Fax: 724-625-3288
Web: www.jamesaustin.com

Product Name: Austin's A-1 Ultra Disinfecting Bleach
Revision Date: 6/15/2015
Version: 1
SDS Number: 12
Common Name: Sodium Hypochlorite
Product Code: 54200-00027, 54200-00028, 54200-00040
EPA Number: 1672-65
RCRA Number: D002 (For pH greater than 12.50)
Synonyms: Bleach, Liquid Bleach, Soda Bleach
Internal ID: 90000270, 90000400

Emergency phone number: CHEMREC

US: 1-800-424-9300 Canada: 1-800-567-7455

Poison Control Center: 1-800-222-1222

2

HAZARDS IDENTIFICATION

GHS Signal Word:
WARNING

GHS Hazard Pictograms:



GHS Classifications:
Health, Skin corrosion/irritation, 2
Health, Serious Eye Damage/Eye Irritation, 2 B
Health, Specific target organ toxicity - Single exposure, 3
Environmental, Hazards to the aquatic environment - Acute, 1
Environmental, Hazards to the aquatic environment - Chronic, 4

GHS Phrases:

H315 - Causes skin irritation
H320 - Causes eye irritation



Safety Data Sheet

James Austin Company

Austin's A-1 Ultra Disinfecting Bleach

SDS Number: 12

Revision Date: 6/15/2015

Page 2 of 6

H335 - May cause respiratory irritation

H400 - Very toxic to aquatic life

H413 - May cause long lasting harmful effects to aquatic life

GHS Precautionary Statements:

P220 - Keep/Store away from clothing/combustible materials.

P260 - Do not breathe dust/fume/gas/mist/vapors/spray.

P264 - Wash exposed skin thoroughly after handling.

P262 - Do not get in eyes, on skin, or on clothing.

P270 - Do not eat, drink or smoke when using this product.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P273 - Avoid release to the environment.

P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P312 - Call a POISON CENTER or doctor/physician if you feel unwell.

P303+361+353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+341 - IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+351+338 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do.

Continue rinsing.

P309+311 - IF exposed or you feel unwell: Call a POISON CENTER or doctor/physician.

P401 - Store upright in a cool, dry place.

P501 - Dispose of contents/container to an approved waste disposal plant.

3

COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

Cas #	Percentage	Chemical Name
7681-52-9	6.00-6.10%	Sodium hypochlorite
7732-18-5	93.90-94.00%	Water

4

FIRST AID MEASURES

Inhalation: In the event of exposure to excessive vapor levels, move the individual to fresh air and seek medical attention if symptoms develop or persist.

Skin Contact: Immediately rinse with plenty of water while removing any contaminated clothing. If irritation develops or persists, seek medical attention. Wash contaminated clothing before reuse.

Eye Contact: Rinse immediately with plenty of water. Keep eye(s) wide open while rinsing. Avoid rubbing the affected area. Seek medical attention if needed.

Ingestion: Do NOT induce vomiting. Rinse mouth thoroughly with water. Drink plenty of water. Call a physician or poison control center.

NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the use of gastric lavage.



Safety Data Sheet

James Austin Company

Austin's A-1 Ultra Disinfecting Bleach

SDS Number: 12

Revision Date: 6/15/2015

Page 3 of 6

5

FIRE FIGHTING MEASURES

Flammability: Not flammable
Flash Point: No information available
Flash Point Method: No information available
Burning Rate: No information available
Autoignition Temp: No information available
LEL: No information available
UEL: No information available

Highly exothermic reactions with organic materials and oxidizable materials may cause fires.

In the event of a fire, wear full protective clothing and MSHA/NIOSH self-contained breathing apparatus with a full facepiece operated in the pressure-demand or other positive pressure mode.

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment; Water spray may be used to keep fire exposed containers cool.

6

ACCIDENTAL RELEASE MEASURES

Use personal protective equipment as required/recommended. Evacuate public to a safe area. Avoid contact with skin, eyes, and clothing.

Prevent spills from entering sewers or waterways. Contain run-off using diking composed of a suitable material. Soak up liquid on inert absorbant and transfer to an approved container. Clean contaminated surface thoroughly.

7

HANDLING AND STORAGE

Handling Precautions: Use personal protective equipment as required/recommended. Use only with adequate ventilation. Avoid contact with skin, eyes, and clothing. Use suitable respiratory equipment in case of inadequate ventilation.
Storage Requirements: Store using properly labeled containers in a cool, dry, well ventilated area. Keep out of reach of children. Separate from incompatible materials.

8

EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Use adequate ventilation, especially in confined spaces
Personal Protective Equip: Chemical splash goggles; Face shield; Neoprene gloves; NIOSH approved respirator; Apron.



Safety Data Sheet

James Austin Company

Austin's A-1 Ultra Disinfecting Bleach

SDS Number: 12

Revision Date: 6/15/2015

Page 4 of 6

9

PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear yellow	Odor:	Pungent; Chlorine
Physical State:	Liquid	Solubility:	Completely miscible in water
Spec Grav./Density:	1.085 - 1.095		
pH:	12-13		

10

STABILITY AND REACTIVITY

Stability:	The product is stable and non-reactive under normal conditions of use, storage and transport.
Conditions to Avoid:	Contact with incompatible materials. Excessive heat and exposure to light. Reacts violently with strong acids producing chlorine gas. Contact with amines will result in chloramines.
Materials to Avoid:	Strong oxidizing agents, acids, metals, organic compounds, ammonia. Oxidizable or combustible materials.
Hazardous Decomposition:	None under normal processing.
Hazardous Polymerization:	Will not occur.

11

TOXICOLOGICAL INFORMATION

Toxicity Data:

Eye Effects: Causes eye burns.

Skin Effects: Causes skin burns.

Acute Inhalation Effects: Vapors and mist may irritate throat and respiratory system; may cause coughing.

Chronic Effects: Prolonged or repeated overexposure may cause lung damage.

Carcinogenicity: Not a known carcinogen.

Mutagenicity: Not Known.

Teratogenicity: Not Known.

Acute Toxicity:

Oral (LD 50): No data available

Inhalation (LC 50): No data available

Skin irritation: Causes severe skin burns and eye damage

Eye irritation: Causes serious eye damage

Sensitization: No data available

Chronic Toxicity: IARC Group 3; Not classifiable as a human carcinogen



Safety Data Sheet

James Austin Company

Austin's A-1 Ultra Disinfecting Bleach

SDS Number: 12

Revision Date: 6/15/2015

Page 5 of 6

12

ECOLOGICAL INFORMATION

This product may be toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a national pollutant discharge elimination system (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your state water board or regional office of the EPA.

13

DISPOSAL CONSIDERATIONS

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the EPA Regional Office for guidance.

Do not re-use or refill this container. Triple rinse container promptly after emptying.

14

TRANSPORT INFORMATION

DOT: Not regulated. Classified as non-hazardous.

15

REGULATORY INFORMATION

COMPONENT / (CAS/PERC) / CODES

*Sodium hypochlorite (7681529 6.00-6.10%) CERCLA, CSWHS, MASS, PA, TSCA

*Water (7732185 93.90-94.00%) TSCA

REGULATORY KEY DESCRIPTIONS

CERCLA = Superfund clean up substance

CSWHS = Clean Water Act Hazardous substances

MASS = MA Massachusetts Hazardous Substances List

PA = PA Right-To-Know List of Hazardous Substances

TSCA = Toxic Substances Control Act

OSHAWAC = OSHA Workplace Air Contaminants

TXAIR = TX Air Contaminants with Health Effects Screening Level

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

Precautionary Statements

Hazards to Humans and Domestic Animals

DANGER

CORROSIVE. Causes skin burns and substantial but temporary eye injury. Do not get in eyes, on skin, or on clothing. Wear safety glasses and rubber



Safety Data Sheet
James Austin Company

Austin's A-1 Ultra Disinfecting Bleach

SDS Number: 12

Revision Date: 6/15/2015

Page 6 of 6

gloves when handling this product. Harmful if inhaled. Avoid breathing vapors.
Harmful if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or toilet.

Environmental Hazards: This product is toxic to fish and aquatic organisms.

Physical or Chemical Hazards: Strong oxidizer. Flush drains before and after use. Do not use or mix with other household chemicals, such as toilet bowl cleaners, rust removers, acid or ammonia containing products. To do so will release hazardous gases. Prolonged contact with metal may cause pitting or discoloration. Do not mix with ammonia. Do not mix with acids.

16

OTHER INFORMATION

Author: James Austin Company

Publication Date: 12/11/2014

Revision Note: MSDS converted to GHS SDS format

Disclaimer: James Austin Company provides this information without warranty. The information is believed to be accurate, but James Austin Company makes no representations as to its accuracy. The information should be used to make an independent determination and therefore, users are responsible to verify this data under their own operating conditions and methods. This information relates only to the product designated herein, and does not relate to its use in combination with other materials or processes.



HP Products
Excellence In Distribution

BID ITEM # 14



 [View Larger Image](#)



3297 Consume Eco-Lyzer® Disinfectant Cleaner, 5gI
by [Spartan Chemical](#)

Item Number: 120113

- A revolutionary quaternary based disinfectant concentrate formulated to kill pathogenic & odor causing bacteria
- Neutral pH: reduces risk and liability (EPA Reg. No. 5741-24)
- Reduces janitorial labor by cleaning, disinfecting, and digesting residual organic soils with one product
- Safe to use on most floors, including concrete, ceramic, terrazzo, marble, slate, rubber, VCT, and painted surfaces
- Use in bathrooms, stadiums, zoos, kennels, dumpsters, trash bins, loading docks, and portable toilets
- Teal liquid with a floral scent, 6.0-7.0 pH
- 5 Gallon

All in one, Eco-Lyzer® is a neutral disinfectant cleaner with residual odor control. EPA Reg. No. 5741-24. Patented cleaning technology (US Patent #6,165,965 & #6,180,585) that reduces janitorial labor by cleaning, disinfecting, and digesting residual organic soils with one product. Multi-surface safe with a neutral pH, Eco-Lyzer® is safe to use on most floors, including concrete, ceramic, terrazzo, marble, slate, rubber, VCT, and painted surfaces. Use in bathrooms, stadiums, zoos, kennels, dumpsters, trash bins, loading docks, and portable toilets.



Safety Data Sheet

Spartan Chemical Company, Inc.

Revision Date: 29-Apr-2015

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name: CONSUME ECO-LYZER
Product Number: 3297
Recommended Use: Disinfectant
Uses Advised Against: For Industrial and Institutional Use Only



BID ITEM # 14

Manufacturer/Supplier:

Spartan Chemical Company, Inc.
1110 Spartan Drive
Maumee, Ohio 43537 USA
800-537-8990 (Business hours)
www.spartanchemical.com

24 Hour Emergency Phone Numbers:

Medical Emergency/Information: 888-314-6171
Transportation/Spill/Leak: CHEMTREC 800-424-9300

2. HAZARDS IDENTIFICATION


GHS Classification

Acute Toxicity - Oral: Category 4
Skin Corrosion/Irritation: Category 1
Serious Eye Damage/Eye Irritation: Category 1

GHS Label Elements

Signal Word: **Danger**

Symbols:



Hazard Statements:

Harmful if swallowed.
Causes severe skin burns and serious eye damage.

Precautionary Statements:

Prevention:

Wash hands and any exposed skin thoroughly after handling.
Do not eat, drink or smoke when using this product
Do not breathe mist, vapors or spray.

Wear protective gloves. Wear eye / face protection. Wear protective clothing.

IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

Response:

-Eyes

-Skin

-Inhalation:

-Ingestion:

-Specific Treatment:

Storage:

Store locked up.

Dispose of contents and container in accordance with local, state and federal regulations.

Hazards Not Otherwise Classified: Not Applicable

Other Information:

- Corrosive.
- Inhalation of vapors or mist may cause respiratory irritation.
- This product contains living bacterial spores. Avoid contact with open wounds, broken skin or mucus membranes.
- Keep out of reach of children.
- **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

0.48104% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
water	7732-18-5	60-100
dialkyl dimethyl ammonium chloride	68424-95-3	1-5
alkyl dimethyl benzyl ammonium chloride	68424-85-1	1-5
alcohol ethoxylate	34398-01-1	1-5
ethanol	64-17-5	1-5
bacterial spores	PROPRIETARY	<0.1

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

-Eye Contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.

-Skin Contact: Take off immediately all contaminated clothing and shoes. Rinse with water or shower for at least 15 minutes. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. Apply a topical antiseptic agent to open wounds or broken skin. Wash contaminated clothing before reuse.

-Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.

-Ingestion: Rinse mouth. Do NOT induce vomiting. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. Never give anything by mouth to an unconscious person.

Note to Physicians: **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: Product does not support combustion. Use extinguishing agent suitable for type of surrounding fire

Specific Hazards Arising from the Chemical: Dried product is capable of burning. Combustion products are toxic.

Hazardous Combustion Products: May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.

Protective Equipment and Precautions for Firefighters: Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear. Cool fire-exposed containers with water spray.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Environmental Precautions: Do not rinse spill onto the ground, into storm sewers or bodies of water.

Methods for Clean-Up: Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

7. HANDLING AND STORAGE

Advice on Safe Handling: Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.

Storage Conditions: Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep from freezing.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits:

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH
ethanol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m ³ (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m ³	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³

Engineering Controls: Provide good general ventilation. If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other engineering controls should be considered. Eye wash stations and shower facilities should be readily accessible in areas where the product is handled.

Personal Protective Equipment

Eye/Face Protection: Wear splash goggles.

Skin and Body Protection: Wear rubber or other chemical-resistant gloves.

Respiratory Protection: Not required with expected use. If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section 3 should be considered.

General Hygiene Considerations: Wash hands and any exposed skin thoroughly after handling. See 29 CFR 1910.132-138 for further guidance.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Physical State:	Liquid
Color:	Light blue
Odor:	Floral fragrance
pH:	6.0-7.0
Melting Point / Freezing Point:	No information available.
Boiling Point / Boiling Range:	100 °C / 212 °F
Flash Point:	> 100 °C / > 212 °F ASTM D56
Evaporation Rate:	< 1 (Butyl acetate = 1)
Flammability (solid, gas)	No information available.
Upper Flammability Limit:	No information available.
Lower Flammability Limit:	No information available.
Vapor Pressure:	No information available.
Vapor Density:	No information available.
Specific Gravity:	0.995
Solubility(ies):	Soluble in water
Partition Coefficient:	No information available.
Autoignition Temperature:	No information available.
Decomposition Temperature:	No information available.
Viscosity:	No information available.

10. STABILITY AND REACTIVITY

Reactivity: This material is considered to be non-reactive under normal conditions of use.

Chemical Stability: Stable under normal conditions.

Possibility of Hazardous Reactions: Not expected to occur with normal handling and storage.
Conditions to Avoid: Extremes of temperature and direct sunlight.
Incompatible Materials: Strong oxidizing agents. Strong acids.
Hazardous Decomposition Products: May include carbon monoxide, carbon dioxide (CO₂) and other toxic gases or vapors.

11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: Eyes, Skin, Ingestion, Inhalation.
Symptoms of Exposure:

- Eye Contact:** Pain, redness, swelling of the conjunctiva and tissue damage. Eye contact may cause permanent damage.
- Skin Contact:** Pain, redness, blistering and possible chemical burn.
- Inhalation:** Nasal discomfort and coughing.
- Ingestion:** Damage or chemical burns to mouth, throat and stomach. Pain, nausea, vomiting and diarrhea.

Immediate, Delayed, Chronic Effects

Product Information: Data not available or insufficient for classification.

Chronic Toxicity: May cause adverse effects on the bone marrow and blood-forming system. May cause adverse liver effects. Contains a known or suspected reproductive toxin.

Target Organ Effects: Blood. Central nervous system. -Eyes. Liver. Reproductive System. Respiratory System. -Skin.

Numerical Measures of Toxicity

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral): 1712 mg/kg
 ATEmix (dermal): 5560 mg/kg
 ATEmix (inhalation-dust/mist): 23.2 mg/l

Component Acute Toxicity Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
water 7732-18-5	> 90 mL/kg (Rat)	Not Available	Not Available
alkyl dimethyl benzyl ammonium chloride 68424-85-1	= 426 mg/kg (Rat)	Not Available	Not Available
ethanol 64-17-5	= 7060 mg/kg (Rat)	Not Available	= 124.7 mg/L (Rat) 4 h

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
ethanol 64-17-5	Not Available	12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	Not Available	9268 - 14221: 48 h Daphnia magna mg/L LC50 10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static

Persistence and Degradability: No information available.

Bioaccumulation: No information available.

Other Adverse Effects: No information available.

13. DISPOSAL CONSIDERATIONS

Disposal of Wastes: Dispose of in accordance with federal, state and local regulations.

Contaminated Packaging: Dispose of in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

DOT: Not Regulated
Proper Shipping Name: Non Hazardous Product
Special Provisions: Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation expert for information specific to your situation.

15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA 313

This product does not contain listed substances above the "de minimus" level

SARA 311/312 Hazard Categories

Acute Health Hazard:	Yes
Chronic Health Hazard:	No
Fire Hazard:	No
Sudden release of pressure hazard:	No
Reactive Hazard:	No

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
ethanol - 64-17-5	Carcinogen Developmental
chloromethane - 74-87-3	Developmental Male Reproductive

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

EPA Pesticide Registration Number: 5741-24

EPA Statement:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

EPA Pesticide Label:

DANGER. Corrosive. Causes irreversible eye damage and skin burns. Harmful if absorbed through the skin. May be fatal if inhaled. Do not breathe vapor or spray mist. Do not get in eyes, on skin, or on clothing. Wear protective eye wear (goggles/face shield/safety glasses), rubber gloves, and protective clothing. Wash thoroughly with soap and water after handling and before eating, drinking, smoking tobacco, chewing gum or using the toilet. Remove contaminated clothing and wash clothing before reuse. Use-Dilution Precautions: Harmful if inhaled. Avoid breathing vapor and spray mist. Remove contaminated clothing and wash clothing before reuse. Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Avoid contact with skin. Wear protective eyewear (goggles /face shield / safety glasses). Wash thoroughly with soap and water after handling.

16. OTHER INFORMATION

NFPA	Health Hazards: 3	Flammability: 0	Instability: 0	Special: N/A
HMIS	Health Hazards: 3	Flammability: 0	Physical Hazards: 0	


Revision Date: 29-Apr-2015

Reasons for Revision: No information available.

Disclaimer:

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet



BID ITEM # 15



 [View Larger Image](#)



3297 Consume Eco-Lyzer® Disinfectant Cleaner, 5gl

by [Spartan Chemical](#)

Item Number: 120113

- A revolutionary quaternary based disinfectant concentrate formulated to kill pathogenic & odor causing bacteria
- Neutral pH; reduces risk and liability (EPA Reg. No. 5741-24)
- Reduces janitorial labor by cleaning, disinfecting, and digesting residual organic soils with one product
- Safe to use on most floors, including concrete, ceramic, terrazzo, marble, slate, rubber, VCT, and painted surfaces
- Use in bathrooms, stadiums, zoos, kennels, dumpsters, trash bins, loading docks, and portable toilets
- Teal liquid with a floral scent, 6.0-7.0 pH
- 5 Gallon

All in one, Eco-Lyzer® is a neutral disinfectant cleaner with residual odor control. EPA Reg. No. 5741-24. Patented cleaning technology (US Patent #6,165,965 & #6,180,585) that reduces janitorial labor by cleaning, disinfecting, and digesting residual organic soils with one product. Multi-surface safe with a neutral pH, Eco-Lyzer® is safe to use on most floors, including concrete, ceramic, terrazzo, marble, slate, rubber, VCT, and painted surfaces. Use in bathrooms, stadiums, zoos, kennels, dumpsters, trash bins, loading docks, and portable toilets.



Safety Data Sheet

Spartan Chemical Company, Inc.

Revision Date: 29-Apr-2015

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name: CONSUME ECO-LYZER
Product Number: 3297
Recommended Use: Disinfectant
Uses Advised Against: For Industrial and Institutional Use Only



Manufacturer/Supplier: Spartan Chemical Company, Inc.
1110 Spartan Drive
Maumee, Ohio 43537 USA
800-537-8990 (Business hours)
www.spartanchemical.com

BID ITEM # 15

24 Hour Emergency Phone Numbers:

Medical Emergency/Information: 888-314-6171
Transportation/Spill/Leak: CHEMTREC 800-424-9300

2. HAZARDS IDENTIFICATION

GHS Classification


Acute Toxicity - Oral: Category 4
Skin Corrosion/Irritation: Category 1
Serious Eye Damage/Eye Irritation: Category 1

GHS Label Elements

Signal Word:

Symbols:

Danger



Hazard Statements:

Harmful if swallowed.
Causes severe skin burns and serious eye damage.

Precautionary Statements:

Prevention:

Wash hands and any exposed skin thoroughly after handling.

Do not eat, drink or smoke when using this product

Do not breathe mist, vapors or spray.

Wear protective gloves. Wear eye / face protection. Wear protective clothing.

IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

Response:

-Eyes

-Skin

-Inhalation:

-Ingestion:

-Specific Treatment:

Storage:

Disposal:

Store locked up.

Dispose of contents and container in accordance with local, state and federal regulations.

Hazards Not Otherwise Classified: Not Applicable

Other Information:

- Corrosive.
- Inhalation of vapors or mist may cause respiratory irritation.
- This product contains living bacterial spores. Avoid contact with open wounds, broken skin or mucus membranes.
- Keep out of reach of children.
- **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

0.48104% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
water	7732-18-5	60-100
dialkyl dimethyl ammonium chloride	68424-95-3	1-5
alkyl dimethyl benzyl ammonium chloride	68424-85-1	1-5
alcohol ethoxylate	34398-01-1	1-5
ethanol	64-17-5	1-5
bacterial spores	PROPRIETARY	<0.1

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

-Eye Contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.

-Skin Contact: Take off immediately all contaminated clothing and shoes. Rinse with water or shower for at least 15 minutes. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. Apply a topical antiseptic agent to open wounds or broken skin. Wash contaminated clothing before reuse.

-Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.

-Ingestion: Rinse mouth. Do NOT induce vomiting. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. Never give anything by mouth to an unconscious person.

Note to Physicians: **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: Product does not support combustion, Use extinguishing agent suitable for type of surrounding fire

Specific Hazards Arising from the Chemical: Dried product is capable of burning. Combustion products are toxic.

Hazardous Combustion Products: May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.

Protective Equipment and Precautions for Firefighters: Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear. Cool fire-exposed containers with water spray.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Environmental Precautions: Do not rinse spill onto the ground, into storm sewers or bodies of water.

Methods for Clean-Up: Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

7. HANDLING AND STORAGE

Advice on Safe Handling: Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.

Storage Conditions: Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep from freezing.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits:

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH
ethanol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m ³ (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m ³	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³

Engineering Controls: Provide good general ventilation. If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other engineering controls should be considered. Eye wash stations and shower facilities should be readily accessible in areas where the product is handled.

Personal Protective Equipment

Eye/Face Protection: Wear splash goggles.

Skin and Body Protection: Wear rubber or other chemical-resistant gloves.

Respiratory Protection: Not required with expected use. If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section 3 should be considered.

General Hygiene Considerations: Wash hands and any exposed skin thoroughly after handling. See 29 CFR 1910.132-138 for further guidance.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Physical State:	Liquid
Color:	Light blue
Odor:	Floral fragrance
pH:	6.0-7.0
Melting Point / Freezing Point:	No information available.
Boiling Point / Boiling Range:	100 °C / 212 °F
Flash Point:	> 100 °C / > 212 °F ASTM D56
Evaporation Rate:	< 1 (Butyl acetate = 1)
Flammability (solid, gas)	No information available.
Upper Flammability Limit:	No information available.
Lower Flammability Limit:	No information available.
Vapor Pressure:	No information available.
Vapor Density:	No information available.
Specific Gravity:	0.995
Solubility(ies):	Soluble in water
Partition Coefficient:	No information available.
Autoignition Temperature:	No information available.
Decomposition Temperature:	No information available.
Viscosity:	No information available.

10. STABILITY AND REACTIVITY

Reactivity: This material is considered to be non-reactive under normal conditions of use.

Chemical Stability: Stable under normal conditions.

Possibility of Hazardous Reactions: Not expected to occur with normal handling and storage.
Conditions to Avoid: Extremes of temperature and direct sunlight.
Incompatible Materials: Strong oxidizing agents. Strong acids.
Hazardous Decomposition Products: May include carbon monoxide, carbon dioxide (CO₂) and other toxic gases or vapors.

11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: Eyes, Skin, Ingestion, Inhalation.
Symptoms of Exposure:

- Eye Contact:** Pain, redness, swelling of the conjunctiva and tissue damage. Eye contact may cause permanent damage.
- Skin Contact:** Pain, redness, blistering and possible chemical burn.
- Inhalation:** Nasal discomfort and coughing.
- Ingestion:** Damage or chemical burns to mouth, throat and stomach. Pain, nausea, vomiting and diarrhea.

Immediate, Delayed, Chronic Effects

Product Information: Data not available or insufficient for classification.

Chronic Toxicity: May cause adverse effects on the bone marrow and blood-forming system. May cause adverse liver effects. Contains a known or suspected reproductive toxin.

Target Organ Effects: Blood. Central nervous system. -Eyes. Liver. Reproductive System. Respiratory System. -Skin.

Numerical Measures of Toxicity

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral): 1712 mg/kg
 ATEmix (dermal): 5560 mg/kg
 ATEmix (inhalation-dust/mist): 23.2 mg/l

Component Acute Toxicity Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
water 7732-18-5	> 90 mL/kg (Rat)	Not Available	Not Available
alkyl dimethyl benzyl ammonium chloride 68424-85-1	= 426 mg/kg (Rat)	Not Available	Not Available
ethanol 64-17-5	= 7060 mg/kg (Rat)	Not Available	= 124.7 mg/L (Rat) 4 h

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
ethanol 64-17-5	Not Available	12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	Not Available	9268 - 14221: 48 h Daphnia magna mg/L LC50 10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static

Persistence and Degradability: No information available.

Bioaccumulation: No information available.

Other Adverse Effects: No information available.

13. DISPOSAL CONSIDERATIONS

Disposal of Wastes: Dispose of in accordance with federal, state and local regulations.

Contaminated Packaging: Dispose of in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

DOT: Not Regulated
 Proper Shipping Name: Non Hazardous Product
 Special Provisions: Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation expert for information specific to your situation.

15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA 313

This product does not contain listed substances above the "de minimus" level

SARA 311/312 Hazard Categories

Acute Health Hazard:	Yes
Chronic Health Hazard:	No
Fire Hazard:	No
Sudden release of pressure hazard:	No
Reactive Hazard:	No

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
ethanol - 64-17-5	Carcinogen Developmental
chloromethane - 74-87-3	Developmental Male Reproductive

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

EPA Pesticide Registration Number: 5741-24

EPA Statement:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

EPA Pesticide Label:

DANGER. Corrosive. Causes irreversible eye damage and skin burns. Harmful if absorbed through the skin. May be fatal if inhaled. Do not breathe vapor or spray mist. Do not get in eyes, on skin, or on clothing. Wear protective eye wear (goggles/face shield/safety glasses), rubber gloves, and protective clothing. Wash thoroughly with soap and water after handling and before eating, drinking, smoking tobacco, chewing gum or using the toilet. Remove contaminated clothing and wash clothing before reuse. Use-Dilution Precautions: Harmful if inhaled. Avoid breathing vapor and spray mist. Remove contaminated clothing and wash clothing before reuse. Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Avoid contact with skin. Wear protective eyewear (goggles /face shield / safety glasses). Wash thoroughly with soap and water after handling.

16. OTHER INFORMATION

NFPA	Health Hazards: 3	Flammability: 0	Instability: 0	Special: N/A
HMIS	Health Hazards: 3	Flammability: 0	Physical Hazards: 0	

Revision Date: 29-Apr-2015

Reasons for Revision: No information available.

Disclaimer:

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet



HP Products
Excellence In Distribution

BID ITEM # 16



[View Larger Image](#)

Rubbermaid
HOME & GARDEN PRODUCTS

750593 Auto Foam Alcohol-Free Hand Sanitizer, 1100ml, 4/cs

by Rubbermaid

Item Number: 137217

- Kills over 99.99% germs
- Contains 0.1% Benzalkonium Chloride for alcohol-free sanitizing
- Effective against Staph, MRSA, Strep, E.coli, Salmonella and more
- Safe, non-flammable
- Enriched with Glycerin and Aloe Vera
- Hypoallergenic for sensitive skin
- Fresh citrus fragrance
- Dye Free
- Volume capacity: 1100mL
- 4 per case

Kills over 99.99% germs and effective against Staph, MRSA, Strep, E.coli, Salmonella, and more.

MATERIAL SAFETY DATA SHEET

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Enriched Foam- Alcohol Free Instant Hand Sanitizer



Manufactured By: Technical Concepts, LLC.
1301 Allanson Road
Mundelein, Illinois 60060
847- 837-4100

BID ITEM # 16

24-Hour Emergency Contact:
1-800-535-5053 (Infotrac)

2. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous ingredients as defined by OSHA, 29 CFR 1910.1200:

<u>INGREDIENTS</u>	<u>CAS#</u>	<u>ACGIH-TLV</u>	<u>OSHA- PEL</u>	<u>LC₅₀</u>	<u>LD₅₀</u>	<u>%BY WT</u>
Benzalkonium Chloride	8001-54-5	N/A	N/A	N/A	295mg/kg, rat	0.1

3. HAZARDS IDENTIFICATION

Potential Health Effects:

Routes of Entry: Inhalation: Y Skin: Y Eye: Y Ingestion: Y
Health Hazards: May cause eye and skin irritation, as well as respiratory irritation, may cause stomach distress.

Signs/systems of Over exposure: Prolonged skin contact may cause mild redness and swelling. Contact with eyes may cause irritation, experienced as discomfort or pain, excessive blinking and tear production, with marked excess redness and swelling. Corneal injury may occur. This product can be absorbed through the skin. Ingestion may cause gastrointestinal irritation with nausea, vomiting and diarrhea.

Medical conditions aggravated by exposure: Skin contact may aggravate an existing skin condition.

4. FIRST AID MEASURES

EYE CONTACT: Immediately rinse eyes with plenty of water, remove contact lenses, occasionally lifting upper and lower lids, until no evidence of product remains. Obtain medical attention.

SKIN CONTACT: Rinse affected area with plenty of water until no evidence of the product remains. Obtain medical attention if irritation persists.

INHALATION: This form of application makes inhalation virtually impossible, but if it does occur: administer fresh air, should symptoms develop, contact a doctor.

INGESTION: Treat symptomatically and supportively. Maintain airway and respiration. If vomiting occurs, keep head below hips to prevent aspiration. Dilute by rinsing the mouth and giving water or milk to drink is generally recommended. If unconscious, the victim should not be given anything to drink. Contact physician or local poison control center.

5. FIRE FIGHTING MEASURES

FIRE AND EXPLOSION HAZARD - The fire hazard for this product has not been determined. This product is not combustible

MATERIAL SAFETY DATA SHEET

FIRE FIGHTING MEDIA - Dry chemical, carbon dioxide, water spray, or regular foam. For larger fires, use water spray, fog, or regular foam.

FIRE FIGHTING - Move container from fire area if you can do it without risk. Apply cooling water to sides of containers that are exposed to flames until well after fire is out. Extinguish only if flow can be stopped; use flooding amounts of water as a fog, solid streams may be ineffective. Avoid breathing vapors, keep upwind.

6. ACCIDENTAL RELEASE MEASURES

Step should be taken in case material is released or spilled: Remove all sources of flame, sparks and heat. Absorb spilled material with a non-flammable absorbent such as vermiculite.

7. HANDLING AND STORAGE

HANDLING AND STORAGE CONDITIONS: Keep container tightly closed. Keep away from heat and sunlight. Storage temperature range 20-30°C. If material freezes, separates or becomes hazy, gently thaw at about 40°C prior to use. Mild agitation may be required.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Gloves: Not normally required.

Eye protection: Not normally required.

Respiratory Tract: Not normally required

Ventilation: Local: Not required

Carcinogenic: Non – hazardous by WHIMS criteria

Other protective equipment: None required

Protective Work/Hygiene Practices: Follow labeling instructions

9. PHYSICAL AND CHEMICAL PROPERTIES

pH@ 25°C: 5.0-7.0

Specific Gravity@ 25°C: 0.98-1.02

Appearance: Thin opaque liquid with added fragrance

10. STABILITY AND REACTIVITY

Stability: stable

Incompatibility: None known

Hazardous Decomposition: May include but are not limited to oxides of carbon when heated to decomposition

Conditions to avoid: Avoid contact with heat.

11. TOXICOLOGY INFORMATION

Currently there is no data available for this product.

12. ECOLOGICAL INFORMATION

Currently there is no data available for this product.

13. DISPOSAL CONSIDERATIONS

Improper disposal or reuse of the container may be dangerous or illegal, refer to State land waste management.

MATERIAL SAFETY DATA SHEET

14. TRANSPORTATION INFORMATION

This product is not regulated

15. REGULATORY INFORMATION

NFPA RATINGS (Scale 0-4, where 4=high degree of hazard): HEALTH=1 FLAMMABILITY=0 REACTIVITY=0
HMIS RATINGS (Scale 0-4, where 4=severe hazard): HEALTH=1 FLAMMABILITY=0 REACTIVITY=0

SARA TITLE Section 313 –This product does not contain any chemicals subject to the reporting requirements of SARA TOXIC: Substances control Act (TSCA) – For FDA/COSMETIC use only
SARA Extremely hazardous substances (40CFR 372): Chronic

WHMIS (CANADA)

Class D-1B, Material, Class D-2B: Class E

16. OTHER INFORMATION

Product Sales Information: 1-800-551-5155

MSDS Information: 847-837-4100

MSDS in compliance with ANSI.Z400.1-1988-16 section MSDS format: New Product-2007

N/A= Not Applicable

N.E= Not Established

MSDS Prepared by: Regulatory

Disclaimer:

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, expressed or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation s to determine the suitability of the information for their own use. In no event shall Technical Concepts be liable for any claims, losses, or damages of any third party or for loss of profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Technical Concepts has been advised of the possibility of such damages.



 [View Larger Image](#)

01000 Scott® High Capacity Hard Roll Towel, White, 8x1000, 12/cs

by [Kimberly-Clark](#)

Item Number: 114402

- Reduce maintenance time, run-outs and complaints with this long-lasting roll towel
- Highly absorbent, so you'll use less and waste less
- Small cases for easy storage and handling
- Compatible with most universal hard roll towel dispensers
- Meets EPA standards; FSC® and EcoLogo® certified, Elemental chlorine-free (ECF) bleaching
- Recycled Fiber Content: 60%, Post Consumer Waste: 40%
- 8in x 1000'
- Color: White
- 12/cs

 [Learn more about this product.](#)



Highly absorbent, so you'll use less and waste less. Small cases for easy storage and handling. Compatible with most universal hard roll towel dispensers. Meets EPA standards; FSC® and EcoLogo® certified, Elemental chlorine-free (ECF) bleaching.



BID ITEM # 19



Spartan Clothesline Color Safe Oxygen Bleach #5 7005 5gl

by Spartan Chemical

Item Number: 135453

- Clothesline Fresh Color Safe Bleach is a nonchlorinated, oxygenbased bleach that enhances the performance of Clothesline Fresh Laundry Detergents Clothesline Fresh Color Safe Bleach is safe to use on most all machinewashable fabrics and colors, yet powerful enough to remove even the toughest stains..

[Learn more about this product.](#)



MSDS

Clothesline Fresh Color Safe Bleach is a nonchlorinated, oxygenbased bleach that enhances the performance of Clothesline Fresh Laundry Detergents Clothesline Fresh Color Safe Bleach is safe to use on most all machinewashable fabrics and colors, yet powerful enough to remove even the toughest stains..



Safety Data Sheet

Spartan Chemical Company, Inc.

Revision Date: 28-Oct-2014

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name: CLOTHESLINE FRESH COLOR SAFE BLEACH [5]
Product Number: 7005
Recommended Use: Laundry bleach
Uses Advised Against: For Industrial and Institutional Use Only

Manufacturer/Supplier:

Spartan Chemical Company, Inc.
1110 Spartan Drive
Maumee, Ohio 43537 USA
800-537-8990 (Business hours)
www.spartanchemical.com



BID ITEM # 19

24 Hour Emergency Phone Numbers:

Medical Emergency/Information: 888-314-6171
Transportation/Spill/Leak: CHEMTREC 800-424-9300

2. HAZARDS IDENTIFICATION

GHS Classification

Skin Corrosion/Irritation: Category 2
Serious Eye Damage/Eye Irritation: Category 2A

GHS Label Elements

Signal Word: **Warning**

Symbols:



Hazard Statements:

Causes skin irritation.
Causes serious eye irritation

Precautionary Statements:

Prevention:

Wash hands and any exposed skin thoroughly after handling.

Wear protective gloves

Wear eye / face protection

Response:

-Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

-Skin
IF ON SKIN (or hair): Wash with plenty of soap and water. If skin irritation occurs: Get medical attention. Take off contaminated clothing and wash before reuse.

-Specific Treatment:
See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

Storage:

Not Applicable

Disposal:

Not Applicable

Hazards Not Otherwise Classified: Not Applicable

Other Information:	<ul style="list-style-type: none"> • May be harmful if swallowed. • Inhalation of vapors or mist may cause respiratory irritation. • Keep out of reach of children.
---------------------------	--

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
water	7732-18-5	60-100
hydrogen peroxide	7722-84-1	1-5

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

-Eye Contact:	Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
-Skin Contact:	Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation occurs: Get medical attention.
-Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison control center or physician if you feel unwell.
-Ingestion:	Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if you feel unwell.
Note to Physicians:	Contains hydrogen peroxide. Ingestion may result in distention of esophagus and stomach.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:	Product does not support combustion. Use extinguishing agent suitable for type of surrounding fire
Specific Hazards Arising from the Chemical:	Combustion products are toxic. Releases oxygen when heated to decomposition which may intensify fire.
Hazardous Combustion Products:	May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.
Protective Equipment and Precautions for Firefighters:	Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear. Cool fire-exposed containers with water spray.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.
Environmental Precautions:	Do not rinse spill onto the ground, into storm sewers or bodies of water.
Methods for Clean-Up:	Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

7. HANDLING AND STORAGE

Advice on Safe Handling:	Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.
Storage Conditions:	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep from freezing.
Incompatible Materials:	Sodium hypochlorite (or other hypochlorites). Metals.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits:	Chemical Name	ACGIH TLV	OSHA PEL	NIOSH

hydrogen peroxide 7722-84-1	TWA: 1 ppm	TWA: 1 ppm TWA: 1.4 mg/m ³ (vacated) TWA: 1 ppm (vacated) TWA: 1.4 mg/m ³	IDLH: 75 ppm TWA: 1 ppm TWA: 1.4 mg/m ³
--------------------------------	------------	--	--

Engineering Controls:	Provide good general ventilation. If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other engineering controls should be considered.
Personal Protective Equipment	
Eye/Face Protection:	Wear splash goggles.
Skin and Body Protection:	Wear rubber or other chemical-resistant gloves.
Respiratory Protection:	Not required with expected use. If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH approved respirator suitable for the use-conditions and chemicals in Section 3 should be considered.
General Hygiene Considerations:	Wash hands and any exposed skin thoroughly after handling. See 29 CFR 1910.132-138 for further guidance.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Physical State:	Liquid
Color:	Clear
Odor:	Mild
pH:	5.0-6.0
Melting Point / Freezing Point:	No information available.
Boiling Point / Boiling Range:	100 °C / 212 °F
Flash Point:	> 100 °C / > 212 °F ASTM D56
Evaporation Rate:	< 1 (BuAc = 1)
Flammability (solid, gas)	No information available.
Upper Flammability Limit:	No information available.
Lower Flammability Limit:	No information available.
Vapor Pressure:	No information available.
Vapor Density:	No information available.
Specific Gravity:	1.033
Solubility(ies):	Soluble in water
Partition Coefficient:	No information available.
Autoignition Temperature:	No information available.
Decomposition Temperature:	No information available.
Viscosity:	No information available.

10. STABILITY AND REACTIVITY

Reactivity:	This material is considered to be non-reactive under normal conditions of use.
Chemical Stability:	Stable under normal conditions.
Possibility of Hazardous Reactions:	Contact with sodium hypochlorite (or other hypochlorites) releases chlorine gas.
Conditions to Avoid:	Extremes of temperature and direct sunlight.
Incompatible Materials:	Sodium hypochlorite (or other hypochlorites). Metals.
Hazardous Decomposition Products:	May include carbon monoxide, carbon dioxide (CO ₂) and other toxic gases or vapors.

11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure:	Eyes, Skin, Ingestion, Inhalation.
Symptoms of Exposure:	
-Eye Contact:	Pain, redness, swelling of the conjunctiva and blurred vision.
-Skin Contact:	Pain, redness and cracking of the skin.
-Inhalation:	Nasal discomfort and coughing.
-Ingestion:	Pain, nausea, vomiting and diarrhea.

Immediate, Delayed, Chronic Effects

Product Information: Data not available or insufficient for classification.

Target Organ Effects: -Eyes. Respiratory System. -Skin.

Numerical Measures of Toxicity

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral): 19069 mg/kg
 ATEmix (dermal): 47612 mg/kg
 ATEmix (inhalation-dust/mist): 48 mg/l

Component Acute Toxicity Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
water 7732-18-5	> 90 mL/kg (Rat)	Not Available	Not Available
hydrogen peroxide 7722-84-1	= 801 mg/kg (Rat)	= 4060 mg/kg (Rat) = 2000 mg/kg (Rabbit)	= 2 mg/L (Rat) 4 h

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION**Ecotoxicity**

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
hydrogen peroxide 7722-84-1	2.5: 72 h Chlorella vulgaris mg/L EC50	16.4: 96 h Pimephales promelas mg/L LC50 18 - 56: 96 h Lepomis macrochirus mg/L LC50 static 10.0 - 32.0: 96 h Oncorhynchus mykiss mg/L LC50 static	Not Available	7.7: 24 h Daphnia magna mg/L EC50 18 - 32: 48 h Daphnia magna mg/L EC50 Static

Persistence and Degradability: No information available.

Bioaccumulation: No information available.

Other Adverse Effects: No information available.

13. DISPOSAL CONSIDERATIONS

Disposal of Wastes: Dispose of in accordance with federal, state and local regulations.

Contaminated Packaging: Dispose of in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

DOT: Not Regulated

Proper Shipping Name: Non-Hazardous Products

15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA 313

This product does not contain listed substances above the "de minimus" level

SARA 311/312 Hazard Categories

Acute Health Hazard:	Yes
Chronic Health Hazard:	No
Fire Hazard:	No
Sudden release of pressure hazard:	No

Reactive Hazard: No

California Proposition 65

This product does not contain any Proposition 65 chemicals

16. OTHER INFORMATION

NFPA	Health Hazards: 2	Flammability: 0	Instability: 1	Special: N/A
HMIS	Health Hazards: 2	Flammability: 0	Physical Hazards: 1	

Revision Date: 28-Oct-2014

Reasons for Revision: No information available.

Disclaimer:

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet



HP Products
Excellence In Distribution

BID ITEM # 70



 [View Larger Image](#)



Spartan Clothesline Fresh Fabric Softener #6
7006 5gl

by [Spartan Chemical](#)

Item Number: 135598

- Clothesline Fresh Fabric Softener is a liquid fabric softener designed to soften and eliminate static cling from laundered fabrics. Clothesline Fresh Fabric Softener reduces the rigidity of fabrics which reduces fiber damage and can prolong fabric life as well as aid in the ironing process by reducing wrinkles.
- Clothesline Fresh Fabric Softener contains antistatic agents which help to prevent static charge buildup allowing washed fabrics to have a smooth, fluffy feel right out of the dryer.
- Clothesline Fresh Fabric Softener also leaves laundered fabrics smelling clean and fresh.

[Learn more about this product.](#)

MSDS

Clothesline Fresh Fabric Softener is a liquid fabric softener designed to soften and eliminate static cling from laundered fabrics. Clothesline Fresh Fabric Softener reduces the rigidity of fabrics which reduces fiber damage and can prolong fabric life as well as aid in the ironing process by reducing wrinkles. Clothesline Fresh Fabric Softener contains antistatic agents which help to prevent static charge buildup allowing washed fabrics to have a smooth, fluffy feel right out of the dryer. Clothesline Fresh Fabric Softener also leaves laundered fabrics smelling clean and fresh.



Safety Data Sheet

Spartan Chemical Company, Inc.

BID ITEM # W

Revision Date: 29-Oct-2014

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier**Product Name:** CLOTHESLINE FRESH FABRIC SOFTENER [6]**Product Number:** 7006**Recommended Use:** Laundry fabric-softener**Uses Advised Against:** For Industrial and Institutional Use Only**Manufacturer/Supplier:**

Spartan Chemical Company, Inc.
1110 Spartan Drive
Maumee, Ohio 43537 USA
800-537-8990 (Business hours)
www.spartanchemical.com

24 Hour Emergency Phone Numbers:

Medical Emergency/Information: 888-314-6171

Transportation/Spill/Leak: CHEMTREC 800-424-9300

2. HAZARDS IDENTIFICATION

GHS Classification

Serious Eye Damage/Eye Irritation: Category 2A

GHS Label Elements**Signal Word:****Symbols:****Hazard Statements:**

Causes serious eye irritation

Precautionary Statements:**Prevention:**

Wash hands and any exposed skin thoroughly after handling.

Wear eye / face protection

Response:**-Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

-Specific Treatment:**Storage:**

Not Applicable

Disposal:

Not Applicable

Hazards Not Otherwise Classified: Not Applicable**Other Information:**

- May cause skin irritation.
- May be harmful if swallowed.
- Inhalation of vapors or mist may cause respiratory irritation.
- Keep out of reach of children.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
water	7732-18-5	60-100
alkyl imidazolinium methyl sulfates	68122-86-1	5-10
isopropanol	67-63-0	1-5
ethoxylated alkyl quaternary	61791-10-4	1-5

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

-Eye Contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

-Skin Contact: Wash with soap and water. If skin irritation occurs: Get medical attention.

-Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison control center or physician if you feel unwell.

-Ingestion: Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if you feel unwell.

Note to Physicians: Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: Product does not support combustion. Use extinguishing agent suitable for type of surrounding fire

Specific Hazards Arising from the Chemical: Dried product is capable of burning. Combustion products are toxic.

Hazardous Combustion Products: May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.

Protective Equipment and Precautions for Firefighters: Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear. Cool fire-exposed containers with water spray.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Environmental Precautions: Do not rinse spill onto the ground, into storm sewers or bodies of water.

Methods for Clean-Up: Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth or other non-combustible absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Advice on Safe Handling: Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.

Storage Conditions: Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep from freezing.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits:

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH
isopropanol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m ³ (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m ³ (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m ³	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m ³ STEL: 500 ppm STEL: 1225 mg/m ³

IDLH

- Immediately Dangerous to Life or Health

Engineering Controls:	Provide good general ventilation. If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other engineering controls should be considered.
Personal Protective Equipment	
Eye/Face Protection:	Wear splash goggles.
Skin and Body Protection:	Not required with expected use.
Respiratory Protection:	Not required with expected use. If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section 3 should be considered.
General Hygiene Considerations:	Wash hands and any exposed skin thoroughly after handling. See 29 CFR 1910.132-138 for further guidance.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Physical State:	Liquid
Color:	White
Odor:	Pleasant
pH:	5.5-6.5
Melting Point / Freezing Point:	No information available.
Boiling Point / Boiling Range:	100 °C / 212 °F
Flash Point:	> 100 °C / > 212 °F ASTM D56
Evaporation Rate:	< 1 (BuAc = 1)
Flammability (solid, gas)	No information available.
Upper Flammability Limit:	No information available.
Lower Flammability Limit:	No information available.
Vapor Pressure:	No information available.
Vapor Density:	No information available.
Specific Gravity:	0.990
Solubility(ies):	No information available.
Partition Coefficient:	No information available.
Autoignition Temperature:	No information available.
Decomposition Temperature:	No information available.
Viscosity:	No information available.

10. STABILITY AND REACTIVITY

Reactivity:	This material is considered to be non-reactive under normal conditions of use.
Chemical Stability:	Stable under normal conditions.
Possibility of Hazardous Reactions:	Not expected to occur with normal handling and storage.
Conditions to Avoid:	Extremes of temperature and direct sunlight.
Incompatible Materials:	Strong oxidizing agents. Strong acids.
Hazardous Decomposition Products:	May include carbon monoxide, carbon dioxide (CO ₂) and other toxic gases or vapors.

11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure:	Eyes, Skin, Ingestion, Inhalation.
Symptoms of Exposure:	
-Eye Contact:	Pain, redness, swelling of the conjunctiva and blurred vision.
-Skin Contact:	Drying of the skin.
-Inhalation:	Nasal discomfort and coughing.
-Ingestion:	Pain, nausea, vomiting and diarrhea.
Immediate, Delayed, Chronic Effects	
Product Information:	Data not available or insufficient for classification.
Target Organ Effects:	-Eyes. Respiratory System. -Skin.

Numerical Measures of Toxicity

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral): 33744 mg/kg
 ATEmix (inhalation-dust/mist): 19.2 mg/l

Component Acute Toxicity Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
water 7732-18-5	> 90 mL/kg (Rat)	Not Available	Not Available
alkyl imidazolinium methyl sulfates 68122-86-1	= 21600 mg/kg (Rat)	Not Available	Not Available
isopropanol 67-63-0	= 4396 mg/kg (Rat)	= 12800 mg/kg (Rat) = 12870 mg/kg (Rabbit)	= 72.6 mg/L (Rat) 4 h
ethoxylated alkyl quaternary 61791-10-4	= 580 mg/kg (Rat)	Not Available	Not Available

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION**Ecotoxicity**

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
isopropanol 67-63-0	1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50	9640: 96 h Pimephales promelas mg/L LC50 flow-through 11130: 96 h Pimephales promelas mg/L LC50 static 1400000: 96 h Lepomis macrochirus µg/L LC50	Not Available	13299: 48 h Daphnia magna mg/L EC50

Persistence and Degradability:

No information available.

Bioaccumulation:

No information available.

Other Adverse Effects:

No information available.

13. DISPOSAL CONSIDERATIONS**Disposal of Wastes:**

Dispose of in accordance with federal, state and local regulations.

Contaminated Packaging:

Dispose of in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION**DOT:**

Not Regulated

Proper Shipping Name:

Non-Hazardous Products

15. REGULATORY INFORMATION**TSCA Status:** (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA 313

This product contains the following listed substances:

isopropanol

CAS No 67-63-0 only if manufactured by the strong acid process, no supplier notification

SARA 311/312 Hazard Categories

Acute Health Hazard:	Yes
Chronic Health Hazard:	No
Fire Hazard:	No
Sudden release of pressure hazard:	No

Reactive Hazard: No

California Proposition 65

This product does not contain any Proposition 65 chemicals

16. OTHER INFORMATION

<u>NFPA</u>	Health Hazards: 1	Flammability: 0	Instability: 0	Special: N/A
<u>HMIS</u>	Health Hazards: 1	Flammability: 0	Physical Hazards: 0	

Revision Date: 29-Oct-2014

Reasons for Revision: No information available.

Disclaimer:

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet



HP Products
Excellence In Distribution

BID ITEM # 21



[View Larger Image](#)

HP Surface Disinfectant and Air Deodorant,
12/20oz/cs

by Claire

Item Number: 115216

- Bactericidal, staphylocidal, tuberculocidal, fungicidal, pseudomonocidal, virucidal
- Disinfects HIV1 (AIDS Virus) on inanimate environmental surfaces
- Controls mold and mildew on mattresses, awnings, shower curtains, leather goods
- Deodorizes: Reduces annoying odors; use to control odors in hospitals and nursing homes
- Kills most germs, controls mold and mildew
- USDA: C1
- Contains no CFCs which deplete the ozone layer: VOC Compliant OTC: Yes, VOC Compliant CARB: No
- Clear with Lemon Fragrance
- 20 oz can, 15.5 oz net wt

[Learn more about this product](#)

MSDS

Tuberculocidal Disinfects HIV1 (AIDS Virus) on inanimate environmental surfaces 20 oz can, 15.5 oz net wt. USDA: C1. 20 oz. Aerosol. 12/cs.



SAFETY DATA SHEET

HP Products
Excellence In Distribution

1. Identification

Product number 1000007011
Product identifier DISINFECTANT SPRAY FOR HEALTH CARE USE
Company information Claire Manufacturing Co.
1005 S. Westgate Drive
Addison, IL 60101 United States
Company phone General Assistance 1-630-543-7600
Emergency telephone US 1-866-836-8855
Emergency telephone outside US 1-952-852-4646
Version # 01
Recommended use Not available.
Recommended restrictions None known.

2. Hazard(s) identification

Physical hazards Flammable aerosols Category 1
Health hazards Skin corrosion/irritation Category 2
Serious eye damage/eye irritation Category 2
Environmental hazards Hazardous to the aquatic environment, acute hazard Category 3
Hazardous to the aquatic environment, long-term hazard Category 3
OSHA defined hazards Not classified.
Label elements



Signal word Danger
Hazard statement Extremely flammable aerosol. Causes serious eye irritation.
Precautionary statement
Prevention Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Wash thoroughly after handling. Avoid release to the environment. Wear eye/face protection.
Response If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Storage Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC) None known.
Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Ethyl Alcohol		64-17-5	40 - 60
Butane		106-97-8	10 - 20
Propane		74-98-6	2.5 - 10

Chemical name	Common name and synonyms	CAS number	%
o-Phenylphenol		90-43-7	0.1 - 1
Other components below reportable levels			20 - 40

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash with plenty of soap and water. Get medical attention if irritation develops and persists.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	In the unlikely event of swallowing contact a physician or poison control center. Rinse mouth thoroughly.
Most important symptoms/effects, acute and delayed	Headache. Irritation of nose and throat. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Coughing. Skin irritation.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media	Alcohol resistant foam. Water spray. Water fog. Dry chemical powder. Dry chemicals. Carbon dioxide (CO ₂).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	Contents under pressure. Pressurized container may explode when exposed to heat or flame. During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire-fighting equipment/instructions	Move containers from fire area if you can do so without risk. Cool containers exposed to heat with water spray and remove container, if no risk is involved. Containers should be cooled with water to prevent vapor pressure build up.
General fire hazards	Extremely flammable aerosol.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Refer to attached safety data sheets and/or instructions for use. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Scoop up used absorbent into drums or other appropriate container. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.
Environmental precautions	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

7. Handling and storage

Precautions for safe handling

Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not re-use empty containers. Do not handle or store near an open flame, heat or other sources of ignition. Avoid contact with eyes. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Level 2 Aerosol.

Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. This material can accumulate static charge which may cause spark and become an ignition source. Do not handle or store near an open flame, heat or other sources of ignition. Store in original tightly closed container. Refrigeration recommended. Store away from incompatible materials (see Section 10 of the SDS). Level 2 Aerosol.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
Ethyl Alcohol (CAS 64-17-5)	PEL	1900 mg/m ³ 1000 ppm
Propane (CAS 74-98-6)	PEL	1800 mg/m ³ 1000 ppm

US. ACGIH Threshold Limit Values

Components	Type	Value
Butane (CAS 106-97-8)	STEL	1000 ppm
Ethyl Alcohol (CAS 64-17-5)	STEL	1000 ppm

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
Butane (CAS 106-97-8)	TWA	1900 mg/m ³ 800 ppm
Ethyl Alcohol (CAS 64-17-5)	TWA	1900 mg/m ³ 1000 ppm
Propane (CAS 74-98-6)	TWA	1800 mg/m ³ 1000 ppm

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Hand protection Wear appropriate chemical resistant gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state	Gas.
Form	Aerosol.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
pH	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	140.71 °F (60.39 °C) estimated
Flash point	-156.0 °F (-104.4 °C) Propellant estimated
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	2.6 % estimated
Flammability limit - upper (%)	12.8 % estimated
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	75 - 85 psig @70F estimated
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	856.4 °F (458 °C) estimated
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Specific gravity	0.79 estimated

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents. Nitrates. Fluorine. Chlorine.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Ingestion	Expected to be a low ingestion hazard.
Inhalation	No adverse effects due to inhalation are expected.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Causes serious eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics

Headache. Irritation of nose and throat. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Coughing. Skin irritation.

Information on toxicological effects

Acute toxicity Expected to be a low hazard for usual industrial or commercial handling by trained personnel.

Components	Species	Test Results
Butane (CAS 106-97-8)		
Acute		
<i>Inhalation</i>		
LC50	Mouse	1237 mg/l, 120 Minutes
		52 %, 120 Minutes
	Rat	1355 mg/l
Ethyl Alcohol (CAS 64-17-5)		
Acute		
<i>Inhalation</i>		
LC50	Cat	85.41 mg/l, 4.5 Hours
		43.68 mg/l, 6 Hours
	Mouse	> 60000 ppm
		79.43 mg/l, 134 Minutes
	Rat	> 115.9 mg/l, 4 Hours
		51.3 mg/l, 6 Hours
<i>Oral</i>		
LD50	Monkey	6000 mg/kg
	Mouse	10500 ml/kg
	Rat	1187 - 2769 mg/kg
		7800 ml/kg
o-Phenylphenol (CAS 90-43-7)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	> 5000 mg/kg, 24 Hours
	Rat	> 2000 mg/kg, 24 Hours
<i>Inhalation</i>		
LC50	Rat	> 949 mg/m3, If <1L: Consumer Commodity Hours
		> 36 mg/m3, 4 Hours
<i>Oral</i>		
LD50	Rat	> 2500 mg/kg
Propane (CAS 74-98-6)		
Acute		
<i>Inhalation</i>		
LC50	Mouse	1237 mg/l, 120 Minutes
		52 %, 120 Minutes
	Rat	1355 mg/l
		658 mg/l/4h

* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye irritation Causes serious eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization	This product is not expected to cause skin sensitization.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.
IARC Monographs. Overall Evaluation of Carcinogenicity	
o-Phenylphenol (CAS 90-43-7)	3 Not classifiable as to carcinogenicity to humans.
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)	
Not listed.	
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not available.
Chronic effects	Prolonged or repeated contact may cause drying, cracking, or irritation.

12. Ecological information

Ecotoxicity Harmful to aquatic life with long lasting effects.

Components	Species	Test Results
Ethyl Alcohol (CAS 64-17-5)		
Aquatic		
Crustacea	EC50	Water flea (Daphnia magna) 7700 - 11200 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas) > 100.1 mg/l, 96 hours
o-Phenylphenol (CAS 90-43-7)		
Aquatic		
Algae	IC50	Algae 0.85 mg/L, 72 Hours
Crustacea	EC50	Daphnia 1.75 mg/L, 48 Hours
		Water flea (Daphnia magna) 1 - 2.4 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas) 3.4 mg/l, 96 hours

* Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Partition coefficient n-octanol / water (log Kow)	
Butane	2.89
Ethyl Alcohol	-0.31
o-Phenylphenol	3.09
Propane	2.36
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Do not re-use empty containers.

14. Transport information

DOT

UN number	UN1950
UN proper shipping name	Aerosols, flammable
Transport hazard class(es)	
Class	2.1
Subsidiary risk	-
Label(s)	2.1
Packing group	Not applicable.
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.
Special provisions	N82
Packaging exceptions	306
Packaging non bulk	None
Packaging bulk	None

This product meets the exception requirements of section 173.306 as a limited quantity and may be shipped as a limited quantity. Until 12/31/2020, the "Consumer Commodity - ORM-D" marking may still be used in place of the new limited quantity diamond mark for packages of UN 1950 Aerosols. Limited quantities require the limited quantity diamond mark on cartons after 12/31/20 and may be used now in place of the "Consumer Commodity ORM-D" marking and both may be displayed concurrently.

IATA

UN number	UN1950
UN proper shipping name	Aerosols, flammable
Transport hazard class(es)	
Class	2.1
Subsidiary risk	-
Label(s)	2.1
Packing group	Not applicable.
Environmental hazards	No.
ERG Code	10L
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo aircraft	Allowed.
Cargo aircraft only	Allowed.
Packaging Exceptions	LTD QTY

IMDG

UN number	UN1950
UN proper shipping name	AEROSOLS
Transport hazard class(es)	
Class	2.1
Subsidiary risk	-
Label(s)	2.1
Packing group	Not applicable.
Environmental hazards	
Marine pollutant	No.
EmS	F-D, S-U
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.
Packaging Exceptions	LTD QTY
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.



IATA; IMDG



15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories	Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No
-------------------	--

SARA 302 Extremely hazardous substance

Chemical name	CAS number	Reportable quantity	Threshold planning quantity	Threshold planning quantity, lower value	Threshold planning quantity, upper value
Anhydrous Ammonia	7664-41-7	100	500 lbs		

SARA 311/312 Hazardous chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
o-Phenylphenol	90-43-7	0.1 - 1
t-Butyl Alcohol	75-65-0	0.1 - 1

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Butane (CAS 106-97-8)

Propane (CAS 74-98-6)

Safe Drinking Water Act (SDWA)

Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Butane (CAS 106-97-8)
Ethyl Alcohol (CAS 64-17-5)
o-Phenylphenol (CAS 90-43-7)
Propane (CAS 74-98-6)

US, New Jersey Worker and Community Right-to-Know Act

Butane (CAS 106-97-8)
Ethyl Alcohol (CAS 64-17-5)
o-Phenylphenol (CAS 90-43-7)
Propane (CAS 74-98-6)

US, Pennsylvania Worker and Community Right-to-Know Law

Butane (CAS 106-97-8)
Ethyl Alcohol (CAS 64-17-5)
o-Phenylphenol (CAS 90-43-7)
Propane (CAS 74-98-6)

US, Rhode Island RTK

Butane (CAS 106-97-8)
o-Phenylphenol (CAS 90-43-7)
Propane (CAS 74-98-6)

US, California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

US - California Proposition 65 - CRT: Listed date/Carcinoogenic substance

o-Phenylphenol (CAS 90-43-7) Listed: August 4, 2000

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s). A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 03-16-2015

Version # 01

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. We cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.



BID ITEM # 22



RM H316 Bolt On Wet Mop Handle 60 12/cs"
by Rubbermaid

Item Number: 114838

- Combines durable metal head with a quality hardwood handle
- Threaded bolt head for quick and easy mop changes
- Helps provide more mop contact with the floor surface
- 12 per pack.

▼ [Learn more about this product.](#)

Combines durable metal head with a quality hardwood handle. Threaded bolt head for quick and easy mop changes. Helps provide more mop contact with the floor surface. 12 per pack.



HP Products
Excellence In Distribution

BID ITEM # 23



P&G Spic & Span Disinfecting All Purpose Spray 3/1G

by Spic & Span

Item Number: 112661

- A 3in1 spray cleaner that can replace a glass cleaner, an allpurpose cleaner, and a disinfecting cleaner
- ReadyToUse, 1 gallon bottles
- EPA registration No
- 68362453573
- 3 per case
- 3/1.

A 3in1 spray cleaner that can replace a glass cleaner, an allpurpose cleaner, and a disinfecting cleaner. ReadyToUse, 1 gallon bottles. EPA registration No. 68362453573. 3 per case. 3/1.



Page 1 of 4

Procter & Gamble
PG TN 6
1 Procter & Gamble Plaza
Cincinnati, OH 45202

MATERIAL SAFETY DATA SHEET

Supersedes: N/A

Issue Date: 8/05
Issue Date: 3/05

SECTION I - CHEMICAL PRODUCT

Identity: Disinfecting Liquid Hard Surface Cleaner

Brands: SPIC and SPAN 10X Concentrate Disinfecting All-Purpose Spray and Glass Cleaner (Professional)

Hazard Rating: 3	Health: 3	4=EXTREME
	Flammability: 3	3=HIGH
	Reactivity: 0	2= MODERATE
		1=SLIGHT
		0=NONE

Emergency Telephone Number: CHEMTREC (24 hr operator) 1-800-424-9300 U.S. and Canada

1-703-527-3887 for calls originating elsewhere

U.S. Emergency or Customer Service: 1-800-332-7787 (P&G operator)
or call Local Poison Control Center

SECTION II - COMPOSITION AND INGREDIENTS

Ingredients/Chemical Name: Cleaning agents (ethanol, butoxypropanol), quaternary, water, colorant and perfume

Hazardous Ingredients as defined by OSHA, 29 CFR 1910.1200.

<u>Chemical Name</u>	<u>Common Name</u>	<u>CAS No.</u>	<u>Recommended Limits</u>	<u>Composition Range</u>	<u>LD50/LC50</u>
Ethyl alcohol	Ethanol	64-17-5	ACGIH TLV: 1000 mg/m ³	12-25%	
2-aminoethanol	Monoethanol-amine	141-43-5	ACGIH TLV: 3 ppm OSHA PEL: 3 mg/m ³ OSHA PEL: 6 ppm (15 min)	1-5%	

SECTION III - HAZARDS IDENTIFICATION

Health Hazards (Acute and Chronic):

Eye Contact: Concentrate causes eye damage. Use dilution may cause mild irritation

Skin: Concentrate may cause skin burns. Use dilution may cause mild skin irritation.

Ingestion: Mucous membrane irritant. may result in mild gastrointestinal irritation with nausea, vomiting and/or diarrhea. Large ingestions may cause temporary dizziness, uncoordination and headache.

Inhalation: Mucous membrane irritant

SECTION IV - FIRST AID INFORMATION**Emergency and First Aid Procedures:**

Eye contact: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention.

Skin irritation: Wash with plenty of soap and water. Get medical attention.

Oral ingestion: Promptly drink a large quantity of milk, egg whites or gelatin. If these are not available, drink large quantities of water. Call a doctor or get medical attention. Do not induce vomiting.

Inhalation: If a large amount of product is inhaled, get fresh air.

****NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

Other: Product package has a caution statement: DANGER: KEEP OUT OF REACH OF CHILDREN. Corrosive. Causes irreversible eye damage. Causes skin burns. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, protective clothing and rubber gloves when handling concentrate. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

SECTION V - FIRE FIGHTING INFORMATION

Flash Point (Method Used): 97°F (cc) **Explosive Limits:** **LEL:** N/A **UEL:** N/A

Extinguishing Media: CO₂, water, or dry chemical

Special Fire Fighting Procedures: Use water to keep fire exposed container cool.

Unusual Fire Hazards: Although this product has a flash below 140°F this product will not support sustained combustion when in contact with open flame above the indicated flash point.

SECTION VI - ACCIDENTAL RELEASE MEASURES

Personal Precautions: N/A

Environmental Precautions: DISPOSAL IS TO BE PERFORMED IN COMPLIANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS. Small quantities may be slowly flushed down sewer with excess water or dispose as liquid scrap. Discard empty container in trash.

Steps To Be Taken in Case Large Amounts Material are Released or Spilled: Use water spray to dilute and/or wash away spills to avoid exposure and to protect persons working to stop/repair leak. Absorb spilled product onto absorbant material.

SECTION VII - HANDLING AND STORAGE

Precautions To Be Taken in Handling and Storing: Handling and storage must be well ventilated, cool and dry. Store away from potential sources of ignition. Fire fighting equipment must be available at all times.

Other Precautions: Keep away from heat/sparks and open flame.

SECTION VIII - EXPOSURE CONTROLS, PERSONAL PROTECTION

Respiratory Protection (Specify Type): None required with normal use.

Ventilation: General

Eye Protection: Goggles or face shield required when handling concentrate. None required at use dilution.

Protective Gloves: Rubber gloves are required when handling concentrate. None required at use dilution.

Other Protective Equipment: None required with normal use. Easily accessible water source is needed.

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point °F: 175°F	Specific Gravity (H ₂ O=1): 0.94
Vapor Pressure (mm Hg): N/A	Percent Volatile by Volume (%): ca. 95
Vapor Density (Air=1): N/A	Evaporation Rate (nBuOAc=1): N/K
Odor Threshold: N/A	Freezing Point: N/A
Coefficient of Water/Oil Distribution: N/A	pH (100% solution): 10.8
Scooped Density: N/A	Solubility in Water: Completely
Appearance and Odor: Dark blue liquid Product is perfumed.	Reserve Alkalinity: N/A

SECTION X - STABILITY AND REACTIVITY

Possible Hazardous Reactions/Conditions/By Products: None known

Conditions to Avoid: None

Materials to Avoid: None

Hazardous Decomposition Products: None known

Other Recommendations: None

Stability: Stable

Hazardous Polymerization: Will not occur.

SECTION XI - TOXICOLOGICAL INFORMATION

LD50 (rats oral): >20 g/kg

SECTION XII - ECOLOGICAL INFORMATION

No concerns.

SECTION XIII - DISPOSAL CONSIDERATIONS

Waste Disposal Method: Small quantities may be disposed of via sewer. DISPOSAL IS TO BE PERFORMED IN COMPLIANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS. Discard empty container in trash.

SECTION XIV - TRANSPORT INFORMATION

DOT Classification: This material is regulated by the US Department of Transportation.
For finished packaged product transported by ground: **ORM-D Consumer commodity.**
For finished packaged product transported by sea: **Disinfectants, liquid, corrosive, n.o.s., (monoethanolamine), 8, UN1903, PGIII**
For finished packaged product transported by air: **DO NOT SHIP. Finished product packaging does not meet air transport requirements.**

SECTION XV - ADDITIONAL REGULATORY INFORMATION

All components are listed on the US TSCA Inventory. No components are affected by Significant New Use Rules (SNURs) under TSCA §5.

No components of Spic & Span Disinfecting 10X Concentrate All-Purpose Spray and Glass Cleaner are subject to California Proposition 65.

EPA Reg. No. 6836-244-3573

SECTION XVI - OTHER INFORMATION

*N/A. - Not Applicable

*N/K. - Not Known

The submission of this MSDS may be required by law, but this is not an assertion that the substance is hazardous when used in accordance with proper safety practices and normal handling procedures. Data supplied is for use only in connection with occupational safety and health.

The information contained herein has been compiled from sources considered by Procter & Gamble to be dependable and is accurate to the best of the Company's knowledge. The information relates to the specific material designated herein, and does not relate to the use in combination with any other material or any other process. Procter & Gamble assumed no responsibility for injury to the recipient or third persons, for any damage to any property resulting from misuse of the controlled product.



HP Products
Excellence In Distribution

BID ITEM # 24



COMET CLEANER W/BLEACH 3GL/CS

COMET CLEANER W/BLEACH 3GL/CS

by [Comet](#)

Item Number: 112666

- More Information Coming Soon

[Learn more about this product.](#)

MSDS

Login for pricing



Page 1 of 4
Procter & Gamble
Fabric & Home Care Division
Ivorydale Technical Center
5299 Spring Grove Avenue
Cincinnati, OH 45217-108

HP Pro-D
Excellence In Distribution

BID ITEM # 24

MATERIAL SAFETY DATA SHEET

MSDS: FH/C/2003/BCWT-5RYR49
Supersedes: N/A

Issue Date: November 1, 2005
Issue Date: N/A

SECTION I - CHEMICAL PRODUCT

Identity: Liquid Cleaner

Brands: COMET Cleaner with Bleach (Professional Line)

Hazard Rating:	Health: 1	4=EXTREME
	Flammability: 0	3=HIGH
	Reactivity: 0	2= MODERATE
		1=SLIGHT

Emergency Telephone Number: 1-800-332-7787 or call Local Poison Control Center

SECTION II - COMPOSITION AND INGREDIENTS

Ingredients/Chemical Name: Water (7732-18-5), sodium hydroxide (1310-73-2), sodium hypochlorite (7681-52-9), sodium salt (142-31-4 & 151-21-3), surface safety agent and perfume.

This mixture, when tested as a whole, is considered an eye irritant within the meaning of the OSHA Communication Standard

Hazardous Ingredients as defined by OSHA, 29 CFR 1910.1200.

Chemical Name	Common Name	CAS No.	Recommended Limits	Composition Range	LD50/LC50
Sodium hypochlorite	Bleach	7681- 52-9	ACGIH STEL: 2mg/m ³	0. 5-1.5%	
Sodium hydroxide	Caustic soda	1310-73-2	ACGIH STEL: 2 mg/m ³ OSHA PEL: 2 mg/m ³	0.1-1%	

SECTION III - HAZARDS IDENTIFICATION

Health Hazards (Acute and Chronic):

Ingestion: May cause mild , transient gastrointestinal irritation with nausea, vomiting or diarrhea
Eye Contact: May cause mild, transient irritation with stinging and tearing similar to that caused by other detergents.
Skin: May be irritating to skin. May further irritate already irritated or extremely dry skin.
Inhalation: Mild mucous membrane irritant.

SECTION IV - FIRST AID INFORMATION

Emergency and First Aid Procedures:

Ingestion: Drink 1 or 2 large glasses of water. If large amounts are ingested, call a physician.
Eye Contact: Flush with large amounts of water for at least 15 minutes.
Skin: Wash exposed area thoroughly area with soap and water and discontinue use. Remove contaminated clothing.
Inhalation: Leave the area

Other: Product package has a caution statement: CAUTION: KEEP OUT OF REACH OF CHILDREN. May cause eye irritation. EYE IRRITANT: Avoid contact with eyes. May be irritating to skin. For sensitive skin or prolonged use, wear gloves. Do not mix with other cleaning products as irritating fumes may be released. In case of eye contact, flush thoroughly with water. If swallowed, drink a glass of water to dilute. Call a physician immediately.

SECTION V - FIRE FIGHTING INFORMATION

Flash Point (Method Used): over 200°F (cc) **Explosive Limits:** *LEL:* N/A *UEL:* N/A
Extinguishing Media: CO₂, water, dry chemical or "alcohol" foam
Special Fire Fighting Procedures: Use water to keep fire exposed container cool.
Unusual Fire Hazards: None known.

SECTION VI - ACCIDENTAL RELEASE MEASURES

Personal Precautions: None

Environmental Precautions: DISPOSAL IS TO BE PERFORMED IN COMPLIANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS. Undiluted waste from this product is RCRA "Corrosive" D002 classification. Check pH before sewer. pH trim may be necessary if waste has a pH of 12.5 or above. Do not landfill.

Steps To Be Taken in Case Large Quantities of Material are Released or Spilled: Contain the spill. Try to prevent large quantities from reaching waterway or sewer. Use water spray or dilute and/or wash away spills to avoid exposure and to protect persons working to stop/repair leak. Dispose of resulting waste as appropriate (check pH).

SECTION VII - HANDLING AND STORAGE

Precautions To Be Taken in Handling and Storing: Handling and storage must be well ventilated, cool, and dry. Store product away from potential sources of ignition. Fire fighting equipment must be available at all times.

Other Precautions: Keep away from heat/sparks and open flame..

SECTION VIII - EXPOSURE CONTROLS, PERSONAL PROTECTION

Respiratory Protection (Specify Type): None required with normal use.

Ventilation General

Eye Protection: None required with normal use.

Manufacturing Setting: For splash protection, use chemical goggles. Eye wash fountain is desirable.

Protective Gloves: None required with normal use.

Other Protective Equipment: None required with normal use.

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point °F: N/A

Specific Gravity (H₂O=1): 1.030-1.045

Vapor Pressure (mm Hg): N/A

Percent Volatile by Volume (%): N/A

Vapor Density (Air=1): N/A

Evaporation Rate (nBuOAc=1): N/A

Coefficient of Water/Oil Distribution: N/A

Freezing Point: N/A

Appearance and Odor: Clear liquid

pH (100%): 13

Product is perfumed.

Solubility in Water: Completely

Reserve Alkalinity: N/A

SECTION X - STABILITY AND REACTIVITY

Possible Hazardous Reactions/Conditions/By Products: None known

Conditions to Avoid: None

Materials to Avoid: Do not mix with other products, especially toilet bowl cleaners, acidic cleaners or products that contain ammonia.

Hazardous Decomposition Products: None known

Other Recommendations: None

Stability: Stable

Hazardous Polymerization: Will not occur

SECTION XI - TOXICOLOGICAL INFORMATION

LD50 (rats oral): >6.5 g/kg

Comet Cleaner with Bleach has a relatively low order of toxicity. It may be irritating, but it is not expected to be corrosive. It is expected to be emetic.

SECTION XII - ECOLOGICAL INFORMATION

No environmental concerns.

SECTION XIII - DISPOSAL CONSIDERATIONS

Waste Disposal Method: DISPOSAL IS TO BE PERFORMED IN COMPLIANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS. Undiluted waste from this product is RCRA "Corrosive" hazardous if pH is 12.5 or more. Check pH before deciding on the route of disposal. Hazardous waste treatment to reduce the pH may become necessary prior to disposal. Do not landfill.

SECTION XIV - TRANSPORT INFORMATION

DOT Classification: Comet Cleaner with Bleach is not DOT hazardous in packages as sold. Bulk product shipments are classified as Class 9 Hazardous Substance with a shipping name of Environmentally hazardous substance, liquid n.o.s.

SECTION XV - ADDITIONAL REGULATORY INFORMATION

All components are listed on the US TSCA Inventory.

No components of Comet Cleaner with Bleach are subject to California Proposition 65.

EPA CERCLA TITLE III

Chemical Name	CERCLA304 RQ (LBS)	311/312	313
Sodium hypochlorite	100	no	no
Sodium hydroxide	1000	no	no

All ingredients are CEPA approved for import to Canada by Procter & Gamble. This product has been classified with Hazard Criteria of the Canadian Control Products Regulation (CPR) and this MSDS contains all information required by the Canadian Products Regulation.

SECTION XVI - OTHER INFORMATION

*N/A. - Not Applicable

*N/K. - Not Known

The submission of this MSDS may be required by law, but this is not an assertion that the substance is hazardous when used in accordance with proper safety practices and normal handling procedures. Data supplied is for use only in connection with occupational safety and health.

The information contained herein has been compiled from sources considered by Procter & Gamble to be dependable and is accurate to the best of the Company's knowledge. The information relates to the specific material designated herein, and does not relate to the use in combination with any other material or any other process. Procter & Gamble assumed no responsibility for injury to the recipient or third persons, for any damage to any property resulting from misuse of the controlled product.



**P&G Mr. Clean Finished Floor Cleaner 3
Gal/cs**

by Mr. Clean

Item Number: 112779

- Cleans to the shine
- Low sudsing
- Contains an optimized blend of nonionic and anionic surfactants designed to help maximize soil removal
- Dilute (2 fl
- oz
- per 1 gallon) or fullstrength cleaning
- Size: 3/1 gallon
- Gal..

Cleans to the shine. Low sudsing. Contains an optimized blend of nonionic and anionic surfactants designed to help maximize soil removal. Dilute (2 fl. oz. per 1 gallon) or fullstrength cleaning. Size: 3/1 gallon. Gal..



Page 1 of 4
Procter & Gamble
CPG TN 6
2 Procter & Gamble Plaza
Cincinnati, OH 45202

HP Products
Excellence In Distribution

BID ITEM # 26

MATERIAL SAFETY DATA SHEET

Supersedes: 2/1/00

Issue Date: 6/01

Issue Date: N/A

SECTION I - CHEMICAL PRODUCT

Identity: Liquid Cleaner

Brands: MR. CLEAN FINISHED FLOOR CLEANER (Professional Line)

Hazard Rating: 1

Health: 1

4=EXTREME

Flammability:

3=HIGH

Reactivity:

2= MODERATE

1=SLIGHT

Emergency Telephone Number: 1-800-332-7787 or call Local Poison Control Center

SECTION II - COMPOSITION AND INGREDIENTS

Ingredients/Chemical Name: Cleaning agents (nonionic and anionic surfactants), quality control agents, perfume, colorant and water.

Hazardous Ingredients as defined by OSHA, 29 CFR 1910.1200.

Chemical Name	Common Name	CAS No.	Recommended Limits	Composition Range	LD50/LC50
Alcohol ethoxylates	Nonionic surfactants	Confidential	N/A	0.1-1.0%	

SECTION III - HAZARDS IDENTIFICATION

Health Hazards (Acute and Chronic):

Ingestion: Harmful if swallowed

Eye Contact: Mild eye irritant.

Skin: Mild skin irritant.

Inhalation: N/A

Signs and Symptoms of Exposure:

Ingestion: Oral ingestion may result in transient nervous system effects (ataxia and muscle weakness) and/or gastrointestinal irritation with nausea, vomiting and diarrhea. This product contains alcohol ethoxylates. Large ingestions (>2 ml/kg) may also cause symptoms of alcohol-like intoxication, incoordination, drowsiness, inarticulateness or ataxia. Alcohol ethoxylates may contribute to central nervous system symptoms.

Eye Contact: Eye contact may result in transient superficial effects similar to those produced by mild toilet soaps and detergents.

Skin: Use on irritated or extremely dry skin may aggravate the existing condition

Inhalation: N/A

SECTION IV - FIRST AID INFORMATION

Emergency and First Aid Procedures:

Ingestion: Dilute with fluids and call a physician.
 Eye Contact: Flush thoroughly with water.
 Skin: Wash exposed area with soap and water and discontinue use. Remove contaminated clothing.
 Inhalation: Get fresh air.

Other: Product package has a caution statement: **WARNING: HARMFUL IF SWALLOWED. EYE IRRITANT. KEEP OUT OF REACH OF CHILDREN.** Avoid eye contact and prolonged contact with skin. If eye contact occurs, flush with water for 15 minutes. If swallowed, drink a glass of water and call a physician (product contains alcohol ethoxylates).

SECTION V - FIRE FIGHTING INFORMATION

Flash Point (Method Used): over 200°F (cc) **Explosive Limits:** LEL: N/A UEL: N/A

Extinguishing Media: CO₂, water, dry chemical or "alcohol" foam

Special Fire Fighting Procedures: Use water to keep fire exposed container cool.

Unusual Fire Hazards: None known.

Incompatibility (Materials to Avoid): Ammonia and acids. Do not mix with toilet bowl cleaners, rust removers or ammonia..

SECTION VI - ACCIDENTAL RELEASE MEASURES

Personal Precautions: None

Environmental Precautions: DISPOSAL IS TO BE PERFORMED IN COMPLIANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS. Do not landfill. Small quantities may be disposed of via sewer with large quantities of water. Incineration is preferred where permitted..

Steps To Be Taken in Case Large Amounts of Material are Released or Spilled: Use water spray to dilute and/or wash away spills to avoid exposure and to protect persons working to stop/repair leak. Absorb spilled product onto absorbant material.

SECTION VII - HANDLING AND STORAGE

Precautions To Be Taken in Handling and Storing: Store in cool, dry, well ventilated area..

Other Precautions: None known

SECTION VIII - EXPOSURE CONTROLS, PERSONAL PROTECTION

Respiratory Protection (Specify Type): None required with normal use.

Ventilation *Local Exhaust:* None required with normal use. *Special:* None

Mechanical (General): Acceptable.

Other: None

Eye Protection: None required with normal use.

Manufacturing Setting: For splash protection, use chemical goggles. Eye wash fountain is desirable.

Protective Gloves: None required with normal use.

Other Protective Equipment: None required with normal use.

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point ° F: 200°F	Specific Gravity (H ₂ O=1): 1.007-1.019
Vapor Pressure (mm Hg): N/A	Percent Volatile by Volume (%): N/A
Vapor Density (Air=1): N/A	Evaporation Rate (nBuOAc=1): Unknown
Odor Threshold: N/A	Freezing Point: N/A
Coefficient of Water/Oil Distribution: N/A	pH (1% solution): 10.0
Scooped Density: N/A	Solubility in Water: Completely
Appearance and Odor: Clear yellow liquid. Product is perfumed.	Reserve Alkalinity: N/A

SECTION X - STABILITY AND REACTIVITY

Possible Hazardous Reactions/Conditions/By Products: None known

Conditions to Avoid: None

Materials to Avoid: Ammonia and acids. Do not mix with toilet bowl cleaners, rust removers or ammonia..

Stability: Stable

Hazardous Polymerization: Will not occur.

Other Recommendations: None

SECTION XI - TOXICOLOGICAL INFORMATION

LD50 (rats oral): > 5 ml/kg

SECTION XII - ECOLOGICAL INFORMATION

None

SECTION XIII - DISPOSAL CONSIDERATIONS

Waste Disposal Method: Do not landfill. Small quantities may be disposed of via sewer with large quantities of water. Incineration is preferred where permitted. DISPOSAL IS TO BE PERFORMED IN COMPLIANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

SECTION XIV - TRANSPORT INFORMATION

DOT Classification: Not regulated by DOT

SECTION XV - ADDITIONAL REGULATORY INFORMATION

All components are listed on the US TSCA Inventory. No components are affected by Significant New Use Rules (SNURs) under TSCA §5.

No components of Mr. Clean are subject to California Proposition 65.

All ingredients are CEPA approved for import to Canada by Procter & Gamble. This product has been classified with Hazard Criteria of the Canadian Control Products Regulation (CPR) and this MSDS contains all information required by the Canadian Products Regulation.

SECTION XVI - OTHER INFORMATION

*N/A. - Not Applicable

*N/K. - Not Known

The submission of this MSDS may be required by law, but this is not an assertion that the substance is hazardous when used in accordance with proper safety practices and normal handling procedures. Data supplied is for use only in connection with occupational safety and health.

The information contained herein has been compiled from sources considered by Procter & Gamble to be dependable and is accurate to the best of the Company's knowledge. The information relates to the specific material designated herein, and does not relate to the use in combination with any other material or any other process. Procter & Gamble assumed no responsibility for injury to the recipient or third persons, for any damage to any property resulting from misuse of the controlled product.



HP Products
Excellence In Distribution

BID ITEM # 27



DMQ Neutral Disinfectant 1062 5gl

by Spartan Chemical

Item Number: 119930

- Damp mop neutral disinfectant cleaner kills HIV1 (AIDS virus) on inanimate surfaces
- Will not attack or dull high gloss floor finishes
- Dilution: 2 oz
- makes gallon
- pH 5.5; USDA: C1
- effective against the HIV Virus, MRSA and VRE
- 5 Gal.

[Learn more about this product.](#)

Damp mop neutral disinfectant cleaner kills HIV1 (AIDS virus) on inanimate surfaces. Will not attack or dull high gloss floor finishes. Dilution: 2 oz. makes gallon. Ph 5.5; USDA: C1. Effective against the HIV Virus, MRSA and VRE. 5 Gal..



Safety Data Sheet

Spartan Chemical Company, Inc.

Revision Date: 28-Apr-2015

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name: DMQ DAMP MOP NEUTRAL DISINFECTANT CLEANER
Product Number: 1062
Recommended Use: Disinfectant
Uses Advised Against: For Industrial and Institutional Use Only

Manufacturer/Supplier: Spartan Chemical Company, Inc.
1110 Spartan Drive
Maumee, Ohio 43537 USA
800-537-8990 (Business hours)
www.spartanchemical.com

24 Hour Emergency Phone Numbers:

Medical Emergency/Information: 888-314-6171
Transportation/Spill/Leak: CHEMTREC 800-424-9300

2. HAZARDS IDENTIFICATION

GHS Classification

Skin Corrosion/Irritation: Category 2
Serious Eye Damage/Eye Irritation: Category 1

GHS Label Elements

Signal Word: **Danger**

Symbols:



Hazard Statements:

Causes skin irritation.

Causes serious eye damage

Precautionary Statements:

Prevention:

Wash hands and any exposed skin thoroughly after handling.

Wear eye / face protection

Wear protective gloves

Response:

-Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.

-Skin

IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical attention. Take off contaminated clothing and wash before reuse.

See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

Storage:

Not Applicable

Disposal:

Not Applicable

Hazards Not Otherwise Classified: Not Applicable

Other Information:	<ul style="list-style-type: none"> • Corrosive. • Harmful if swallowed. • Inhalation of vapors or mist may cause respiratory irritation. • Keep out of reach of children. • NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.
---------------------------	---

0.2589% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
water	7732-18-5	60-100
alkyl dimethyl benzyl ammonium chloride	68424-85-1	1-5
alcohol ethoxylate	68439-46-3	0.1-1
isopropanol	67-63-0	0.1-1

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

-Eye Contact:	Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.
-Skin Contact:	Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation occurs: Get medical attention.
-Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison control center or physician if you feel unwell.
-Ingestion:	Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if you feel unwell.
Note to Physicians:	NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:	Product does not support combustion, Use extinguishing agent suitable for type of surrounding fire
Specific Hazards Arising from the Chemical:	Dried product is capable of burning. Combustion products are toxic.
Hazardous Combustion Products:	May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.
Protective Equipment and Precautions for Firefighters:	Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear. Cool fire-exposed containers with water spray.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.
Environmental Precautions:	Do not rinse spill onto the ground, into storm sewers or bodies of water.
Methods for Clean-Up:	Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

7. HANDLING AND STORAGE

Advice on Safe Handling:	Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.
Storage Conditions:	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep from freezing.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits:

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH
isopropanol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m ³ (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m ³ (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m ³	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m ³ STEL: 500 ppm STEL: 1225 mg/m ³

Engineering Controls:

Provide good general ventilation.

If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other engineering controls should be considered.

Eye wash stations and shower facilities should be readily accessible in areas where the product is handled.

Personal Protective Equipment
Eye/Face Protection:

Wear splash goggles.

Skin and Body Protection:

Wear rubber or other chemical-resistant gloves.

Respiratory Protection:

Not required with expected use.

If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section 3 should be considered.

General Hygiene Considerations:

Wash hands and any exposed skin thoroughly after handling.

See 29 CFR 1910.132-138 for further guidance.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Physical State:	Liquid
Color:	Yellow
Odor:	Lemon
pH:	5.0-6.0
Melting Point / Freezing Point:	No information available.
Boiling Point / Boiling Range:	100 °C / 212 °F
Flash Point:	> 100 °C / > 212 °F ASTM D56
Evaporation Rate:	< 1 (BuAc = 1)
Flammability (solid, gas)	No information available.
Upper Flammability Limit:	No information available.
Lower Flammability Limit:	No information available.
Vapor Pressure:	No information available.
Vapor Density:	No information available.
Specific Gravity:	1.00
Solubility(ies):	Soluble in water
Partition Coefficient:	No information available.
Autoignition Temperature:	No information available.
Decomposition Temperature:	No information available.
Viscosity:	No information available.

10. STABILITY AND REACTIVITY

Reactivity: This material is considered to be non-reactive under normal conditions of use.

Chemical Stability: Stable under normal conditions.

Possibility of Hazardous Reactions: Not expected to occur with normal handling and storage.

Conditions to Avoid: Extremes of temperature and direct sunlight.

Incompatible Materials: Strong oxidizing agents. Strong acids.

Hazardous Decomposition Products: May include carbon monoxide, carbon dioxide (CO₂) and other toxic gases or vapors.

11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure:	Eyes, Skin, Ingestion, Inhalation.
Symptoms of Exposure:	
-Eye Contact:	Pain, redness, swelling of the conjunctiva and tissue damage. Eye contact may cause permanent damage.
-Skin Contact:	Pain, redness and cracking of the skin.
-Inhalation:	Nasal discomfort and coughing.
-Ingestion:	Pain, nausea, vomiting and diarrhea.
Immediate, Delayed, Chronic Effects	
Product Information:	Data not available or insufficient for classification.
Chronic Toxicity:	Ethanol has been shown to be a reproductive toxin only when consumed as an alcoholic beverage. Ethanol has been shown to be carcinogenic in long-term studies only when consumed as alcoholic beverage.

Numerical Measures of Toxicity

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral):	2222 mg/kg
ATEmix (dermal):	6667 mg/kg

Component Acute Toxicity Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
water 7732-18-5	> 90 mL/kg (Rat)	Not Available	Not Available
alkyl dimethyl benzyl ammonium chloride 68424-85-1	= 426 mg/kg (Rat)	Not Available	Not Available
alcohol ethoxylate 68439-46-3	= 1378 mg/kg (Rat)	> 2 g/kg (Rabbit)	Not Available
isopropanol 67-63-0	= 4396 mg/kg (Rat)	= 12800 mg/kg (Rat) = 12870 mg/kg (Rabbit)	= 72.6 mg/L (Rat) 4 h

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
isopropanol 67-63-0	1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50	9640: 96 h Pimephales promelas mg/L LC50 flow-through 11130: 96 h Pimephales promelas mg/L LC50 static 1400000: 96 h Lepomis macrochirus µg/L LC50	Not Available	13299: 48 h Daphnia magna mg/L EC50

Persistence and Degradability: No information available.
Bioaccumulation: No information available.

Other Adverse Effects: No information available.

13. DISPOSAL CONSIDERATIONS

Disposal of Wastes: Dispose of in accordance with federal, state and local regulations.
Contaminated Packaging: Dispose of in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

DOT: Not Regulated
Proper Shipping Name: Non Hazardous Product

Special Provisions: Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation expert for information specific to your situation.

15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA 313

This product does not contain listed substances above the "de minimus" level

SARA 311/312 Hazard Categories

Acute Health Hazard:	Yes
Chronic Health Hazard:	No
Fire Hazard:	No
Sudden release of pressure hazard:	No
Reactive Hazard:	No

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
ethanol - 64-17-5	Carcinogen Developmental
methyl eugenol - 93-15-2	Carcinogen
acetaldehyde - 75-07-0	Carcinogen

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

WARNING: This product contains a chemical known to the State of California to cause cancer.

EPA Pesticide Registration Number: 5741-20

EPA Statement:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

EPA Pesticide Label:

DANGER. Corrosive. Causes irreversible eye damage. Harmful if absorbed through the skin. Harmful if swallowed. Do not get in eyes, skin or on clothing. Wear protective eye wear (goggles/face shield/safety glasses), rubber gloves and protective clothing. After product is diluted in accordance with the directions for use, protective eye wear is not required. Wash thoroughly with soap and water after handling and before eating, drinking, smoking tobacco, chewing gum, or using the toilet. Remove contaminated clothing and wash clothing before reuse.

16. OTHER INFORMATION

NFPA	Health Hazards: 3	Flammability: 0	Instability: 0	Special: N/A
HMIS	Health Hazards: 3	Flammability: 0	Physical Hazards: 0	

Revision Date: 28-Apr-2015

Reasons for Revision: No information available.

Disclaimer:

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet



JEFFERSON COUNTY
DEPARTMENT OF ADMINISTRATIVE SERVICES
729 MAPLE ST / PO BOX 100
HILLSBORO MO 63050
WWW.JEFFCOMO.ORG

Invitation for Bid: JANITORIAL SUPPLIES 2016

Date Issued: 8-18-15

BIDS SHALL BE ACCEPTED UNTIL: TUESDAY, SEPTEMBER 15, 2015, AT 2:00 P.M. LOCAL TIME.

Specification
Contact:
Maintenance
636-797-5011
krogers@jeffcomo.org

Contract
Contact:
VICKIE PRATT
Department of Administrative Services
636-797-5380

Mail (3) Three
Complete Copies
With Vendor And
Bid Information As
Shown In Sample:

Contract Term:
1-1-16 to 12-31-16
UPON APPROVAL OF THE
COUNTY COUNCIL AND
COUNTY EXECUTIVE

Vendor
Information:

SAMPLE ENVELOPE	
VENDOR NAME	
VENDOR ADDRESS	
CONTACT NUMBER	DEPARTMENT OF THE COUNTY CLERK
	JEFFERSON COUNTY MISSOURI
	729 MAPLE ST / PO BOX 100
	HILLSBORO MO 63050-0100
SEALED BID (Bidders Name)	

The undersigned certifies that he/she has the authority to bind this company in an agreement contract to supply the commodity or service in accordance with all terms, conditions, and pricing specified. This Bid, if accepted, will constitute an Agreement and Contract with Jefferson County, Missouri, upon approval of the County Council and County Executive. Prices are firm during this agreement term, unless agreed upon in writing by the County. The County has the option to renew this agreement at the same terms and conditions as the original agreement for one additional one-year term with the written consent of the successful bidder. Price increases for renewals are not authorized unless approved in writing by the County.

ICS Jail Supplies, INC *J. M. Bogan III*
Company Name Authorized Agent (Print)
P.O. Box 21056 *J. M. Bogan III*
Address Signature
Waco, TX 76702 *Vice President*
City/State/Zip Code Title
1-800-524-5427 ext 101 *27-1494351*
Telephone # Date Tax ID #
bids@icswaco.com *254-751-0299*
E-mail Fax #

Jumbo Toilet Tissue		(1)
Requirements:	2 ply, 9" Rolls	
Estimated Annual Usage:	250 Cases	
Manufacturer:	Georgia or Equivalent	
How Packaged:	NIB	
Rolls per Case:	NIB 12	
Sheets per Roll:	NIB 2000	
Bid Price per Case:	NIB	
Comments:	NIB	

Tide Liquid		(2)
Requirements:	2.5 Gal. - 3.5 Gal PG-2401	
Estimated Annual Usage:	150 Gallons	
Manufacturer:	TIDE BRAND	
How Packaged:	NIB Gal.	
Bid Price per Gal:	NIB Gal.	
Comments:	NIB	

Small Toilet Tissue		(3)
Requirements: 2 ply		
Estimated Annual Usage:	480 Cases	
Manufacturer:	Optional	
How Packaged:	96 per case	
Rolls per Case:	16	96
Sheets per Roll:	16	500
Bid Price per Case:	NIB	
Comments:	NIB	

Kitchen Towels		(4)
Requirements: N/A		
Estimated Annual Usage:	50 Cases	
Manufacturer:	Optional	
How Packaged:	30 per case	
Rolls per Case:	—	30
Sheets per Roll:	—	90
Bid Price per Case:	\$ 4.43	\$ 4.43
Comments:	ICS Item # 1040	

ICS Jail Supplies, Inc.
P.O. Box 211158
Waco, TX 76721-1158
Phone: 800-222-2222 Fax: 254-731-0220
E-mail: info@icsjailsupplies.com
Web: www.icsjailsupplies.com
EIN: 41-17720-8257
GST: 123-123-1234

Trash Bags		(5)
Requirements:	Large 40x46 .60 mil	
Estimated Annual Usage:	240 Cases	
Manufacturer:	Optional	
How Packaged:	NIB	
Rolls per Case:	NIB 200	
Bag Size:	NIB	
Bid Price per Case:	NIB	
Comments: Need sample with bid	NIB	

Trash Bags		(6)
Requirements:	Small 22x33 .40 mil	
Estimated Annual Usage:	180 Cases	
Manufacturer:	Optional	
How Packaged:	NIB	
Rolls per Case:	NIB 1000	
Bag Size:	NIB	
Bid Price per Case:	NIB	
Comments: Need sample with bid	NIB	

ICS Jail Supplies, Inc.
 P.O. Box 21176
 Waco, TX 76702-1761
 (800) 251-1761
 (254) 742-1041
 FAX: (254) 742-1041

Bar Hand Soap (NOT Ivory)		(7)
Requirements: 3/4 oz bars		
Estimated Annual Usage:	340 Cases	
Manufacturer:	Optional	
How Packaged:		
Oz per Bar:		
Bars per Case:		
Bid Price:	\$ 57.50	
Comments: Unwrapped	<i>ICS Item # T042</i>	

Single Fold Towels		(8)
Requirements: 230mm x 270mm		
Estimated Annual Usage:	120 Cases	
Manufacturer:	Optional	
Sheet Size:	9x10	
How Packaged:	<i>NIB</i>	
Sheets per Package:	<i>NIB</i>	
Package Per Case:	<i>NIB</i>	
Bid Price:	<i>NIB</i>	
Comments:	<i>60</i>	

Ice Melt (Potassium Chloride)		(9)
Requirements: 50 lb bag		
Estimated Annual Usage: 200 bags - depending on weather conditions		
Manufacturer:	Optional	NIB
How Packaged:	bag/box	NIB
Lbs. per bag:	50	NIB
Bid Price:		NIB
Comments: Small sample to check rock size to be submitted with bid		NIB

Individually Wrapped Sanitary Napkins (Maxi Pads)		(10)
Requirements: N/A		
Estimated Annual Usage: 125 Cases		
Manufacturer:	Optional	
How Packaged:		
Pads per Box:	1 each	
Boxes per Case:	250	
Bid Price:	\$ 30.14	
Comments:	ICS Item # 1066-576	

ICS Jail Supplies, Inc.

P.O. Box 21000

1000 21st Street, Suite 1000

Long Beach, CA 90806

(714) 592-1000

(714) 592-1001

Fax: (714) 592-1001

E-mail: info@icsjail.com

Web: www.icsjail.com

Mop Heads			(11)
Requirements: 16 oz (Cotton) Screw down type Sewn on top			
Estimated Annual Usage:	40 Cases (6 in case)		
Manufacturer:	Optional	NIB	
How Packaged:	Bulk	NIB	
Mop Heads per Case:	6	NIB	
Bid Price:		NIB	
Comments: No wire and must be screw on type.		NIB	

Bleach			(12)
Requirements:	Liquid	House Strength	
Estimated Annual Usage:	120 Cases		
Manufacturer:	Optional	NIB	
How Packaged:	Case	NIB	
Gallons per Case:	4	NIB	
Bid Price:		NIB	
Comments:	NIB		

ICS Jail Supplies, Inc.
 P.O. Box 21050
 Waco, TX 76702-1050
 Phone: 800-528-5277 Fax: 254-751-0220
 WWW.ICS-WACO.COM
 800-528-5277
 FED LINE: 274-3381
 GSA Contact: 800-527-4000

Brooms			(13)
Requirements: Corn, Heavy Weight Sewn, Wooden Handle			
Estimated Annual Usage:	20 Doz		1/1B
Manufacturer:	Optional		1/1B
How Packaged:			1/1B
Bid Price per Dozen:			1/1B
Comments: No wire of any kind on brooms. (Prison Type)			1/1B

Sanitizer Concentrate for Pit Toilets (Parks)			(14)
Requirements: 5 Gal. Buckets			
Estimated Annual Usage:	75 Gallons		1/1B
Manufacturer:	Optional		1/1B
How Packaged:			1/1B
Bid Price per Gallon:			1/1B
Comments:			1/1B

Deoderizer Concentrate for Pit Toilets (Parks)			(15)
Requirements: 5 Gal. Buckets			1/1B
Estimated Annual Usage:	75 Gallons		1/1B
Manufacturer:	Optional		1/1B
How Packaged:			1/1B
Bid Price per Gallon:			1/1B
Comments:			1/1B

Non-Alcohol Foaming Hand Sanitizer		(16)
Requirements:	#55857	
Estimated Annual Usage:	50 Cases	NIB
Manufacturer:	DEB	NIB
How Packaged:	1 Liter Bottles	NIB
Bid Price per box:		NIB
Comments:		NIB

White Roll Towels		(17)
Requirements:	1000 ft	
Estimated Annual Usage:	120 Cases	NIB
Manufacturer:	KIMMBERLY CLARK #01000	NIB
How Packaged:		NIB
Bid Price per box:		NIB
Comments:		NIB

Anti-Bacterial Hand Soap		(18)
Requirements:	1000ml bags	68941
Estimated Annual Usage:	60 Cases	NIB
Manufacturer:	DEB	NIB
How Packaged:	1 Liter Bottles	NIB
Bid Price per box:		NIB
Comments:		NIB

Dorox Bleach				(19)
Requirements:	Liquid	4-6 Gallons	PG41676	
Estimated Annual Usage:		150 Gallons		NIB
Manufacturer:		PROCTOR & GAMBLE		NIB
How Packaged:		Gal.		NIB
Bid Price per gal:				NIB
Comments:				NIB

Downy Fabric Softner				(20)
Requirements:	Liquid	4-6 Gallons	PG41675	
Estimated Annual Usage:		150 Gallons		NIB
Manufacturer:		PROCTOR & GAMBLE		NIB
How Packaged:		Gal.		NIB
Bid Price per gal:				NIB
Comments:				NIB

Large Aerosol Disinfectant Can Deodorizer Spray				(21)
Requirements:	14-16 oz			
Estimated Annual Usage:	15 Cases			NIB
Manufacturer:	Optional			NIB
How Packaged:		Oz		NIB
Bid Price per oz:				NIB
Comments:				NIB

Screw on Mop Handles		(22)
Requirements: N/A		
Estimated Annual Usage:	10 Cases	NIB
Manufacturer:	Optional	NIB
How Packaged:	Units of 12	NIB
Bid Price per box:		NIB
Comments:	NIB	

Spic-n-Span 3-n-1 Multisurface Glass Disinfedant Cleaner		(23)
Requirements: PG 32535		
Estimated Annual Usage:	50 Cases	NIB
Manufacturer:	P&G	NIB
How Packaged:		NIB
Bid Price per box:		NIB
Comments:	NIB	

Commet Cleaner with Bleach		(24)
Requirements: PG 31641		
Estimated Annual Usage:	50 Cases	NIB
Manufacturer:	P&G	NIB
How Packaged:		NIB
Bid Price per box:		NIB
Comments:	NIB	

Febreeze Odor Eliminator		(25)
Requirements: PG 38015		
Estimated Annual Usage:	50 Cases	NIB
Manufacturer:	P&G	NIB
How Packaged:		NIB
Bid Price per box:		NIB
Comments: To fit existing	NIB	

Mr. Clean Finished Floor Cleaner		(26)
Requirements: PG 39949		
Estimated Annual Usage:	50 Cases	NIB
Manufacturer:	P&G	NIB
How Packaged:		NIB
Bid Price per box:		NIB
Comments: To fit existing	NIB	

Disinfectant Floor Cleaner		(27)
Requirements: 1 Gal.		
Estimated Annual Usage:	50 Cases	NIB
Manufacturer:	P&G	NIB
How Packaged:		NIB
Bid Price per box:		NIB
Comments:	NIB	



JEFFERSON COUNTY
DEPARTMENT OF ADMINISTRATIVE SERVICES
729 MAPLE ST / PO BOX 100
HILLSBORO MO 63050
WWW.JEFFCOMO.ORG



Invitation for Bid: JANITORIAL SUPPLIES 2016

Date Issued: 8-18-15

BIDS SHALL BE ACCEPTED UNTIL: TUESDAY, SEPTEMBER 15, 2015, AT 2:00 P.M. LOCAL TIME.

**Specification
Contact:**

KERRY ROGERS

Maintenance
636-797-5011
krogers@jeffcomo.org

**Contract
Contact:**

VICKIE PRATT
Department of Administrative Services
636-797-5380

**Mail (3) Three
Complete Copies
With Vendor And
Bid Information As
Shown In Sample:**

SAMPLE ENVELOPE

VENDOR NAME

VENDOR ADDRESS

CONTACT NUMBER

DEPARTMENT OF THE COUNTY CLERK

JEFFERSON COUNTY MISSOURI

729 MAPLE ST / PO BOX 100

HILLSBORO MO 63050-0100

SEALED BID: (BID NAME)

Contract Term:

1-1-16 to 12-31-16

UPON APPROVAL OF THE
COUNTY COUNCIL AND
COUNTY EXECUTIVE

**Vendor
Information:**

The undersigned certifies that he/she has the authority to bind this company in an agreement/contract to supply the commodity or service in accordance with all terms, conditions, and pricing specified. This Bid, if accepted, will constitute an Agreement and Contract with Jefferson County, Missouri, upon approval of the County Council and County Executive. Prices are firm during this agreement term, unless agreed upon in writing by the County. The County has the option to renew this agreement at the same terms and conditions as the original agreement for one additional one-year term with the written consent of the successful Bidder. Price increases for renewals are not authorized unless approved in writing by the County.

Interboro Packaging Corp.
Company Name

Silky Brach
Authorized Agent (Print)

114 Bracken Rd.
Address

Silky Brach
Signature

Montgomery, NY 12549
City/State/Zip Code

Secretary
Title

845-782-6800
Telephone #

9-9-15
Date

11-2633541
Tax ID #

interboro @frontiernet.net
E-mail

845-781-2450
Fax #

Delivery 5-7 days A.R.O!

Trash Bags			
Requirements:	Large	40x46	.60 mil
Estimated Annual Usage:	240 Cases		
Manufacturer:	Optional		
How Packaged:	200/Case		
Rolls per Case:	200		
Bag Size:	40" X 48"		
Bid Price per Case:	\$16.18		
Comments: Need sample with bid INT-4048-Hvy	As per sample #5		

Trash Bags			
Requirements:	Small	22x33	.40 mil
Estimated Annual Usage:	180 Cases		
Manufacturer:	Optional		
How Packaged:	1,000/case		
Rolls per Case:	1000		
Bag Size:	24" X 33"		
Bid Price per Case:	\$18.82		
Comments: Need sample with bid INT-2433-Reg	As per sample #6		

Interboro Packaging Corporation

Nationwide Service

114 Bracken Road
Montgomery, New York 12549-2600
(845) 782-6800
Fax (845) 781-2450
E-mail: interboro@frontiernet.net

September 9, 2015

Jefferson County
Department of the County Clerk
729 Maple Street
Hillsboro, MO 63050-0100

Bid #2016 Janitorial Supplies

To Whom It May Concern:

We are enclosing samples, which are being submitted in compliance with the above-referenced bid.

Please Note! The samples are in accordance with the specified strength. However, since these are the only bags that we have in stock at the present time, the size of some bags may differ with a couple of inches. Also, the color or seal of some bags may be different.

Upon approval of our bid we shall manufacture the bags exactly according to the specified size & color. The purpose of the samples is to test the strength of the bag and the material we are offering. These samples do serve this purpose.

All shipments made consistent with the enclosed samples will be deemed in full conformance with all bid specifications. We are relying upon approval of these samples for compliance of its bid and will ship only such bags, in the specified size/color. Acceptance of our bid shall conclusively constitute approval of the enclosed samples as conformity with bid specifications.

Futhermore, it is hereby understood that we are quoting the prices per the unit you have specified in the bid. However, as the table below indicates, we stock some items in a different pack. Therefore, unless you insist on your specified count, we may prefer to ship according to our standard pack. This will only expedite the delivery of your orders. Be advised, however, that we will not deviate without your definite approval.

Item Number	Standard Pack	Adjusted Price
5	250	\$20.225

Sincerely,



Silky Brach
Secretary



JEFFERSON COUNTY
DEPARTMENT OF ADMINISTRATIVE SERVICES
729 MAPLE ST / PO BOX 100
HILLSBORO MO 63050
WWW.JEFFCOMO.ORG

Invitation for Bid: JANITORIAL SUPPLIES 2016

Date Issued: 8-18-15

BIDS SHALL BE ACCEPTED UNTIL: TUESDAY, SEPTEMBER 15, 2015, AT 2:00 P.M. LOCAL TIME.

Specification
Contact:
KERRY ROGERS
Maintenance
636-797-5011
krogers@jeffcomo.org

Contract
Contact:
VICKIE PRATT
Department of Administrative Services
636-797-5380

**Mail (3) Three
Complete Copies
With Vendor And
Bid Information As
Shown In Sample:**

Contract Term:
1-1-16 to 12-31-16
UPON APPROVAL OF THE
COUNTY COUNCIL AND
COUNTY EXECUTIVE

**Vendor
Information:**

SAMPLE ENVELOPE

VENDOR NAME	
VENDOR ADDRESS	
CONTACT NUMBER	DEPARTMENT OF THE COUNTY CLERK
	JEFFERSON COUNTY MISSOURI
	729 MAPLE ST / PO BOX 100
	HILLSBORO MO 63050-0100
SEALED BID: (BID NAME)	

The undersigned certifies that he/she has the authority to bind this company in an agreement/contract to supply the commodity or service in accordance with all terms, conditions, and pricing specified. This Bid, if accepted, will constitute an Agreement and Contract with Jefferson County, Missouri, upon approval of the County Council and County Executive. Prices are firm during this agreement term, unless agreed upon in writing by the County. The County has the option to renew this agreement at the same terms and conditions as the original agreement for one additional one-year term with the written consent of the successful Bidder. Price increases for renewals are not authorized unless approved in writing by the County.

All-Type Vacuum Brett Marshall
Company Name Authorized Agent (Print)
10678 Trenton Ave Brett Marshall
Address Signature
St. Louis, MO 63132 President
City/State/Zip Code Title
(314) 427-0634 9/11/15
Telephone # Date Tax ID #
brett@all-typevacuum.com (314) 427-0079
E-mail Fax #
2015
Bidders Initials: PJM

Jumbo Toilet Tissue	
Requirements:	2 ply, 9" Rolls
Estimated Annual Usage:	250 Cases
Manufacturer:	Georgia or Equivalent
How Packaged:	12 Rolls Case
Rolls per Case:	12
Sheets per Roll:	2000
Bid Price per Case:	\$16.95
Comments:	

Tide Liquid	
Requirements:	2.5 Gal. - 3.5 Gal PG-2401
Estimated Annual Usage:	150 Gallons
Manufacturer:	TIDE BRAND
How Packaged:	4-100oz Gal.
Bid Price per Gal:	<u>\$0.03</u> Gal.
Comments:	

(2)

Bidders Initials: MM

Small Toilet Tissue	
Requirements:	2 ply
Estimated Annual Usage:	480 Cases
Manufacturer:	Optional
How Packaged:	96 per case
Rolls per Case:	96
Sheets per Roll:	500
Bid Price per Case:	\$25.89
Comments:	

(3)

Kitchen Towels	
Requirements:	N/A
Estimated Annual Usage:	50 Cases
Manufacturer:	Optional
How Packaged:	30 per case
Rolls per Case:	30
Sheets per Roll:	90
Bid Price per Case:	\$18.15
Comments:	

(4)

Trash Bags	
Requirements:	Large 40x46 .60 mil
Estimated Annual Usage:	240 Cases
Manufacturer:	Optional
How Packaged:	35 rolls / 5 rolls / Close
Rolls per Case:	200
Bag Size:	40x46
Bid Price per Case:	\$11.10
Comments:	Need sample with bid - Coming directly from vendor

Trash Bags	
Requirements:	Small 22x33 .40 mil
Estimated Annual Usage:	180 Cases
Manufacturer:	Optional
How Packaged:	50 rolls / 10 rolls / case
Rolls per Case:	1000
Bag Size:	24x32
Bid Price per Case:	\$25.50
Comments:	Need sample with bid - Coming directly from vendor

Bar Hand Soap (NOT Ivory)	
Requirements:	3/4 oz bars
Estimated Annual Usage:	340 Cases
Manufacturer:	Optional
How Packaged:	1000 1/4 oz CASE
Oz. per Bar:	3/4 oz
Bars per Case:	1000
Bid Price:	\$49.99
Comments:	Unwrapped

(7)

Single Fold Towels	
Requirements:	230mm x 270mm
Estimated Annual Usage:	120 Cases
Manufacturer:	Optional
Sheet Size:	9x10
How Packaged:	1/2 CASE
Sheets per Package:	334
Package Per Case:	12
Bid Price:	\$16.10
Comments:	

(8)

Ice Melt (Potassium Chloride)	
Requirements:	50 lb bag
Estimated Annual Usage:	200 bags - depending on weather conditions
Manufacturer:	Optional
How Packaged:	bag/box
Lbs. per bag:	50
Bid Price:	\$8.99 \$50. Delivery
Comments:	Small sample to check rock size to be submitted with bid

(9)

Individually Wrapped Sanitary Napkins (Maxi Pads)	
Requirements:	N/A
Estimated Annual Usage:	125 Cases
Manufacturer:	Optional
How Packaged:	350 Cases
Pads per Box:	1 each
Boxes per Case:	250
Bid Price:	\$35.95
Comments:	

(10)

Mop Heads			
Requirements:	16 oz. (Cotton)	Screw down type	Sewn on top
Estimated Annual Usage:		40 Cases (6 in case)	
Manufacturer:		Optional	
How Packaged:		Bulk	
Mop Heads per Case:		6	
Bid Price:		\$16.50 each	
Comments:	No wire and must be screw on type.		

(11)

Bleach			
Requirements:	Liquid	House Strength	
Estimated Annual Usage:		120 Cases	
Manufacturer:		Optional	
How Packaged:		Case	
Gallons per Case:		4	
Bid Price:		\$11.15	
Comments:	6 gallons per case		

(12)

Brooms	
Requirements:	Corn, Heavy Weight Sewn, Wooden Handle
Estimated Annual Usage:	20 Doz.
Manufacturer:	Optional
How Packaged:	6 Box
Bid Price per Dozen:	\$6.44
Comments:	No wire of any kind on brooms. (Prison Type)

(13)

Sanitizer Concentrate for Pit Toilets (Parks)	
Requirements:	5 Gal. Buckets
Estimated Annual Usage:	75 Gallons
Manufacturer:	Optional
How Packaged:	
Bid Price per Gallon:	NO Bid
Comments:	

(14)

Deoderizer Concentrate for Pit Toilets (Parks)	
Requirements:	5 Gal. Buckets
Estimated Annual Usage:	75 Gallons
Manufacturer:	Optional
How Packaged:	
Bid Price per Gallon:	NO Bid
Comments:	

(15)

Deoderizer Concentrate for Pit Toilets (Parks)	
Requirements:	5 Gal. Buckets
Estimated Annual Usage:	75 Gallons
Manufacturer:	Optional
How Packaged:	
Bid Price per Gallon:	NO Bid
Comments:	

Non-Alcohol Foaming Hand Sanitizer

(16)

Requirements:	#55857
Estimated Annual Usage:	50 Cases
Manufacturer:	DEB
How Packaged:	1 Liter Bottles
Bid Price per box:	\$341.10
Comments:	

White Roll Towels

(17)

Requirements:	1000 ft
Estimated Annual Usage:	120 Cases
Manufacturer:	KIMBERLY CLARK #01000
How Packaged:	6 packs of 1000
Bid Price per box:	\$46.53
Comments:	

Anti-Bacterial Hand Soap

(18)

Requirements:	1000ml bags	68941
Estimated Annual Usage:	60 Cases	
Manufacturer:	DEB	
How Packaged:	1 Liter Bottles	
Bid Price per box:	\$32.90	
Comments:		

Clorox Bleach

(19)

Requirements:	Liquid	4-6 Gallons	PG 41676
Estimated Annual Usage:		150 Gallons	
Manufacturer:		PROCTOR & GAMBLE	
How Packaged:		<u>3-12</u> oz	Gal.
Bid Price per gal:			\$5.30
Comments:			

Downy Fabric Softner

(20)

Requirements:	Liquid	4-6 Gallons	PG 41675
Estimated Annual Usage:		150 Gallons	
Manufacturer:		PROCTOR & GAMBLE	
How Packaged:		<u>4</u>	Gal.
Bid Price per gal:		\$7.34	
Comments:			

Large Aerosol Disinfectant Can Deodorizer Spray

(21)

Requirements:	14-16 oz
Estimated Annual Usage:	15 Cases
Manufacturer:	Optional
How Packaged:	<u>16.5</u> oz.
Bid Price per oz.:	\$1174
Comments:	

Screw on Mop Handles	
Requirements:	N/A

(22)

Estimated Annual Usage:	10 Cases
Manufactuer:	Optional
How Packaged:	Units of 12
Bid Price per box:	\$40.00

Comments:

Spic-n-Span 3-n-1 Multisurface Glass Disinfectant Cleaner

Requirements: PG 32535

Estimated Annual Usage: 50 Cases

Manufactuer: P&G

How Packaged: 8 - 32oz / CASE

Bid Price per box: \$42.05

Comments:

(23)

Commet Cleaner with Bleach	
Requirements:	PG 31641

(24)

Estimated Annual Usage:	50 Cases
Manufactuer:	P&G
How Packaged:	8 - 32oz / CASE
Bid Price per box:	\$44.10

Comments:

Febreeze Odor Eliminator	
Requirements:	PG 38015
Estimated Annual Usage:	50 Cases
Manufacturer:	P&G
How Packaged:	8-32oz/case
Bid Price per box:	\$45.70
Comments:	To fit existing

Mr. Clean Finished Floor Cleaner

Requirements: PG 39949

Estimated Annual Usage:	50 Cases
Manufacturer:	P&G
How Packaged:	30oz/case
Bid Price per box:	\$40.81
Comments:	To fit existing

(26)

Disinfectant Floor Cleaner

Requirements: 1 Gal.

Estimated Annual Usage:	50 Cases
Manufacturer:	P&G
How Packaged:	4 gal/case
Bid Price per box:	\$34.60
Comments:	

(27)



JEFFERSON COUNTY
DEPARTMENT OF ADMINISTRATIVE SERVICES
729 MAPLE ST / PO BOX 100
HILLSBORO MO 63050
WWW.JEFFCOMO.ORG

Invitation for Bid: JANITORIAL SUPPLIES 2016

Date Issued: 8-18-15

BIDS SHALL BE ACCEPTED UNTIL: TUESDAY, SEPTEMBER 15, 2015, AT 2:00 P.M. LOCAL TIME.

Specification
Contact:
KERRY ROGERS
Maintenance
636-797-5011
krogers@jeffcomo.org

Contract
Contact:
VICKIE PRATT
Department of Administrative Services
636-797-5380

**Mail (3) Three
Complete Copies
With Vendor And
Bid Information As
Shown In Sample:**

Contract Term:
1-1-16 to 12-31-16
UPON APPROVAL OF THE
COUNTY COUNCIL AND
COUNTY EXECUTIVE

**Vendor
Information:**

SAMPLE ENVELOPE

<i>VENDOR NAME</i>	
<i>VENDOR ADDRESS</i>	
<i>CONTACT NUMBER</i>	DEPARTMENT OF THE COUNTY CLERK
	JEFFERSON COUNTY MISSOURI
	729 MAPLE ST / PO BOX 100
	HILLSBORO MO 63050-0100

SEALED BID: (BID NAME)

The undersigned certifies that he/she has the authority to bind this company in an agreement/contract to supply the commodity or service in accordance with all terms, conditions, and pricing specified. This Bid, if accepted, will constitute an Agreement and Contract with Jefferson County, Missouri, upon approval of the County Council and County Executive. Prices are firm during this agreement term, unless agreed upon in writing by the County. The County has the option to renew this agreement at the same terms and conditions as the original agreement for one additional one-year term with the written consent of the successful Bidder. Price increases for renewals are not authorized unless approved in writing by the County.

Central Poly Bag corp *Andrew H. Hogg*
Company Name *President* *Signature*
2400 Backplace *Signature*
Address
Linden NJ 07036 *Title*
City/State/Zip Code
908 862 7570 *Date* *01/21/15* *Tax ID #* *22-32446346*
Telephone #
Bids@centralpoly. *Fax #* *908 862 9019*
E-mail *.com*

Jumbo Toilet Tissue	
Estimated Annual Usage:	Requirements: 2 ply, 9" Rolls
Manufacturer:	250 Cases
How Packaged:	Georgia or Equivalent
Rolls per Case:	12
Sheets per Roll:	2000
Bid Price per Case:	
Comments:	

(1)

Tide Liquid	
Estimated Annual Usage:	Requirements: 2.5 Gal. - 3.5 Gal PG- 2401
Manufacturer:	150 Gallons
How Packaged:	TIDE BRAND
Bid Price per Gal:	Gal.
Comments:	Gal.

(2)

Small Toilet Tissue	
	Requirements: 2 ply
Estimated Annual Usage:	480 Cases
Manufacturer:	Optional
How Packaged:	96 per case
Rolls per Case:	96
Sheets per Roll:	500
Bid Price per Case:	
Comments:	

Kitchen Towels	
	Requirements: N/A
Estimated Annual Usage:	50 Cases
Manufacturer:	Optional
How Packaged:	30 per case
Rolls per Case:	30
Sheets per Roll:	90
Bid Price per Case:	
Comments:	

Trash Bags			
	Requirements:	Large	40x46 .60 mil
Estimated Annual Usage:	240 Cases		
Manufacturer:	Optional	<i>Central Poly</i>	
How Packaged:		200(CS)	
Rolls per Case:		200	
Bag Size:		<i>12x12</i>	
Bid Price per Case:		22.40	
Comments:	Need sample with bid		

Trash Bags			
	Requirements:	Small	22x33 .40 mil
Estimated Annual Usage:	180 Cases		
Manufacturer:	Optional	<i>Central Rolls</i>	
How Packaged:		(100)CS	
Rolls per Case:		1000	
Bag Size:		<i>22x33</i>	
Bid Price per Case:		13.50	
Comments:	Need sample with bid		

Bar Hand Soap (NOT Ivory)	
Requirements: 3/4 oz bars	
Estimated Annual Usage:	340 Cases
Manufacturer:	Optional
How Packaged:	
Oz. per Bar:	
Bars per Case:	
Bid Price:	
Comments:	Unwrapped

Single Fold Towels	
Requirements: 230mm x 270mm	
Estimated Annual Usage:	120 Cases
Manufacturer:	Optional
Sheet Size:	9x10
How Packaged:	
Sheets per Package:	
Package Per Case:	
Bid Price:	
Comments:	

Ice Melt (Potassium Chloride)	
Requirements:	50 lb bag
Estimated Annual Usage:	200 bags - depending on weather conditions
Manufacturer:	Optional
How Packaged:	bag/box
Lbs. per bag:	50
Bid Price:	
Comments:	Small sample to check rock size to be submitted with bid

Individually Wrapped Sanitary Napkins (Maxi Pads)	
Requirements:	N/A
Estimated Annual Usage:	125 Cases
Manufacturer:	Optional
How Packaged:	
Pads per Box:	1 each
Boxes per Case:	250
Bid Price:	
Comments:	

Mop Heads			
Requirements:	16 oz. (Cotton)	Screw down type	Sewn on top
Estimated Annual Usage:	40 Cases (6 in case)		
Manufacturer:	Optional		
How Packaged:	Bulk		
Mop Heads per Case:	6		
Bid Price:			
Comments:	No wire and must be screw on type.		

Bleach			
Requirements:	Liquid	House	Strength
Estimated Annual Usage:	120 Cases		
Manufacturer:	Optional		
How Packaged:	Case		
Gallons per Case:	4		
Bid Price:			
Comments:			

Brooms	
Requirements:	Corn, Heavy Weight Sewn, Wooden Handle
Estimated Annual Usage:	20 Doz.
Manufacturer:	Optional
How Packaged:	
Bid Price per Dozen:	
Comments: No wire of any kind on brooms. (Prison Type)	

Sanitizer Concentrate for Pit Toilets (Parks)	
Requirements:	5 Gal. Buckets
Estimated Annual Usage:	75 Gallons
Manufacturer:	Optional
How Packaged:	
Bid Price per Gallon:	
Comments:	

Deoderizer Concentrate for Pit Toilets (Parks)	
Requirements:	5 Gal. Buckets
Estimated Annual Usage:	75 Gallons
Manufacturer:	Optional
How Packaged:	
Bid Price per Gallon:	
Comments:	

(16)

Non-Alcohol Foaming Hand Sanitizer	
Estimated Annual Usage:	Requirements: #55857
Manufacturer:	50 Cases DEB
How Packaged:	1 Liter Bottles
Bid Price per box:	
Comments:	

(17)

White Roll Towels	
Estimated Annual Usage:	Requirements: 1000 ft 120 Cases
Manufacturer:	KIMMBERLY CLARK #01000
How Packaged:	
Bid Price per box:	
Comments:	

(18)

Anti-Bacterial Hand Soap	
Estimated Annual Usage:	Requirements: 1000ml bags 68941 60 Cases
Manufacturer:	DEB
How Packaged:	1 Liter Bottles
Bid Price per box:	
Comments:	

Clorox Bleach			
Requirements:	Liquid	4-6 Gallons	PG 41676
Estimated Annual Usage:	150 Gallons		
Manufacturer:	PROCTOR & GAMBLE		
How Packaged:	Gal.		
Bid Price per gal:			
Comments:			

Downy Fabric Softner			
Requirements:	Liquid	4-6 Gallons	PG 41675
Estimated Annual Usage:	150 Gallons		
Manufacturer:	PROCTOR & GAMBLE		
How Packaged:	Gal.		
Bid Price per gal:			
Comments:			

Large Aerosol Disinfectant Can Deodorizer Spray			
Requirements:	14-16 oz		
Estimated Annual Usage:	15 Cases		
Manufacturer:	Optional		
How Packaged:	Oz.		
Bid Price per oz:			
Comments:			

Screw on Mop Handles	
Estimated Annual Usage:	10 Cases
Requirements:	N/A
Manufacturer:	Optional
How Packaged:	Units of 12
Bid Price per box:	
Comments:	

Spic-n-Span 3-n-1 Multisurface Glass Disinfectant Cleaner	
Estimated Annual Usage:	PG 32535
Requirements:	50 Cases
Manufacturer:	P&G
How Packaged:	
Bid Price per box:	
Comments:	

Commit Cleaner with Bleach	
Estimated Annual Usage:	PG 31641
Requirements:	50 Cases
Manufacturer:	P&G
How Packaged:	
Bid Price per box:	
Comments:	

Febreeze Odor Eliminator	
Estimated Annual Usage:	Requirements: PG 38015
Manufacturer:	50 Cases P&G
How Packaged:	
Bid Price per box:	
Comments:	To fit existing

Mr. Clean Finished Floor Cleaner	
Estimated Annual Usage:	Requirements: PG 39949
Manufacturer:	50 Cases P&G
How Packaged:	
Bid Price per box:	
Comments:	To fit existing

Disinfectant Floor Cleaner	
Estimated Annual Usage:	Requirements: 1 Gal.
Manufacturer:	50 Cases P&G
How Packaged:	
Bid Price per box:	
Comments:	



JEFFERSON COUNTY
DEPARTMENT OF ADMINISTRATIVE SERVICES
729 MAPLE ST / PO BOX 100
HILLSBORO MO 63050
WWW.JEFFCOMO.ORG

Invitation for Bid: JANITORIAL SUPPLIES 2016

Date Issued: 8-18-15

BIDS SHALL BE ACCEPTED UNTIL: TUESDAY, SEPTEMBER 15, 2015, AT 2:00 P.M. LOCAL TIME.

Specification Contact:
KERRY ROGERS
Maintenance
636-797-5011
krogers@jeffcomo.org

Contract Contact:
VICKIE PRATT
Department of Administrative Services
636-797-5380

Mail (3) Three Complete Copies With Vendor And Bid Information As Shown In Sample:

Contract Term:
1-1-16 to 12-31-16
UPON APPROVAL OF THE COUNTY COUNCIL AND COUNTY EXECUTIVE

Vendor Information:

SAMPLE ENVELOPE

<i>VENDOR NAME</i>	
<i>VENDOR ADDRESS</i>	
<i>CONTACT NUMBER</i>	DEPARTMENT OF THE COUNTY CLERK
	JEFFERSON COUNTY MISSOURI
	729 MAPLE ST / PO BOX 100
	HILLSBORO MO 63050-0100
SEALED BID: (B/D NAME)	

The undersigned certifies that he/she has the authority to bind this company in an agreement/contract to supply the commodity or service in accordance with all terms, conditions, and pricing specified. This Bid, if accepted, will constitute an Agreement and Contract with Jefferson County, Missouri, upon approval of the County Council and County Executive. Prices are firm during this agreement term, unless agreed upon in writing by the County. The County has the option to renew this agreement at the same terms and conditions as the original agreement for one additional one-year term with the written consent of the successful Bidder. Price increases for renewals are not authorized unless approved in writing by the County.

Calico Industries, Inc. Christopher M. Hartnett
Company Name Authorized Agent (Print)
9045 Junction Drive Signature
Address
Annapolis Junction, MD 20701 Sr. Director Bids/Contracts
City/State/Zip Code Title
800-638-0828 9/10/15 13-5551939
Telephone # Date Tax ID #
bids@calicoindustries.com 301-498-2056
E-mail Fax #

Jumbo Toilet Tissue		(1)
Requirements: 2 ply, 9" Rolls		
Estimated Annual Usage:	250 Cases	
Manufactuer:	Georgia or Equivalent	
How Packaged:		
Rolls per Case:	12	
Sheets per Roll:	2000	
Bid Price per Case:		
Comments:		

Tide Liquid		(2)
Requirements: 2.5 Gal. - 3.5 Gal PG- 2401		
Estimated Annual Usage:	150 Gallons	
Manufactuer:	TIDE BRAND	
How Packaged:	Gal.	
Bid Price per Gal:	Gal.	
Comments:		

Small Toilet Tissue	
Requirements: 2 ply	
Estimated Annual Usage:	480 Cases
Manufactuer:	Optional
How Packaged:	96 per case
Rolls per Case:	96
Sheets per Roll:	500
Bid Price per Case:	
Comments:	

(3)

Kitchen Towels	
Requirements: N/A	
Estimated Annual Usage:	50 Cases
Manufactuer:	Optional
How Packaged:	30 per case
Rolls per Case:	30
Sheets per Roll:	90
Bid Price per Case:	
Comments:	

(4)

Trash Bags		(5)
Requirements: Large 40x46 .60 mil		
Estimated Annual Usage: 240 Cases		
Manufactuer: Optional Calico 9939233		
How Packaged: 200/Case		
Rolls per Case: 200 /CS FLATPACK		
Bag Size: 40x48		
Bid Price per Case: \$16.48		**
Comments: Need sample with bid *Sample submitted*		
Sample A		

Trash Bags		(6)
Requirements: Small 22x33 .40 mil		
Estimated Annual Usage: 180 Cases		
Manufactuer: Optional Calico 9970005		
How Packaged: 1000/Case		
Rolls per Case: 20 rolls/50 1000/Case Flat Pack		Rolls CH
Bag Size: 24x33		
Bid Price per Case: \$15.42		**
Comments: Need sample with bid *Sample submitted*		
Sample A		

** ALTERNATES: Line #5 Calico 9940338 *Sample B* *Sample submitted* \$17.92/Case
200/Case FLATPACK

Line #6 Calico 9930002 *Sample B* *Sample submitted* \$16.34/Case
1000/Case 20/ROLLS/50

Bar Hand Soap (NOT Ivory)	
Requirements:	3/4 oz bars
Estimated Annual Usage:	340 Cases
Manufactuer:	Optional
How Packaged:	
Oz. per Bar:	
Bars per Case:	
Bid Price:	
Comments:	Unwrapped

(7)

Single Fold Towels	
Requirements:	230mm x 270mm
Estimated Annual Usage:	120 Cases
Manufactuer:	Optional
Sheet Size:	9x10
How Packaged:	
Sheets per Package:	
Package Per Case:	
Bid Price:	
Comments:	

(8)

Ice Melt (Potassium Chloride)		(9)
Requirements: 50 lb bag		
Estimated Annual Usage:	200 bags - depending on weather conditions	
Manufactuer:	Optional	
How Packaged:	bag/box	
Lbs. per bag:	50	
Bid Price:		
Comments: Small sample to check rock size to be submitted with bid		

Individually Wrapped Sanitary Napkins (Maxi Pads)		(10)
Requirements: N/A		
Estimated Annual Usage:	125 Cases	
Manufactuer:	Optional	
How Packaged:		
Pads per Box:	1 each	
Boxes per Case:	250	
Bid Price:		
Comments:		

Mop Heads			(11)
Requirements: 16 oz. (Cotton) Screw down type Sewn on top			
Estimated Annual Usage:			40 Cases (6 in case)
Manufactuer:			Optional
How Packaged:			Bulk
Mop Heads per Case:			6
Bid Price:			
Comments: No wire and must be screw on type.			

Bleach			(12)
Requirements: Liquid House Strength			
Estimated Annual Usage:			120 Cases
Manufactuer:			Optional
How Packaged:			Case
Gallons per Case:			4
Bid Price:			
Comments:			

Brooms		(13)
Requirements: Corn, Heavy Weight Sewn, Wooden Handle		
Estimated Annual Usage:	20 Doz.	
Manufactuer:	Optional	
How Packaged:		
Bid Price per Dozen:		
Comments: No wire of any kind on brooms. (Prison Type)		

Sanitizer Concentrate for Pit Toilets (Parks)		(14)
Requirements: 5 Gal. Buckets		
Estimated Annual Usage:	75 Gallons	
Manufactuer:	Optional	
How Packaged:		
Bid Price per Gallon:		
Comments:		

Deoderizer Concentrate for Pit Toilets (Parks)		(15)
Requirements: 5 Gal. Buckets		
Estimated Annual Usage:	75 Gallons	
Manufactuer:	Optional	
How Packaged:		
Bid Price per Gallon:		
Comments:		

Non-Alcohol Foaming Hand Sanitizer		(16)
Requirements: #55857		
Estimated Annual Usage:	50 Cases	
Manufactuer:	DEB	
How Packaged:	1 Liter Bottles	
Bid Price per box:		
Comments:		

White Roll Towels		(17)
Requirements: 1000 ft		
Estimated Annual Usage:	120 Cases	
Manufactuer:	KIMMBERLY CLARK #01000	
How Packaged:		
Bid Price per box:		
Comments:		

Anti-Bacterial Hand Soap		(18)
Requirements: 1000ml bags 68941		
Estimated Annual Usage:	60 Cases	
Manufactuer:	DEB	
How Packaged:	1 Liter Bottles	
Bid Price per box:		
Comments:		

Clorox Bleach				(19)
Requirements: Liquid 4-6 Gallons PG 41676				
Estimated Annual Usage:	150 Gallons			
Manufactuer:	PROCTOR & GAMBLE			
How Packaged:	Gal.			
Bid Price per gal:				
Comments:				

Downy Fabric Softner				(20)
Requirements: Liquid 4-6 Gallons PG 41675				
Estimated Annual Usage:	150 Gallons			
Manufactuer:	PROCTOR & GAMBLE			
How Packaged:	Gal.			
Bid Price per gal:				
Comments:				

Large Aerosol Disinfectant Can Deodorizer Spray				(21)
Requirements: 14-16 oz				
Estimated Annual Usage:	15 Cases			
Manufactuer:	Optional			
How Packaged:	Oz.			
Bid Price per oz:				
Comments:				

Screw on Mop Handles		(22)
Requirements: N/A		
Estimated Annual Usage:	10 Cases	
Manufactuer:	Optional	
How Packaged:	Units of 12	
Bid Price per box:		
Comments:		

Spic-n-Span 3-n-1 Multisurface Glass Disinfectant Cleaner		(23)
Requirements: PG 32535		
Estimated Annual Usage:	50 Cases	
Manufactuer:	P&G	
How Packaged:		
Bid Price per box:		
Comments:		

Commet Cleaner with Bleach		(24)
Requirements: PG 31641		
Estimated Annual Usage:	50 Cases	
Manufactuer:	P&G	
How Packaged:		
Bid Price per box:		
Comments:		

Febreeze Odor Eliminator		(25)
Requirements: PG 38015		
Estimated Annual Usage:	50 Cases	
Manufactuer:	P&G	
How Packaged:		
Bid Price per box:		
Comments: To fit exitsting		

Mr. Clean Finished Floor Cleaner		(26)
Requirements: PG 39949		
Estimated Annual Usage:	50 Cases	
Manufactuer:	P&G	
How Packaged:		
Bid Price per box:		
Comments: To fit exitsting		

Disinfectant Floor Cleaner		(27)
Requirements: 1 Gal.		
Estimated Annual Usage:	50 Cases	
Manufactuer:	P&G	
How Packaged:		
Bid Price per box:		
Comments:		



JEFFERSON COUNTY
DEPARTMENT OF ADMINISTRATIVE SERVICES
729 MAPLE ST / PO BOX 100
HILLSBORO MO 63050
WWW.JEFFCOMO.ORG

Invitation for Bid: JANITORIAL SUPPLIES 2016

Date Issued: 8-18-15

BIDS SHALL BE ACCEPTED UNTIL: TUESDAY, SEPTEMBER 15, 2015, AT 2:00 P.M. LOCAL TIME.

**Specification
Contact:**

KERRY ROGERS

Maintenance
636-797-5011
krogers@jeffcomo.org

**Contract
Contact:**

VICKIE PRATT
Department of Administrative Services
636-797-5380

**Mail (3) Three
Complete Copies
With Vendor And
Bid Information As
Shown In Sample:**

Contract Term:
1-1-16 to 12-31-16
UPON APPROVAL OF THE
COUNTY COUNCIL AND
COUNTY EXECUTIVE

**Vendor
Information:**

SAMPLE ENVELOPE

VENDOR NAME

VENDOR ADDRESS

CONTACT NUMBER

DEPARTMENT OF THE COUNTY CLERK

JEFFERSON COUNTY MISSOURI

729 MAPLE ST / PO BOX 100

HILLSBORO MO 63050-0100

SEALED BID: (BID NAME)

The undersigned certifies that he/she has the authority to bind this company in an agreement/contract to supply the commodity or service in accordance with all terms, conditions, and pricing specified. This Bid, if accepted, will constitute an Agreement and Contract with Jefferson County, Missouri, upon approval of the County Council and County Executive. Prices are firm during this agreement term, unless agreed upon in writing by the County. The County has the option to renew this agreement at the same terms and conditions as the original agreement for one additional one-year term with the written consent of the successful Bidder. Price increases for renewals are not authorized unless approved in writing by the County.

Dispose N' Save

Company Name

Leah Rosenthal

Authorized Agent (Print)

5 Getzl Berger Blvd.

Address

Leah Rosenthal

Signature

Monroe, NY 10950

City/State/Zip Code

Secretary

Title

845-781-7200

Telephone #

9-9-15

Date

47-4672715

Tax ID #

abraham@dispensesave.com

E-mail

845-781-7455

Fax #

Delivery will be made 5-7 days APO!

Trash Bags (5)			
Requirements:	Large	40x46	.60 mil
Estimated Annual Usage:	240 Cases		
Manufacturer:	Optional		
How Packaged:	200/Case		
Rolls per Case:	200		
Bag Size:	40" X 48"		
Bid Price per Case:	\$17.32		
Comments: Need sample with bid	DPS4048-6		

Trash Bags (6)			
Requirements:	Small	22x33	.40 mil
Estimated Annual Usage:	180 Cases		
Manufacturer:	Optional		
How Packaged:	1,000/case		
Rolls per Case:	1000		
Bag Size:	24" X 33"		
Bid Price per Case:	\$14.34		
Comments: Need sample with bid	DPS2433-4		



**JEFFERSON COUNTY
DEPARTMENT OF ADMINISTRATIVE SERVICES
729 MAPLE ST / PO BOX 100
HILLSBORO MO 63050
WWW.JEFFCOMO.ORG**

Invitation for Bid: JANITORIAL SUPPLIES 2016

Date Issued: 8-18-15

BIDS SHALL BE ACCEPTED UNTIL: TUESDAY, SEPTEMBER 15, 2015, AT 2:00 P.M. LOCAL TIME.

Specification

Contact:

KERRY ROGERS

Maintenance

636-797-5011

krogers@jeffcomo.org

Contract

Contact:

VICKIE PRATT

Department of Administrative Services

636-797-5380

**Mail (3) Three
Complete Copies
With Vendor And
Bid Information As
Shown In Sample:**

SAMPLE ENVELOPE

VENDOR NAME

VENDOR ADDRESS

CONTACT NUMBER

DEPARTMENT OF THE COUNTY CLERK

JEFFERSON COUNTY MISSOURI

729 MAPLE ST / PO BOX 100

HILLSBORO MO 63050-0100

SEALED BID: (BID NAME)

Contract Term:

1-1-16 to 12-31-16

**UPON APPROVAL OF THE
COUNTY COUNCIL AND
COUNTY EXECUTIVE**

**Vendor
Information:**

The undersigned certifies that he/she has the authority to bind this company in an agreement/contract to supply the commodity or service in accordance with all terms, conditions, and pricing specified. This Bid, if accepted, will constitute an Agreement and Contract with Jefferson County, Missouri, upon approval of the County Council and County Executive. Prices are firm during this agreement term, unless agreed upon in writing by the County. The County has the option to renew this agreement at the same terms and conditions as the original agreement for one additional one-year term with the written consent of the successful Bidder. Price increases for renewals are not authorized unless approved in writing by the County.

Industrial Soap Company

Company Name

Mark S. Shapiro

Authorized Agent (Print)

722 S. Vandeventer Ave.

Address

Signature

St. Louis/MO/63110

President

Title

City/State/Zip Code

(314) 241-6363

9/14/2015

43-0336850

Telephone #

Date

Tax ID #

iscadmin@industrialsoap.com

(314) 533-5556

E-mail

Fax #

Jumbo Toilet Tissue	
Requirements:	2 ply, 9" Rolls
Estimated Annual Usage:	250 Cases
Manufacturer:	Georgia or Equivalent
How Packaged:	
Rolls per Case:	12
Sheets per Roll:	2000
Bid Price per Case:	\$19.99
Comments:	As specified

Tide Liquid	
Requirements:	2.5 Gal. - 3.5 Gal PG- 2401
Estimated Annual Usage:	150 Gallons
Manufacturer:	TIDE BRAND
How Packaged:	Gal.
Bid Price per Gal:	No Bid Gal.
Comments:	

Small Toilet Tissue	
Estimated Annual Usage:	480 Cases
Manufacturer:	Optional
How Packaged:	96 per case
Rolls per Case:	96
Sheets per Roll:	500
Bid Price per Case:	\$27.50
Comments:	As specified

Kitchen Towels	
Estimated Annual Usage:	50 Cases
Manufacturer:	Optional
How Packaged:	30 per case
Rolls per Case:	30
Sheets per Roll:	90
Bid Price per Case:	\$17.50
Comments:	As specified

Trash Bags			
	Requirements:	Large	40x46 .60 mil
Estimated Annual Usage:	240 Cases		
Manufacturer:	Optional		
How Packaged:	250 bags		
Rolls per Case:	10 rolls of 25 bags 200		
Bag Size:	40X46		
Bid Price per Case:	\$16.60		
Comments:	Need sample with bid NOTE!! Please compare price per bag!!		

Trash Bags			
	Requirements:	Small	22x33 .40 mil
Estimated Annual Usage:	180 Cases		
Manufacturer:	Optional		
How Packaged:	1000		
Rolls per Case:	1000		
Bag Size:	24X32		
Bid Price per Case:	\$23.18		
Comments:	Need sample with bid		

Bar Hand Soap (NOT Ivory)	
Estimated Annual Usage:	340 Cases
Manufacturer:	Optional
How Packaged:	1000
Oz. per Bar:	3/4 oz
Bars per Case:	1000
Bid Price:	\$59.00
Comments:	Unwrapped As specified

Single Fold Towels	
Requirements:	230mm x 270mm
Estimated Annual Usage:	120 Cases
Manufacturer:	Optional
Sheet Size:	9x10
How Packaged:	4000 towels per case
Sheets per Package:	250
Package Per Case:	16
Bid Price:	\$14.20
Comments:	

Ice Melt (Potassium Chloride)	
Estimated Annual Usage:	Requirements: 50 lb bag 200 bags - depending on weather conditions
Manufacturer:	Optional
How Packaged:	bag/box
Lbs. per bag:	50
Bid Price:	\$8.34
Comments:	Small sample to check rock size to be submitted with bid

Individually Wrapped Sanitary Napkins (Maxi Pads)	
Estimated Annual Usage:	Requirements: N/A
Manufacturer:	Optional
How Packaged:	250
Pads per Box:	1 each
Boxes per Case:	250
Bid Price:	\$23.95
Comments:	As specified

(11)

Mop Heads			
Requirements:	16 oz. (Cotton)	Screw down type	Sewn on top
Estimated Annual Usage:	40 Cases (6 in case)		
Manufacturer:	Optional		
How Packaged:	Bulk		
Mop Heads per Case:	6		
Bid Price:	\$15.23		
Comments:	No wire and must be screw on type. As specified		

(12)

Bleach		
Requirements:	Liquid	House Strength
Estimated Annual Usage:	120 Cases	
Manufacturer:	Optional	
How Packaged:	Case	
Gallons per Case:	4	
Bid Price:	\$5.80	
Comments:	As specified	

(13)

Brooms	
Requirements:	Corn, Heavy Weight Sewn, Wooden Handle
Estimated Annual Usage:	20 Doz.
Manufacturer:	Optional
How Packaged:	
Bid Price per Dozen:	No Bid
Comments:	No wire of any kind on brooms. (Prison Type)

(14)

Sanitizer Concentrate for Pit Toilets (Parks)	
Requirements:	5 Gal. Buckets
Estimated Annual Usage:	75 Gallons
Manufacturer:	Optional
How Packaged:	4-1 gallon
Bid Price per Gallon:	\$4.75
Comments:	As specified

(15)

Deodorizer Concentrate for Pit Toilets (Parks)	
Requirements:	5 Gal. Buckets
Estimated Annual Usage:	75 Gallons
Manufacturer:	Optional
How Packaged:	Gallon Container
Bid Price per Gallon:	\$3.85
Comments:	As specified

Non-Alcohol Foaming Hand Sanitizer	
Requirements:	#555857
Estimated Annual Usage:	50 Cases
Manufacturer:	DEB
How Packaged:	1 Liter Bottles
Bid Price per box:	\$35.97 or \$5.99/1 liter bottle
Comments:	Deb as specified!

White Roll Towels	
Requirements:	1000 ft
Estimated Annual Usage:	120 Cases
Manufacturer:	KIMBERLY CLARK #01000
How Packaged:	12 rolls
Bid Price per box:	\$67.92
Comments:	Genuine Kimberly Clark! Beware of substitute brands!!

Anti-Bacterial Hand Soap	
Requirements:	1000ml bags 68941
Estimated Annual Usage:	60 Cases
Manufacturer:	DEB
How Packaged:	1 Liter Bottles
Bid Price per box:	\$29.66/case or \$4.94/each bottle
Comments:	Debs Anti-Bac exactly as specified

(19)

Clorox Bleach			
Requirements:	Liquid	4-6 Gallons	PG 41676
Estimated Annual Usage:	150 Gallons		
Manufacturer:	PROCTOR & GAMBLE		
How Packaged:	Gal.		
Bid Price per gal:	No Bid		
Comments:			

(20)

Downy Fabric Softner			
Requirements:	Liquid	4-6 Gallons	PG 41675
Estimated Annual Usage:	150 Gallons		
Manufacturer:	PROCTOR & GAMBLE		
How Packaged:	Gal.		
Bid Price per gal:	No Bid		
Comments:			

(21)

Large Aerosol Disinfectant Can Deodorizer Spray			
Requirements:	14-16 oz		
Estimated Annual Usage:	15 Cases		
Manufacturer:	Optional		
How Packaged:	17 Oz.		
Bid Price per oz:	\$0.1089		
Comments:	As specified!		

Screw on Mop Handles	
Requirements:	N/A
Estimated Annual Usage:	10 Cases
Manufacturer:	Optional
How Packaged:	Units of 12
Bid Price per box:	\$34.60
Comments:	As specified!

Spic-n-Span 3-n-1 Multisurface Glass Disinfectant Cleaner	
Requirements:	PG 32535
Estimated Annual Usage:	50 Cases
Manufacturer:	P&G
How Packaged:	
Bid Price per box:	No Bid
Comments:	

Commit Cleaner with Bleach	
Requirements:	PG 31641
Estimated Annual Usage:	50 Cases
Manufacturer:	P&G
How Packaged:	
Bid Price per box:	No Bid
Comments:	

Febreeze Odor Eliminator	
Requirements:	PG 38015
Estimated Annual Usage:	50 Cases
Manufacturer:	P&G
How Packaged:	
Bid Price per box:	No Bid
Comments:	To fit existing

Mr. Clean Finished Floor Cleaner	
Requirements:	PG 39949
Estimated Annual Usage:	50 Cases
Manufacturer:	P&G
How Packaged:	
Bid Price per box:	No Bid
Comments:	To fit existing

Disinfectant Floor Cleaner	
Requirements:	1 Gal.
Estimated Annual Usage:	50 Cases
Manufacturer:	P&G
How Packaged:	
Bid Price per box:	No Bid
Comments:	



JEFFERSON COUNTY
DEPARTMENT OF ADMINISTRATIVE SERVICES
729 MAPLE ST / PO BOX 100
HILLSBORO MO 63050
WWW.JEFFCOMO.ORG

Invitation for Bid: JANITORIAL SUPPLIES 2016

Date Issued: 8-18-15

BIDS SHALL BE ACCEPTED UNTIL: TUESDAY, SEPTEMBER 15, 2015, AT 2:00 P.M. LOCAL TIME.

Specification
Contact:
KERRY ROGERS
Maintenance
636-797-5011
krogers@jeffcomo.org

Contract
Contact:
VICKIE PRATT
Department of Administrative Services
636-797-5380

**Mail (3) Three
Complete Copies
With Vendor And
Bid Information As
Shown In Sample:**

SAMPLE ENVELOPE

<i>VENDOR NAME</i>	
<i>VENDOR ADDRESS</i>	
<i>CONTACT NUMBER</i>	DEPARTMENT OF THE COUNTY CLERK
	JEFFERSON COUNTY MISSOURI
	729 MAPLE ST / PO BOX 100
	HILLSBORO MO 63050-0100

SEALED BID: *(BID NAME)*

Contract Term:
1-1-16 to 12-31-16
UPON APPROVAL OF THE
COUNTY COUNCIL AND
COUNTY EXECUTIVE

The undersigned certifies that he/she has the authority to bind this company in an agreement/contract to supply the commodity or service in accordance with all terms, conditions, and pricing specified. This Bid, if accepted, will constitute an Agreement and Contract with Jefferson County, Missouri, upon approval of the County Council and County Executive. Prices are firm during this agreement term, unless agreed upon in writing by the County. The County has the option to renew this agreement at the same terms and conditions as the original agreement for one additional one-year term with the written consent of the successful Bidder. Price increases for renewals are not authorized unless approved in writing by the County.

**Vendor
Information:**

PLEASE SEND US
A COPY OF RECAP
THANK YOU

Company Name	Pyramid School Products	<i>Kenneth D. Miller</i>
	5510 North 54th Street	Authorized Agent (Print)
Address	Tampa, Florida 33610-1908	<i>Kenneth D. Miller</i>
	(AC 813) 621-6446	Signature
	'Toll Free) 800-792-2044	
City/State/Zip Code	ext 225	<i>vicepres.</i>
		Title
Telephone #	9-1415	59-0932660
E-mail		

Jumbo Toilet Tissue	
Requirements:	2 ply, 9" Rolls
Estimated Annual Usage:	250 Cases
Manufacturer:	Georgia or Equivalent
How Packaged:	
Rolls per Case:	12
Sheets per Roll:	2000
Bid Price per Case:	<i>No Bid</i>
Comments:	

Tide Liquid	
Requirements:	2.5 Gal. - 3.5 Gal PG-2401
Estimated Annual Usage:	150 Gallons
Manufacturer:	TIDE BRAND
How Packaged:	Gal.
Bid Price per Gal:	Gal.
Comments:	

PLEASE SEND US
A COPY OF RECAP
THANK YOU!

Pyramid School Products
6510 North 54th Street
Tampa, Florida 33610-1908

Small Toilet Tissue	
Requirements:	2 ply

(3)

Estimated Annual Usage:	480 Cases
Manufactuer:	Optional
How Packaged:	96 per case
Rolls per Case:	96
Sheets per Roll:	500
Bid Price per Case:	<i>100B.M</i>
Comments:	

Kitchen Towels	
Requirements:	N/A

(4)

Estimated Annual Usage:	50 Cases
Manufactuer:	Optional
How Packaged:	30 per case
Rolls per Case:	30
Sheets per Roll:	90
Bid Price per Case:	
Comments:	

Kitchen Towels	
Requirements:	N/A

(4)

Estimated Annual Usage:	50 Cases
Manufactuer:	Optional
How Packaged:	30 per case
Rolls per Case:	30
Sheets per Roll:	90
Bid Price per Case:	
Comments:	

Pyramid School Products
6510 North 54th Street
Tampa, Florida 33610-1908

Trash Bags	
Requirements:	Large 40x46 .60 mil
Estimated Annual Usage:	240 Cases
Manufacturer:	Optional
How Packaged:	
Rolls per Case:	
Bag Size:	
Bid Price per Case:	<i>No Bid</i>
Comments: Need sample with bid	

Trash Bags	
Requirements:	Small 22x33 .40 mil
Estimated Annual Usage:	180 Cases
Manufacturer:	Optional
How Packaged:	
Rolls per Case:	
Bag Size:	
Bid Price per Case:	
Comments: Need sample with bid	

(6)

Pyramid School Products

6510 North 54th Street

Tampa, Florida 33610-1908

Bar Hand Soap (NOT Ivory)	
Requirements:	3/4 oz bars
Estimated Annual Usage:	340 Cases
Manufacturer:	Optional Dial #DIA60184A
How Packaged:	1000/cs.
Oz. per Bar:	3/4 oz.
Bars per Case:	1000/cs.
Bid Price:	95.85
Comments: Unwrapped <i>unwrapped</i>	

Single Fold Towels	
Requirements:	230mm x 270mm
Estimated Annual Usage:	120 Cases
Manufacturer:	Optional
Sheet Size:	9x10
How Packaged:	
Sheets per Package:	
Package Per Case:	<i>1000</i>
Bid Price:	
Comments:	

(8)

Pyramid School Products
6510 North 54th Street
Tampa, Florida 33610-1908

Ice Melt (Potassium Chloride)	
Requirements:	50 lb bag
Estimated Annual Usage:	200 bags - depending on weather conditions
Manufacturer:	Optional
How Packaged:	bag/box
Lbs. per bag:	50
Bid Price:	<i>No Bid</i>
Comments:	Small sample to check rock size to be submitted with bid

Individually Wrapped Sanitary Napkins (Maxi Pads)	
Requirements:	N/A
Estimated Annual Usage:	125 Cases
Manufacturer:	Optional
How Packaged:	<i>100 pieces (cases) & 1/4" A</i>
Pads per Box:	250
Boxes per Case:	1 each
Bid Price:	<i>26.98</i>
Comments:	

Mop Heads	
Requirements:	16 oz. (Cotton) <i>(gray flit type)</i> <i>Screw down type</i> <i>Sewn on top</i>
Estimated Annual Usage:	40 Cases (6 in case)
Manufacturer:	Optional <i>ASCO® CM 22/16\$</i>
How Packaged:	Bulk <i>6 per case.</i>
Mop Heads per Case:	<i>6</i>
Bid Price:	<i>13.74</i>
Comments:	No wire and must be screw on type.

(11)

Bleach	
Requirements:	Liquid House Strength
Estimated Annual Usage:	120 Cases
Manufacturer:	Optional
How Packaged:	Case
Gallons per Case:	<i>10-30⁴</i>
Bid Price:	
Comments:	

(12)

Pyramid School Products
 6510 North 54th Street
 Tampa, Florida 33610-1908

Brooms	
Requirements:	Corn, Heavy Weight Sewn, Wooden Handle
Estimated Annual Usage:	20 Doz.
Manufacturer:	Optional
How Packaged:	Greenwood Dozen
Bid Price per Dozen:	63.48
Comments:	No wire of any kind on brooms. (Prison Type)
Sanitizer Concentrate for Pit Toilets (Parks)	
Requirements:	5 Gal. Buckets
Estimated Annual Usage:	75 Gallons
Manufacturer:	Optional
How Packaged:	
Bid Price per Gallon:	10.30
Comments:	
Deoderizer Concentrate for Pit Toilets (Parks)	
Requirements:	5 Gal. Buckets
Estimated Annual Usage:	75 Gallons
Manufacturer:	Optional
How Packaged:	
Bid Price per Gallon:	
Comments:	

(14)

(13)

(15)

Pyramid Scirool Products
 6510 North 54th Street
 Tampa, Florida 33610-1908

Non-Alcohol Foaming Hand Sanitizer

(16)

Requirements:

#55857

Estimated Annual Usage:

50 Cases

Manufacturer:

DEB

How Packaged:

1 Liter Bottles

Bid Price per box:

Comments:

NOBID

White Roll Towels

(17)

Requirements:

1000 ft

Estimated Annual Usage:

120 Cases

Manufacturer:

KIMMBERLY CLARK #01000

How Packaged:

Bid Price per box:

Comments:

Anti-Bacterial Hand Soap

(18)

Requirements:

1000ml bags 68941

Estimated Annual Usage:

60 Cases

Manufacturer:

DEB

How Packaged:

1 Liter Bottles

Bid Price per box:

Comments:

Pyramid School Products

6510 North 54th Street
Tampa, Florida 33610-1908

Clorox Bleach

(19)

Requirements:	Liquid	4-6 Gallons	PG 41675
Estimated Annual Usage:		150 Gallons	
Manufacturer:			PROCTER & GAMBLE Clorox #C4030%
How Packaged:		3-16oz/case	3-16oz/case
Bid Price per gal:		\$ 8.99 Gal	
Comments:			

Downy Fabric Softner

(20)

Requirements:	Liquid	4-6 Gallons	PG 41675
Estimated Annual Usage:		150 Gallons	
Manufacturer:		PROCTER & GAMBLE #PGC 89692CT	
How Packaged:		8-64oz/case	
Bid Price per oz:		\$ 4.99 per 64oz. bottle	
Comments:		(8 - 64oz. bottles/case)	

Large Aerosol Disinfectant Can Deodorizer Spray

(21)

Requirements:	14 16 oz
Estimated Annual Usage:	15 Cases
Manufacturer:	Optional <u>Clorox Spray</u> #433-4104
How Packaged:	12-16.5 oz. cans/case
Bid Price per oz:	.14/14 oz.
Comments:	(12 cans/case)

Pyramid School Products
6510 North 54th Street
Tampa, Florida 33610-1908

Screw on Mop Handles	
Requirements:	N/A
Estimated Annual Usage:	10 Cases
Manufacturer:	Optional ABCO #01240013
How Packaged:	Units of 12
Bid Price per box:	35.52
Comments:	

Spic-n-Span 3-n-1 Multisurface Glass Disinfectant Cleaner	
Requirements:	PG 32538
Estimated Annual Usage:	50 Cases
Manufacturer:	P&G Spic-n-Span #PGC.32538
How Packaged:	2-1 Gal/case.
Bid Price per box:	89.98
Comments:	

Commet Cleaner with Bleach	
Requirements:	PG 31641
Estimated Annual Usage:	50 Cases
Manufacturer:	P&G Commet #PGC.32987
How Packaged:	24-21 oz. cans/case.
Bid Price per box:	39.98
Comments:	

(24)

Pyramid School Products
6510 North 54th Street
Tampa, Florida 33610-1308

Febreeze Odor Eliminator

Requirements: PG 38015

Estimated Annual Usage:

50 Cases

Manufacturer:

P&G

How Packaged:

Febreeze #PGC 88766C
9 - 9.7 oz. cans/case

Bid Price per box:

38.98

Comments: To fit existing

(25)

Mr. Clean Finished Floor Cleaner

Requirements: PG 39949

Estimated Annual Usage:

50 Cases

Manufacturer:

P&G

How Packaged:

Mr. Clean #PGC 02624
3 - 16oz/can.

Bid Price per box:

54.98

Comments: To fit existing

(26)

Disinfectant Floor Cleaner

Requirements: 1 Gal.

Estimated Annual Usage:

50 Cases

Manufacturer:

P&G

How Packaged:

NO BV

Bid Price per box:

Comments: Pyramid School Products

6510 North 54th Street

Tampa, Florida 33610-1908

(27)



**JEFFERSON COUNTY
DEPARTMENT OF ADMINISTRATIVE SERVICES**
729 MAPLE ST / PO BOX 100
HILLSBORO MO 63050
WWW.JEFFCOMO.ORG

Invitation for Bid: JANITORIAL SUPPLIES 2016

Date Issued: 8-18-15

BIDS SHALL BE ACCEPTED UNTIL: TUESDAY, SEPTEMBER 15, 2015, AT 2:00 P.M. LOCAL TIME.

Specification
Contact:
KERRY ROGERS
Maintenance
636-797-5011
krogers@jeffcomo.org

Contract
Contact:
VICKIE PRATT
Department of Administrative Services
636-797-5380

**Mail (3) Three
Complete Copies
With Vendor And
Bid Information As
Shown In Sample:**

SAMPLE ENVELOPE

<i>VENDOR NAME</i>	DEPARTMENT OF THE COUNTY CLERK
<i>VENDOR ADDRESS</i>	JEFFERSON COUNTY MISSOURI
<i>CONTACT NUMBER</i>	729 MAPLE ST / PO BOX 100
	HILLSBORO MO 63050-0100

SEALED BID: (BID NAME)

Contract Term:
1-1-16 to 12-31-16
UPON APPROVAL OF THE
COUNTY COUNCIL AND
COUNTY EXECUTIVE

**Vendor
Information:**

The undersigned certifies that he/she has the authority to bind this company in an agreement/contract to supply the commodity or service in accordance with all terms, conditions, and pricing specified. This Bid, if accepted, will constitute an Agreement and Contract with Jefferson County, Missouri, upon approval of the County Council and County Executive. Prices are firm during this agreement term, unless agreed upon in writing by the County. The County has the option to renew this agreement at the same terms and conditions as the original agreement for one additional one-year term with the written consent of the successful Bidder. Price increases for renewals are not authorized unless approved in writing by the County.

Chemco Industries *Jeffrey Stoppelmann*
Company Name *Jeff Stoppelmann* *Jeff Stoppelmann*
Authorized Agent (Print) *Jeff Stoppelmann* *Jeff Stoppelmann*
5731 Manchester Ave *Sales Rep*
Address *Sales Rep* *Sales Rep*
St. Louis mo 63110 *Title*
City/State/Zip Code *Title*
314-647 1888 *Sep 14, 15* *Date*
Telephone # *314 647-1850* *Tax ID #*
Jeffrey.S@chemcoindustries.com *Fax #*
E-mail *Fax #*

Jumbo Toilet Tissue	
Requirements:	2 ply, 9" Rolls
Estimated Annual Usage:	250 Cases
Manufacturer:	Georgia or Equivalent
How Packaged:	
Rolls per Case:	12
Sheets per Roll:	2000
Bid Price per Case:	
Comments:	

Tide Liquid	
Requirements:	2.5 Gal. - 3.5 Gal PG-2401
Estimated Annual Usage:	150 Gallons
Manufacturer:	TIDE BRAND
How Packaged:	Gal.
Bid Price per Gal:	Gal.
Comments:	



Bidders Initials: _____

Small Toilet Tissue	
Requirements:	2 ply
Estimated Annual Usage:	480 Cases
Manufacturer:	Optional
How Packaged:	96 per case
Rolls per Case:	96
Sheets per Roll:	500
Bid Price per Case:	
Comments:	

Kitchen Towels	
Requirements:	N/A
Estimated Annual Usage:	50 Cases
Manufacturer:	Optional
How Packaged:	30 per case
Rolls per Case:	30
Sheets per Roll:	90
Bid Price per Case:	
Comments:	

Trash Bags				
	Requirements:	Large	40x46	.60 mil
Estimated Annual Usage:	240 Cases			
Manufacturer:	Optional			
How Packaged:				
Rolls per Case:	200			
Bag Size:				
Bid Price per Case:				
Comments:	Need sample with bid			

Trash Bags				
	Requirements:	Small	22x33	.40 mil
Estimated Annual Usage:	180 Cases			
Manufacturer:	Optional			
How Packaged:				
Rolls per Case:	1000			
Bag Size:				
Bid Price per Case:				
Comments:	Need sample with bid			


Bidders Initials: _____

Bar Hand Soap (NOT Ivory)	
Estimated Annual Usage:	Requirements: 3/4 oz bars
Manufacturer:	340 Cases
How Packaged:	Optional
Oz. per Bar:	
Bars per Case:	
Bid Price:	
Comments:	Unwrapped

Single Fold Towels	
Estimated Annual Usage:	Requirements: 230mm x 270mm
Manufacturer:	120 Cases
Sheet Size:	
How Packaged:	Optional
Sheets per Package:	9x10
Package Per Case:	
Bid Price:	
Comments:	

✓

Ice Melt (Potassium Chloride)

	Requirements:	50 lb bag
Estimated Annual Usage:		200 bags - depending on weather conditions
Manufacturer:		Optional Chemo Industries
How Packaged:	(bag) box	17.50 Per bag
lbs. per bag:		50
Bid Price:		17.50 Per bag
Comments:	Small sample to check rock size to be submitted with bid Include J	

(9)

(10)

Individually Wrapped Sanitary Napkins (Maxi Pads)

	Requirements:	N/A
Estimated Annual Usage:		125 Cases
Manufacturer:		Optional
How Packaged:		
Pads per Box:		1 each
Boxes per Case:		250
Bid Price:		
Comments:		

✓

Mop Heads			
Requirements:	16 oz. (Cotton)	Screw down type	Sewn on top
Estimated Annual Usage:	40 Cases (6 in case)		
Manufacturer:	Optional		
How Packaged:	Bulk		
Mop Heads per Case:	6		
Bid Price:			
Comments:	No wire and must be screw on type.		

Bleach			
Requirements:	Liquid	House	Strength
Estimated Annual Usage:	120 Cases		
Manufacturer:	Optional		
How Packaged:	Case		
Gallons per Case:	4		
Bid Price:			
Comments:			

Brooms				
Requirements:	Corn, Heavy Weight	Sewn, Wooden Handle		
Estimated Annual Usage:	20 Doz.			
Manufacturer:	Optional			
How Packaged:				
Bid Price per Dozen:				
Comments:	No wire of any kind on brooms. (Prison Type)			

(14) Sanitizer Concentrate for Pit Toilets (Parks)				
Requirements:	5 Gal. Buckets			
Estimated Annual Usage:	75 Gallons			
Manufacturer:	Optional <i>Chemco Industries</i>			
How Packaged:	<i>5 Gal. Buckets</i>			
Bid Price per Gallon:	<i>\$ 24.00</i>			
Comments:	<i>Germ a Kill</i>			

(15) Deoderizer Concentrate for Pit Toilets (Parks)				
Requirements:	5 Gal. Buckets			
Estimated Annual Usage:	75 Gallons			
Manufacturer:	Optional <i>Chemco Industries</i>			
How Packaged:	<i>5 gal Buckets</i>			
Bid Price per Gallon:	<i>\$ 23.79</i>			
Comments:	<i>Odor Suppress</i>			

Non-Alcohol Foaming Hand Sanitizer	
Estimated Annual Usage:	Requirements: #55857
Manufacturer:	50 Cases DEB
How Packaged:	1 Liter Bottles
Bid Price per box:	
Comments:	

(16)

(17)

(18)

White Roll Towels	
Estimated Annual Usage:	Requirements: 1000 ft
Manufacturer:	120 Cases KIMMBERLY CLARK #01000
How Packaged:	
Bid Price per box:	
Comments:	

(17)

Anti-Bacterial Hand Soap	
Estimated Annual Usage:	Requirements: 1000ml bags 68941
Manufacturer:	60 Cases DEB
How Packaged:	1 Liter Bottles
Bid Price per box:	
Comments:	



(19)

Chorox Bleach			
Requirements:	Liquid	4-6 Gallons	PG 41676
Estimated Annual Usage:	150 Gallons		
Manufacturer:	PROCTOR & GAMBLE		
How Packaged:	Gal.		
Bid Price per gal:			
Comments:			

(20)

Downy Fabric Softner			
Requirements:	Liquid	4-6 Gallons	PG 41675
Estimated Annual Usage:	150 Gallons		
Manufacturer:	PROCTOR & GAMBLE		
How Packaged:	Gal.		
Bid Price per gal:			
Comments:			

(21)

Large Aerosol Disinfectant Can Deodorizer Spray			
Requirements:	14-16 oz		
Estimated Annual Usage:	15 Cases		
Manufacturer:	Optional <u>Chem-Co industries</u>		
How Packaged:	<u>15</u> Oz. Per Can		
Bid Price per oz:	<u>.67</u> \$ Per Oz		
Comments:	<u>Dis-Deo packaged in 12 oz to a case</u>		




Bidders Initials:

Screw on Mop Handles	
Estimated Annual Usage:	Requirements: N/A
Manufacturer:	10 Cases Optional
How Packaged:	Units of 12
Bid Price per box:	
Comments:	

Spic-n-Span 3-n-1 Multisurface Glass Disinfectant Cleaner	
Estimated Annual Usage:	Requirements: PG 32535
Manufacturer:	50 Cases P&G
How Packaged:	
Bid Price per box:	
Comments:	

Commit Cleaner with Bleach	
Estimated Annual Usage:	Requirements: PG 31641
Manufacturer:	50 Cases P&G
How Packaged:	
Bid Price per box:	
Comments:	



Bidders Initials:

Febreeze Odor Eliminator	
Estimated Annual Usage:	Requirements: PG 38015
Manufacturer:	50 Cases P&G
How Packaged:	
Bid Price per box:	
Comments:	To fit existing

Mr. Clean Finished Floor Cleaner	
Estimated Annual Usage:	Requirements: PG 39949
Manufacturer:	50 Cases P&G
How Packaged:	
Bid Price per box:	
Comments:	To fit existing

Disinfectant Floor Cleaner	
Estimated Annual Usage:	Requirements: 1 Gal.
Manufacturer:	50 Cases P&G
How Packaged:	
Bid Price per box:	
Comments:	



SAFE STEP EQUIVALENT INDUSTRIAL STRENGTH ICE MELT

The Chemco Advantage

- * Needs Fewer Applications
- * Does Not Track
- * Colorless & Odorless
- * Competitive Pricing
- * Quick Delivery

**PACKAGING PRODUCTS WITH
THE ENVIRONMENT IN MIND**


DISTRIBUTED BY:



CAS#
CaC12 10043-52-4
NaCl 76-47-14-5
KC1 7447-40-7
MgC12 7786-30-3

ENHANCED

MELTING POWER





CHEMCO INDUSTRIES, INC.

5731 Manchester Avenue St. Louis, MO 63110

Toll Free: Phone: 24 Hour Fax:
1-800-854-4236 314-647-1888 314-647-1850

"CHEMCO HAS THE SOLUTION WITHOUT POLLUTION"

MATERIAL SAFETY DATA SHEET

Effective Date: March 2005

SAFE STEP

Identity: Industrial Strength Ice Melting Compound
Contains a proprietary combination
of Potassium Chloride, Sodium Chloride,
Calcium Chloride and Magnesium Chloride.

Hazardous Ingredients/Identity Information:
Does not contain Hazardous Components

Physical/Chemical Characteristics:

Boiling Point: Not Applicable
Vapor Pressure: Not Applicable
Vapor Density: Not Applicable
Melting Point: Not Applicable
Evaporation Rate: Not Applicable
Specific Gravity: 2.076
Solubility in Water: 317 gpl @ 0 degrees C
Appearance & Odor: White Dry Granules, Minimal Odor

Fire and Explosion Hazard Data:

Flash Point: Not Applicable
Flammable Limits: Not Applicable
Lel and Uel: Not Applicable
Extinguishing Media: Water or Foam
Spec. Fire Fighting Procedures: None
Unusual Fire & Explosion Hazards: None

Reactivity Data:

Stability: Stable
Condition to Avoid: Strong Oxidizing Acids
Incompatibility: Not Applicable
Hazardous Decomposition or By-Products: Not Applicable
Hazardous Polymerization: Will not occur

Health Hazard Data:

Routes of Entry

Inhalation:	Not Applicable Under Normal Conditions
Skin:	Not Applicable Under Normal Conditions
Ingestion:	Not Applicable Under Normal Conditions

Health Hazards:

Carcinogenicity:

NTP	Not Applicable
Larc Monographs	Not Applicable
OSHA Regulated	Not Applicable

Signs & Symptoms of Exposure: **None**

Medical Conditions Generally Aggravated by Exposure: **None Known**

Emergency and First Aid Procedures: **Wash Off With Water**

In case of eye contact, flush eyes with running water.

If ingested, induce vomiting by lavage with water or milk.

Precautions for Safe Handling and Use:

Steps to be taken in case material is released or spilled:

- 1. Sweep up clean material into clean container.**

Waste disposal method:

- 1. Discard in normal waste disposal according to local regulations.**

Precautions to be Taken in Handling or Storage:

- 1. Store in a dry area - Wash hands after handling.**

Control Measures:

Respiratory Protection: **Not Normally Needed**

Ventilation: **Not Needed Under Normal Conditions**

Protective Clothing or Equipment:

Gloves-----**Optional**

Eye Protection--**Optional**

Other-----**Optional**

Work/Hygienic Practices:

Wash Hands after Handling with Warm Soapy Water

Precautions:

Storage and Handling Precautions:

Store in Dry, Well Ventilated Area

Practice Good Housekeeping, Clean up Spills Immediately

References & Definitions:

Combinations: **KCL CAS# 7447-40-7**

NACL CAS# 7647-14-5

CACL2 CAS# 010043-52-4

MGCL2 CAS# 7786-30-3

CHEMCO INDUSTRIES, INC.

5731 Manchester Avenue St. Louis, MO 63110

Toll Free: Phone: 24 Hour Fax:

1-800-854-4236 314-647-1888 314-647-1850

CHEMCO

"CHEMCO HAS THE SOLUTION WITHOUT POLLUTION"

STEP

STRENGTH ICE MELT
in Chloride Melting Power

et Safe on Concrete
action Granules

Safe Step begins working right on contact and starts dissolving quickly to create a powerful brine solution, which keeps working for a long time. Just 10 minutes after application, Safe Step melts ice and snow faster than rock salt and most other ice melting compounds.

Fast • Easy • Safe

EACH OF CHILDREN

UTION:
INJURY AND SKIN IRRITATION
F SWALLOWED
USH EYES WITH PLENTY OF WATER FOR
UTES AND SEEK MEDICAL ATTENTION
WITH PLENTY OF WATER

Directions for Use:

Safe Step comes ready for instant use. Simply spread it lightly and evenly over the area. Use a hand scoop, spreader or shovel. Use on Wheelchair Ramps • Walkways • Driveways, Emergency Areas • Truck Ramps Stairs • Parking Areas • Entrance Ways

Benefits and Features:

*White color crystals, easy to see for even application

*Won't stain carpets or floors

*Melts down to -10° F/30° C

*Contains corrosion inhibitors, 67% less corrosive on metal than rock salt

*Contains traction granules

CHEMCO



INDUSTRIES, INC.

AVENUE ST. LOUIS, MO 63110

1-800-854-4236 FAX: 314-647-1850

EMAIL: sales@chemcoindustries.com

MATERIAL SAFETY DATA SHEET

CHEMCO INDUSTRIES, INC.
5731 Manchester Ave., St. Louis, MO 63110



DATE OF ISSUE: January, 05, 2006

GENERAL INFORMATION #: 314-647-1888
EMERGENCY TELEPHONE #: (800) 854-4236

I - PRODUCT IDENTIFICATION

DIS-DEO

PRODUCT CODE: #072

CHEMICAL FORMULATION: DISINFECTANT & DEODORANT SPRAY

NFPA HAZARD IDENTIFICATION SYSTEM: **HEALTH: 2 FLAMMABILITY: 3 REACTIVITY: 0**
HAZARD RATING: 4 - Extreme; 3 - High; 2 - Moderate; 1 - Slight; 0 - Insignificant

II - HAZARDOUS INGREDIENTS

Hazardous Components (Specific Chemical Identity; Common Name (s))	CAS No.	OSHA PEL	ACGIHLV	Other Limits Recommended	% optional
ISOPROPYL ALCOHOL	67-63-0	400ppm	400ppm		
TRIETHYLENE GLYCOL*	112-27-6	N/A	5 mg/m ³		5-10%
PROPANE	74-98-6	1000ppm	1000ppm		
ISOBUTANE	75-28-5	N/E	800ppm		

*SARA 313 Information:

Subject to the reporting and supplier notification of SARA 313.

*RQ #2 N/A

Key: PEL: Permissible Exposure Limit TLV: Threshold Limit Value C: Ceiling Level STEL: Short Term Exposure Limit

N/A: Not Applicable N/D: Not Determined N/E: Not Established Y: Yes N: No

302: CERCLA List of Hazardous Substances and Reportable Quantities (40 CFR 302.4).

355: SARA TITLE III/ List of Extremely Hazardous Substances for Emergency Planning and Notification (40 CFR 355).

372: SARA TITLE III/ List of Toxic Chemicals subject to Release Reporting (Community Right to Know) (40 CFR 372).

III - PHYSICAL DATA

BOILING POINT (°F): N/A	MELTING POINT: N/A
VAPOR PRESSURE (psig@25C): 50psig	SPECIFIC GRAVITY (H ₂ O=1): 0.84
VAPOR DENSITY (AIR=1) >1	
SOLUBILITY IN WATER: SOLUBLE	EVAPORATION RATE (Butyl Acetate =1): <1
APPEARANCE AND ODOR: WATER WHITE CLEAR MIST-ALCOHOL	
pH (@25C): 13.5	

IV - FIRE AND EXPLOSION HAZARD

FLAME PROJECTION: 18INCHES

(TEST METHOD):

FLAMMABLE LIMITS: N/E

UPPER:

LOWER:

EXTINGUISHING MEDIA: CO₂, STANDARD FOAM, DRY CHEMICAL, HALON.

SPECIAL FIRE FIGHTING PROCEDURES: WEAR SELF- CONTAINED BREATHING APPARATUS.

UNUSUAL FIRE AND EXPLOSION HAZARD: EXPOSURE TO TEMPERATURES OVER 120 DEGREES F. MAY CAUSE BURSTING OR VENTING. HEAT OR FIRE MAY CAUSE HAZARDOUS FUMES: CARBON MONOXIDE

V - REACTIVITY DATA

STABILITY:	STABLE
INCOMPATIBILITY:	OXIDIZING MATERIALS
HAZARDOUS DECOMPOSITION OR BYPRODUCTS:	OPEN FLAMES MAY PRODUCE CARBON MONOXIDE
HAZARDOUS POLYMERIZATION: CONDITIONS TO AVOID:	WILL NOT OCCUR SOURCES OF HEAT

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: DIS-DEO

PRODUCT CODE: #072

VI - HEALTH AND HAZARD DATA

GENERAL: TOXICITY INFORMATION IS NOT AVAILABLE FOR THESE FINISHED PRODUCTS. THIS HEALTH HAZARD ASSESSMENT IS BASED ON INFORMATION AVAILABLE FOR THE COMPONENTS IN THE FINISHED PRODUCT.

THRESHOLD LIMIT VALUE: N/E

OSH & ACGIH: N/R

CARCINOGEN - NTP & IARC: NOT CONSIDERED A CARCINOGEN

SYMPTOMS OF EXPOSURE

IF IN EYES: MAY CAUSE IRRITATION, REDNESS, OR WATERING

IF ON SKIN: MAY CAUSE ITCHING, DRYNESS, REDNESS, OR IRRITATION

IF INGESTED: NAUSEA, HEADACHE, VOMITING

IF INHALED: LARGE AMOUNTS OF VAPORS MAY CAUSE NAUSEA, OR DIZZINESS.

MEDICAL COND. AGGRAVATED BY EXP: SKIN SENSITIVITY, CHEMICAL ALLERGIES

PRIMARY ROUTES OF ENTRY: EYES, SKIN, INGESTION, INHALATION

EMERGENCY FIRST AID

IF IN EYES: FLUSH WITH WATER FOR 15 MINUTES. IF IRRITATION PERSISTS, SEEK MEDICAL ATTENTION.

IF ON SKIN: WASH WITH SOAP AND WATER. IF IRRITATION PERSISTS, SEEK MEDICAL ATTENTION.

IF INGESTED: DO NOT INDUCE VOMITING. SEEK MEDICAL ATTENTION

IF INHALED: REMOVE TO FRESH AIR

VII - SPILL AND LEAK PROTECTION

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED: REMOVE ALL SOURCES OF IGNITION. DIKE AREA IF POSSIBLE FOR MATERIAL RECOVERY. SMALL QUANTITIES MAY BE ABSORBED WITH ABSORBENT MATERIALS.

WASTE DISPOSAL METHOD: DISPOSE OF IN A MANNER APPROVED BY LOCAL, STATE AND FEDERAL REGULATIONS AS WELL AS EPA STANDARDS.

VIII - SPECIAL PROTECTION INFORMATION

VENTILATION: GENERAL VENTILATION RECOMMENDED TO MAINTAIN THE LEVEL OF THE HAZARDOUS INGREDIENTS TO LESS THAN HALF OF THE TLV.

RESPIRATORY PROTECTION: NOT REQUIRED

PROTECTIVE GLOVES: RUBBER GLOVES. FOR SHORT USAGE NONE REQUIRED

EYE PROTECTION: SAFETY GOGGLES. FOR SHORT USAGE NONE REQUIRED

OTHER PROTECTIVE EQUIPMENT: NONE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: DO NOT STORE WHERE TEMPERATURES EXCEED 120 DEGREES FAHRENHEIT.

OTHER PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN

WORK/HYGIENIC PRACTICES: N/A

REVISION DATE: January 05, 2005

Prepared By:

DATE OF ISSUE: January 05, 2005

This information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. Chemco Industries assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material such vendees or users assume all risks associated with the use of this material.

CHEMCO

"DIS-DEO"

DISINFECTANT DEODORANT

This is a potent hospital type disinfectant. It acts on bacteria-laden surfaces such as mattresses, (to render bacteriostatic), linen carts, refuse cans, metal beds and springs, draperies (to render bacteriostatic), wheel chairs, metal furniture, laundry chutes, air ducts, toilet seats, light switches, laundry hampers and other equipment after surface to be treated has been properly cleaned.

It is fast acting and continues to inhibit bacterial growth for a considerable time after spraying. Avoids the use of heavy or masking odors and will not dull the olfactory senses.

DIRECTIONS:

- For Disinfecting Hard Surfaces: Hold dispenser about 8" from surface to be treated and spray until wet.
- For Deodorizing: Hold dispenser upright and spray into air toward center of room for 6-8 seconds.

ACTIVE INGREDIENTS:

Ethanol	66.7395%	66.9101%
o-Benzyl p-Chlorophenol	0.0480%	0.0440%
p-Tertiary Amylphenol	0.0266%	0.0266%
o-Phenylphenol		
n-Alky (60% Cl4, 30% Cl6, 5% Cl12, 5% Cl18) Dimethyl Benzyl Ammonium Chlorides	0.0230%	
n-Alky (50% Cl2, 30% Cl4, 17% Cl6, 3% Cl18) Dimethyl Ethylbenzyl Ammonium Chlorides	0.0230%	
2,2-Methylenabis (3,4,6-Trichloropheno	0.0030%	
INERT INGREDIENTS:		
Dichlorodifluoromethane, Water, Essential Oils, Isopropanol	33.0899%	100.0000%

BACTERIOSTATIC AND FUNGISTATIC (PATHOGENIC FUNGI)

WARNING: EXTREMELY FLAMMABLE! Do not use near fire, sparks or flame. Do not puncture or incinerate container. Do not expose to heat or store at temperature above 120°F. Use only as directed; intentional misuse by deliberately concentrating and inhaling the contents can be fatal. Do not get in eyes. In case of contact with eyes, flush at once with water for 15 minutes. Call a physician. Avoid skin contact. Avoid breathing of spray mist. Use adequate ventilation. Avoid contact with food.

KEEP OUT OF REACH OF CHILDREN

SDA MO 1147
EPA Reg. No. 6658-7-36399
EPA EST. 6658-MO-1

EPA Reg. No. 6658-7-

WARNING: EXTREMELY FLAMMABLE!
CONTENTS UNDER PRESSURE

Read carefully other cautions on back panel
KEEP OUT OF REACH OF CHILDREN
NET WT. 18 OZ. (1 LB. 2 OZ.)

CHEMCO INDUSTRIES
INCORPORATED

P.O. BOX 6606
ST. LOUIS, MISSOURI 63125
(314) 846-1888

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: GERMA-KILL

PRODUCT CODE: #121, #121A

VI - HEALTH AND HAZARD DATA

ROUTES OF ENTRY: EYE? YES SKIN? YES INGESTION? YES
HEATH HAZARDS (ACUTE & CHRONIC):

CARCINOGENICITY: NTP? N/A IARC MONOGRAPHS? N/A OSHA REGULATED? N/A

EFFECTS OF OVEREXPOSURE

IF IN EYES: SEVER IRRITATION OR DAMAGE DEPENDING ON AMOUNT AND LENGTH OF EXPOSURE.

IF ON SKIN: MAY CAUSE MODERATE TO SEVERE IRRITATION

IF SWALLOWED: MAY CAUSE GASTRONINTESTINAL DISTRESS AND IRRITATION. MAY BE FATAL IF SUFFICIENT QUANTITY IS SWALLOWED.

IF INHALED: NO HARMFUL EFFECTS UNDER NORMAL USE CONDITIONS.

EMERGENCY AND FIRST AID PROCEDURES

IF IN EYES: FLUSH WITH LARGE AMOUNTS OF WATER WHILE HOLDING UPPER AND LOWER LIDS OPEN
GET MEDICAL ATTENTION

IF ON SKIN: FLUSH WITH LARGE AMOUNT OF WATER, REMOVE AND LAUNDER CONTAMINATED CLOTHING
BEFORE RE-USE IF IRRITATION IS EVIDENT GET MEDICAL ATTENTION.

IF SWALLOWED: DRINK PROMPTLY A LARGE QUANTITY OF MILK, EGG WHITE OR GELATIN, OR WATER
AVOID ALCOHOL. DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION IMMEDIATELY.

IF INHALED: IN THE UNLIKELY EVENT THAT OVEREXPOSURE OCCURS, MOVE PERSON TO FRESH AIR. IF BREATHING IS DIFFICULT ADMINISTER OXYGEN. CALL A PHYSICIAN.

VII - SPILL AND LEAK PROTECTION

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED: FLUSH WITH WATER TO SEWER

WASTE DISPOSAL METHOD: SEWER WITH WATER

VIII - SPECIAL PROTECTION INFORMATION

VENTILATION: Local Exhaust: Mechanical (General): Special:
Other: N/A

RESPIRATORY PROTECTION: NONE

PROTECTIVE GLOVES: RUBBER GLOVES

EYE PROTECTION: SAFETY GLASSES OR FACE SHIELD

OTHER PROTECTIVE EQUIPMENT: NONE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: KEEP OUT OF REACH OF CHILDREN

OTHER PRECAUTIONS: TREAT EMPTY CONTAINERS AS IF THEY WERE FULL DUE TO PRESENT OF PRODUCT RESIDUE.

WORK/HYGIENIC PRACTICES :

REVISION DATE: January 05, 2005

Prepared By:

DATE OF ISSUE: January 05, 2005

This information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. Chemco Industries assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material such vendees or users assume all risks associated with the use of this material.

CHEMCO

GERMA KILL

Law to use this consistent with its disinfectant is a designed to provide hospital sanitation and nursing plants, food other institutions nursing plants, food other institutions come importance in s-contamination.

as directed, is onate hard surfaces tops, toilet bowls, bed frames. For rooms, patient this product is general cleaning and

DIRECTIONS FOR USE:

DISINFECTION: To disinfect inanimate, hard surfaces. Apply solution with a mop, cloth, sponge, or mechanical sprayer so as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes, and then remove excess liquid. For heavily soiled areas, a pre-cleaning step is required. Prepare a fresh solution for each use. To disinfect toilet bowls, flush toilet, add 2 oz. of this Detergent/Disinfectant directly to the bowl water. Swab the bowl completely using a scrub brush or toilet mop, making sure to get the rim. Let stand for 10 minutes and flush. **DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL.**

Storage: Store in a dry place no lower in temperature than 50 degrees F or higher than 120 degrees F.

NET CONTENTS **1 US GALLON**

CHEMCO INDUSTRIES, INC.

5731 Manchester Avenue St. Louis, MO 63110
Toll Free: 1-800-854-4236
Phone: 314-647-1888
24 Hour Fax: 314-647-1850

www.chemcoindustries.com e-mail: sales@chemcoindustries.com

ACTIVE INGREDIENTS:
N-ALKYL (C14, 60%; C16, 30%; C12, 5%; C18, 5%)
DIMETHYL BENZYL AMMONIUM CHLORIDE.....2.25%
N-ALKYL (C12, 68%; C14, 32%)
DIMETHYL ETHYL BENZYL AMMONIUM CHLORIDE...2.25%
INERT INGREDIENTS.....95.50%
TOTAL INGREDIENTS.....100.00
EPA REG NO. 1839-79-36399 EPA EST. NO. 1190-MO-01
KEEP OUT OF REACH OF CHILDREN
MANUFACTURED BY:

