

INVITATION FOR BID NOTICE ISSUED:

05-1-2008

ADDENDUM DATE ISSUED:

05-15-2008

COUNTY OF JEFFERSON, MISSOURI

Department of Administration
729 Maple Street
PO Box 100
Hillsboro, MO 63050
www.jeffcomo.org
636-797-5382

SPECIFICATION CONTACT

MIKE GINGER

Director of Parks & Recreation
636-797-5334

ADDENDUM #1 TO:

INVITATION FOR BID

ELECTRICAL SYSTEM MATERIALS

BIDS SHALL BE ACCEPTED UNTIL:

TUESDAY, JUNE 3, 2008, at 2:00 p.m. local time.

Thereafter, bids shall be opened in the County Commission Assembly Room.

THREE (3) COMPLETE COPIES OF THE ADDENDUM MUST BE INCLUDED WITH THE ORIGINAL IFB AND DELIVERED TO:

**Office of the County Clerk
Wes Wagner (636)797-5478
County of Jefferson, Missouri
729 Maple Street
Hillsboro, MO 63050**

The outside of the envelope must contain the vendor's name, address and the following language:

SEALED BID FOR: ELECTRICAL SYSTEM MATERIALS

ALL TERMS AND CONDITIONS APPLY TO THE ADDENDUM AS STATED IN THE ORIGINAL IFB DATED 05-01-2008.

ADDENDUM #1

SOFTBALL / BASEBALL LIGHTING FOR NORTHWEST JEFFERSON COUNTY SPORTS COMPLEX

<u>BILL OF MATERIAL</u>		<u>QTY.</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
1.	1" Schedule 40 PVC	2400	per 100 feet	
2.	1" Galvanized Heavywall Conduit	100	per 100 feet	
3.	1" 90° ELS Schedule 40	20		
4.	1" PVC to GHWC Adapters	20		
5.	1" GHWC Grounding Bushings	10		
6.	NEMA 3R Wireway – 4" x 4" Straight w / End Caps	10 ft.		
7.	#10 AWG, THHN (Black/Red/Green)	7600	per 100 feet	
8.	#8 AWG, THHN (Black/Red)	3600	per 100 feet	
9.	#6 AWG, THHN (Black./Red)	5000	per 100 feet	
10.	B-Line Galvanized Strut B22	200 ft.		
11.	GFI, 20 AMP Receptacles	5		
12.	FS, 2-Gang Box with Extension Ring and GFI Weatherproof Cover	5		
13.	30 Amp, 2-pole, 480 Volt Electrically Held Contactors	2	per each	
14.	60 Amp, 2-pole, 480 Volt Electrically Held Contactors	4	per each	
15.	Hand-Off Auto Selector Switches	2		
16.	Time Clock TC1, Intermatic model # ET70415CR	1		
17.	Time Clock TC2, Intermatic model # ET8215C	1		
18.	Contactor Cabinet, NEMA 3R, Hoffmann cat. #A42R3012HCR with #A42P30 Mounting Panel	1		
19.	Selector Switch Cabinet, NEMA 3R, Hoffman cat. #A24R208HCR with #A24P20 Mounting Panel	1		
20.	Panelboard 'SEPA' w / Circuit Breakers	1		
21.	Panelboard 'PPA' w / Circuit Breakers	1		

1	22. 15 KVA Transformer	1		
1	23. Type 'A' Light Fixture	1		
1	24. Type 'B' Light Fixture	3		
1	25. Lamps for items 23 and 24	Lump sum		
1	26. 4" Galvanized Heavy Wall Conduit	20 ft.	per 100 feet	
1	27. 4" GHWC Ell, Long Radius	2		
1	28. 4" GHWC Grounding Bushing	2		
1	29. 4" Schedule 40 PVC	20 ft.	per 100 feet	
1	30. 4" PVC GHWC Adapters	1		



GENERAL REVISION 5/13/2008

