

TRAP ROCK 2019 2-26-2019	IRON MOUNTAIN TRAP ROCK	CENTRAL STONE COMPANY - BUTLER HILL
	2320 CREVE COEUR MILL RD MARYLAND HEIGHTS MO 63043	1195 SMIZER MILL RD FENTON MO 63026
IN EMERGENCY CAN WE CALL YOU AFTER HOURS?	YES	YES
NAME OF PARTY TO CALL:	RESOURCE INTEGRATION CENTER (RIC)	DONNIE KING
TELEPHONE NUMBER	866-739-8855	314-540-1170
MINIMUM DELIVERY REQUIRED	YES	YES
AMOUNT IF YES	\$365 24 TON MINIMUM DELIVERY HAUL CHARGES PER LOAD	\$18 TON CENTRAL STONE SPEC DOES NOT MEET REQUIRED SPEC. PLEASE SEE GRADATIONS FOR ACUTAL SPC.
TRAP ROCK BID PRICE PER TON	\$10.00	CM16 TRAP \$10.00 1/4" TRAP \$9.00 PLEASE SEE GRADATIONS ATTACHED
PLANT LOCATION	IRON MOUNTAIN TRAP ROCK 1325 HWY N IRON MOUNTAIN, MO 63650 ORDER PLACEMENT: RIC 866-739-8855	5601 HWY DD FARMINGTON MO 63640
DELIVERY COST TO THE FOLLOWING LOCATIONS WILL BE AS STATED BELOW		
DE SOTO BUILDING PER TON	\$7.50	\$5.25
HILLSBORO BUILDING PER TON	\$7.50	\$6.90
HOUSE SPRING BUILDING PER TON	\$7.50	\$9.00

BID TABULATION - TRAP ROCK 2019

TRAP ROCK 2019 2-26-2019	IRON MOUNTAIN TRAP ROCK	CENTRAL STONE COMPANY - BUTLER HILL
	2320 CREVE COEUR MILL RD MARYLAND HEIGHTS MO 63043	1195 SMIZER MILL RD FENTON MO 63026
ADD ON PRICE PER TON FOR STOCK PILE DELIVERY		
0-5 MILES	\$4.50	QUOTE BY JOB
5-10 MILES	\$5.00	QUOTE BY JOB
10-15 MILES	\$5.50	QUOTE BY JOB
15-20 MILES	\$6.00	QUOTE BY JOB
20-25 MILES	\$6.50	
25-30 MILES	\$7.00	
30-35 MILES	\$7.50	
35-40 MILES	\$8.00	
40-45 MILES	\$8.50	
45-50 MILES	\$9.00	
50-55 MILES	QUOTE	
55-60 MILES	QUOTE	QUOTE BY JOB
60-65 MILES	QUOTE	
65-70 MILES	QUOTE	
70-75 MILES	QUOTE	
OVER 75 MILES	QUOTE	

TRAP ROCK 2019 2-26-2019	IRON MOUNTAIN TRAP ROCK	CENTRAL STONE COMPANY - BUTLER HILL
	2320 CREVE COEUR MILL RD MARYLAND HEIGHTS MO 63043	1195 SMIZER MILL RD FENTON MO 63026
REQUIRED DOCUMENTS		
NOTARIZED WORK AFFIDAVIT COMPLETED	Y	Y
E-VERIFICATION DOCUMENTATION (Y/N):	Y	Y
COPY OF INSURANCE PROVIDED	Y	Y
TAX RECEIPTS OR NOTARIZED LETTER STATING NO REAL OR PERSONAL PROPERTY OWNED IN JEFFERSON COUNTY	Y	Y
COOPERATIVE BID FORM (Y/N)	Y	Y
COOPERATIVE CONTACT INFO:	Y	Y
COMPANY INFORMATION AND SIGNATURE	Y	Y
BID DEPOSIT REQUIRED	N/A	N/A
COMMENTS:		SEE ATTACHED



JEFFERSON COUNTY
DEPARTMENT OF ADMINISTRATIVE SERVICES
 729 MAPLE ST / PO BOX 100
 HILLSBORO MO 63050
WWW.JEFFCOMO.ORG

BID #: 19-0014

Invitation for Bid: TRAP ROCK 2019

Date Issued: 1-25-2019

BIDS SHALL BE ACCEPTED UNTIL: TUESDAY, FEBRUARY 26, 2019 AT 2:00 P.M. LOCAL TIME.

**Specification
Contact:**

KURT WENGERT
 Department of Public Works
 636-797-5427
kwengert@jeffcomo.org

**Contract
Contact:**

VICKIE PRATT
 Department of Administrative Services
 636-797-5380

**Mail (3) Three
Complete Copies
With Vendor And
Bid Information As
Shown In Sample:**

SAMPLE ENVELOPE


<i>VENDOR NAME</i>	
<i>VENDOR ADDRESS</i>	
<i>CONTACT NUMBER</i>	DEPARTMENT OF THE COUNTY CLERK
	JEFFERSON COUNTY MISSOURI
	729 MAPLE ST / PO BOX 100
	HILLSBORO MO 63050-0100
SEALED BID: (BID NAME)	

Contract Term:

**ONE YEAR CONTRACT
WITH TWO ONE YEAR
RENEWAL OPTIONS
UPON APPROVAL OF THE
COUNTY COUNCIL AND
COUNTY EXECUTIVE**

The undersigned certifies that he/she has the authority to bind this company in an agreement/contract to supply the commodity or service in accordance with all terms, conditions, and pricing specified. This Bid, if accepted, will constitute an Agreement and Contract with Jefferson County, Missouri, upon approval of the County Council and County Executive. Prices are firm during this agreement term, unless agreed upon in writing by the County. The County has the option to renew this agreement at the same terms and conditions as the original agreement for two additional one-year terms with the written consent of the successful Bidder. Price increases for renewals are not authorized unless approved in writing by the County.

**Vendor
Information:**

<u>Iron Mountain Trap Rock</u>	<u>Konn Wilson</u>
Company Name	Authorized Agent (Print)
<u>2320 Creve Coeur Mill Rd</u>	
Address	Signature
<u>Maryland Height, MO 63043</u>	<u>President Business Development</u>
City/State/Zip Code	Title
<u>314-344-0070</u>	<u>2/26/2019</u>
Telephone #	Date
<u>slbartlett@fredweberinc.com</u>	<u>43-1127552</u>
E-mail	Tax ID #
	<u>314-344-0970</u>
	Fax #

SPECIFICATIONS FOR TRAP ROCK

The material shall meet the requirements of Section 1003 "AGGREGATE FOR SEAL COATS" of the 2018 version of the Missouri Standard Specifications for Highway Construction unless otherwise approved by the County Engineer.

The aggregate shall be 3/8-inch maximum size Trap Rock Chips (washed) and shall meet the following gradation (subject to approval by the Engineer):

SIEVE SIZE	%PASSING (BY WEIGHT)
1/2"	100
3/8"	80-100
NO. 4	0-5

Testing reports shall be submitted by the selected vendor(s) to the County Engineer for approval prior to delivery.

Bid Price shall be for County pickup at the plant location listed below. Delivery Cost to County building locations will be an additional cost as listed. Please also provide a cost for various stockpile locations in the County based on the distance from your plant location (if any, locations to be determined after award). Stockpile delivery will receive five (5) working days' notice to fill order. Delivery order will be a minimum of 2,000 tons. Deliveries will be accepted at the locations below between 7:00 AM and 2:00 PM, unless prior arrangements have been made with the County.

Estimated tonnage needed for the 2019 season is between 5,000 and 10,000 tons, subject to project need and budgetary limitations. Aggregate will be used as cover rock for seal coat work. Stockpile for seal coat will not begin until after April 1, 2019 and will be completed before June 1, 2019. **All material ordered under this contract may be ordered at stated price until April 1, 2020.**

In emergency, can we call you after regular hours? YES X NO _____

If yes, name party to call: Resource Integration Center (RIC)

Telephone number: 866-739-8855

Minimum Delivery Required (Circle One) Yes No

If yes, amount \$ 365.00 **24 ton minimum delivery haul charges per load**

TRAP ROCK BID PRICE \$ 10.00 PER TON

PLANT LOCATION: Iron Mountain Trap Rock: 1325 Hwy N, Iron Mountain, MO 63650
Order Placement: RIC-866-739-8855

DELIVERY COST TO THE FOLLOWING LOCATIONS WILL BE AS STATED BELOW

De Soto Building	2960 Lee Pyle Road, off U.S. Hwy. 67	\$ <u>7.50</u> PER TON
Hillsboro Building	5275 State Highway B at Butcher Branch Road	\$ <u>7.50</u> PER TON
House Springs Building	6460 State Highway MM	\$ <u>7.50</u> PER TON

HAUL CHART MILEAGE

ADD ON PRICE PER TON FOR STOCK PILE DELIVERY

0 - 5 miles \$ 4.50 PER TON

5 - 10 miles \$ 5.00 PER TON

10 -15 miles \$ 5.50 PER TON

15 - 20 miles \$ 6.00 PER TON

20 - 25 miles \$ 6.50 PER TON

25 - 30 miles \$ 7.00 PER TON

30 - 35 miles \$ 7.50 PER TON

35 - 40 miles \$ 8.00 PER TON

40 - 45 miles \$ 8.50 PER TON

45 - 50 miles \$ 9.00 PER TON

50 – 55 miles \$ Quote PER TON



55 – 60 miles \$ Quote PER TON

60 – 65 miles \$ Quote PER TON

65 – 70 miles \$ Quote PER TON

70 – 75 miles \$ Quote PER TON

Over 75 miles \$ Quote PER TON



JEFFERSON COUNTY
DEPARTMENT OF ADMINISTRATIVE SERVICES
 729 MAPLE ST / PO BOX 100
 HILLSBORO MO 63050
WWW.JEFFCOMO.ORG

BID #: 19-0014

Invitation for Bid: TRAP ROCK 2019

Date Issued: 1-25-2019

BIDS SHALL BE ACCEPTED UNTIL: TUESDAY, FEBRUARY 26, 2019 AT 2:00 P.M. LOCAL TIME.

Specification

Contact:

KURT WENGERT

Department of Public Works
 636-797-5427
kwengert@jeffcomo.org

Contract

Contact:

VICKIE PRATT

Department of Administrative Services
 636-797-5380

SAMPLE ENVELOPE

VENDOR NAME

VENDOR ADDRESS

CONTACT NUMBER

DEPARTMENT OF THE COUNTY CLERK

JEFFERSON COUNTY MISSOURI

729 MAPLE ST / PO BOX 100

HILLSBORO MO 63050-0100

SEALED BID: (BID NAME)


**Mail (3) Three
 Complete Copies
 With Vendor And
 Bid Information As
 Shown In Sample:**

Contract Term:

**ONE YEAR CONTRACT
 WITH TWO ONE YEAR
 RENEWAL OPTIONS
 UPON APPROVAL OF THE
 COUNTY COUNCIL AND
 COUNTY EXECUTIVE**

The undersigned certifies that he/she has the authority to bind this company in an agreement/contract to supply the commodity or service in accordance with all terms, conditions, and pricing specified. This Bid, if accepted, will constitute an Agreement and Contract with Jefferson County, Missouri, upon approval of the County Council and County Executive. Prices are firm during this agreement term, unless agreed upon in writing by the County. The County has the option to renew this agreement at the same terms and conditions as the original agreement for two additional one-year terms with the written consent of the successful Bidder. Price increases for renewals are not authorized unless approved in writing by the County.

**Vendor
 Information:**

Central Stone Company-Butler Hill	Randy Hackworth
Company Name	Authorized Agent (Print)
1195 Smizer Mill Rd	
Address	Signature
Fenton MO 63026	Sales Representative
City/State/Zip Code	Title
314-830-9000	2/19/2019 36-1489597
Telephone #	Date Tax ID #
rhackworth@centralstone.com	314-830-9001
E-mail	Fax #

SPECIFICATIONS FOR TRAP ROCK

The material shall meet the requirements of Section 1003 "AGGREGATE FOR SEAL COATS" of the 2018 version of the Missouri Standard Specifications for Highway Construction unless otherwise approved by the County Engineer.

The aggregate shall be 3/8-inch maximum size Trap Rock Chips (washed) and shall meet the following gradation (subject to approval by the Engineer):

SIEVE SIZE	%PASSING (BY WEIGHT)
1/2"	100
3/8"	80-100
NO. 4	0-5

Testing reports shall be submitted by the selected vendor(s) to the County Engineer for approval prior to delivery.

Bid Price shall be for County pickup at the plant location listed below. Delivery Cost to County building locations will be an additional cost as listed. Please also provide a cost for various stockpile locations in the County based on the distance from your plant location (if any, locations to be determined after award). Stockpile delivery will receive five (5) working days' notice to fill order. Delivery order will be a minimum of 2,000 tons. Deliveries will be accepted at the locations below between 7:00 AM and 2:00 PM, unless prior arrangements have been made with the County.

Estimated tonnage needed for the 2019 season is between 5,000 and 10,000 tons, subject to project need and budgetary limitations. Aggregate will be used as cover rock for seal coat work. Stockpile for seal coat will not begin until after April 1, 2019 and will be completed before June 1, 2019. **All material ordered under this contract may be ordered at stated price until April 1, 2020.**

In emergency, can we call you after regular hours? YES x NO

If yes, name party to call: Donnie King

Telephone number: 314-540-1170

Minimum Delivery Required (Circle One) (Yes) No

If yes, amount \$ 18 ton

* Central Stone Spec does not meet Required Spec. Please see Gradations for actual spec.

CM16 Trap-\$10.00

TRAP ROCK

BID PRICE

\$ 1/4" Trap-\$9.00 **PER TON**

Please see Gradations Attached

PLANT LOCATION: 5601 Hwy DD Farmington MO 63640

DELIVERY COST TO THE FOLLOWING LOCATIONS WILL BE AS STATED BELOW

De Soto Building	2960 Lee Pyle Road, off U.S. Hwy. 67	\$ <u>5.25</u> PER TON
Hillsboro Building	5275 State Highway B at Butcher Branch Road	\$ <u>6.90</u> PER TON
House Springs Building	6460 State Highway MM	\$ <u>9.00</u> PER TON

(Haul Rate only)

HAUL CHART MILEAGE

ADD ON PRICE PER TON FOR STOCK PILE DELIVERY

	Quote
0 - 5 miles	\$ <u>by Job</u> PER TON
5 - 10 miles	\$ <u>"</u> PER TON
10 -15 miles	\$ <u>"</u> PER TON
15 - 20 miles	\$ <u>"</u> PER TON
20 - 25 miles	\$ <u></u> PER TON
25 - 30 miles	\$ <u></u> PER TON
30 - 35 miles	\$ <u></u> PER TON
35 - 40 miles	\$ <u></u> PER TON
40 - 45 miles	\$ <u></u> PER TON
45 - 50 miles	\$ <u></u> PER TON
50 - 55 miles	\$ <u></u> PER TON

Quote
by Job

55 – 60 miles \$ _____ PER TON

60 – 65 miles \$ _____ PER TON

65 – 70 miles \$ _____ PER TON

70 – 75 miles \$ _____ PER TON

Over 75 miles \$ _____ PER TON

1/4 x 1/8 Trap Rock

SPECS:		100.0	100.0	97-100		0-25						0-1.5
--------	--	-------	-------	--------	--	------	--	--	--	--	--	-------

Seq. #	Date:		1/2"	3/8"	1/4"	#4	#8	#16	#30	#50	#100	#200	Location	Comments
1	1/2/19		100.0	100.0	99.6	88.3	19.9	2.0	0.2	0.1	0.1	0.1	Belt	Production
2	1/7/19		100.0	100.0	99.7	90.1	22.1	2.6	0.3	0.1	0.1	0.1	Belt	Production
3	1/8/19		100.0	100.0	99.5	87.5	20.7	2.2	0.2	0.1	0.1	0.1	Belt	Production
4	1/16/19		100.0	100.0	99.8	91.0	22.1	2.4	0.3	0.2	0.1	0.1	Belt	Production
5														
6														
7														
8														
9														
10														
11														
12														
13														
14														
15														
16														
17														
18														
19														
20														
21														
22														
23														
24														
25														
26														
27														
28														
29														
30														
31														

AVERAGE	#DIV/0!	100.0	100.0	99.7	89.2	21.2	2.3	0.3	0.1	0.1	0.1
MINIMUM	0.0	100.0	100.0	99.5	87.5	19.9	2.0	0.2	0.1	0.1	0.1
MAXIMUM	0.0	100.0	100.0	99.8	91.0	22.1	2.6	0.3	0.2	0.1	0.1
STD DEV	#DIV/0!	0.0	0.0	0.1	1.6	1.1	0.3	0.1	0.1	0.0	0.0

CM16 Trap Rock

SPECS:			100.0	94-100		21-37		0-4			0-2.5
--------	--	--	-------	--------	--	-------	--	-----	--	--	-------

Seq. #	Date:			1/2"	3/8"	1/4"	#4	#8	#16	#50	#100	#200	Location	Comments
1	1/2/19			100.0	96.5	52.0	20.3	2.6	0.4	0.1	0.1	0.1	Belt	Production
2	1/7/19			100.0	98.2	60.9	26.1	4.0	0.7	0.2	0.1	0.1	Belt	Production
3	1/8/19			100.0	98.4	54.3	19.9	2.1	0.3	0.1	0.1	0.1	Belt	Production
4	1/8/19			100.0	97.9	51.2	18.1	1.7	0.3	0.1	0.1	0.1	Belt	Production Retest
5	1/16/19			100.0	97.9	56.6	22.3	2.7	0.4	0.1	0.1	0.1	Belt	Production
6														
7														
8														
9														
10														
11														
12														
13														
14														
15														
16														
17														
18														
19														
20														
21														
22														
23														
24														
25														
26														
27														
28														
29														
30														
31														

AVERAGE	#DIV/0!	#DIV/0!	100.0	97.8	55.0	21.3	2.6	0.4	0.1	0.1	0.1
MINIMUM	0.0	0.0	100.0	96.5	51.2	18.1	1.7	0.3	0.1	0.1	0.1
MAXIMUM	0.0	0.0	100.0	98.4	60.9	26.1	4.0	0.7	0.2	0.1	0.1
STD DEV	#DIV/0!	#DIV/0!	0.0	0.7	3.9	3.1	0.9	0.2	0.0	0.0	0.0